



Bright Star LIGHTING



**2024
AUGUST**

CAPE TOWN 021 5517035
www.brightstarlighting.co.za

JOHANNESBURG 011 4448244
sales@brightstarlighting.co.za

CAPE TOWN



JOHANNESBURG



Bright Star Lighting started in 1995 in a 300 square meter warehouse and showroom in Cape Town. We now have much larger premises in Montague Gardens, Cape Town as well as warehousing in Linbro Business Park, Johannesburg.

Bright Star Lighting is a family run lighting business, owned and run by the Miller family. Together with our loyal staff, we have built and created a lighting brand which has become a household name in the lighting industry.

We specialise in a large variety of quality light fittings which we supply for the domestic market and are continuously keeping up with the ever changing lighting fashion, so as to keep our range fresh and exciting. Over the years the range has developed from domestic lighting, to now include a full range of light bulbs, plugs and switches, as well as emergency rechargeable lighting products.

Bright Star Lighting prides itself on supplying a high level of service, a good quality product and stock availability.

We have sales teams throughout South Africa, namely Port Elizabeth, Free state, Northern Cape, Durban, East London and Eastern Cape and we also export into Africa, throughout Namibia, Swaziland, Botswana and Mozambique.

We thank you for your ongoing support, and are proud that you have made us one of the largest wholesale lighting companies in South Africa.

IVAN MILLER
MANAGING DIRECTOR

EMERGENCY & RECHARGEABLE 1-21

PLUGS, SWITCHES, COMPONENTS 22-33

BULBS 34-55

CEILING FITTINGS 56-95

CHANDELIERS 96-137

DOWNLIGHTERS 138-155

FANS 156-175

LINEAR LIGHTING 176-197

BATHROOM LIGHTING 198-217

OUTDOOR LIGHTING 218-291

PENDANTS 292-391

SPOTLIGHTS 392-435

TABLE & FLOOR LAMPS 436-487

TRACK LIGHTING 488-499

WALL BRACKETS 500-525

PARTS 526-541



INDEX	
Thumb Nail Pages	A1-O3
Index	543-553
EMERGENCY & RECHARGEABLE 1-21	
Rechargeable Torches	1-3
Linear Cabinet / Night Light	4
Module Emergency Kits	5
Rechargeable Bulbs	6-7
Battery Backup Ceiling Fittings	8-9
Rechargeable Fans	10-11
Solar Lighting	12-13
Rechargeable Table Lamps	14-20
Rechargeable Parts	21
PLUGS, SWITCHES, COMPONENTS 22-33	
Interchangeable Clip on Cover Plates	23
Plugs and Switches	24-32
Components	33
BULBS 34-55	
Emergency & Rechargeable Products	35-41
LED Conversion Kits	42
Sensor Bulbs	43
Candle Bulbs	44
Flame Bulbs	45
G4, G9, GU10, R50, ST64 Bulbs	46
R7S, T-Lamp, Tubular Bulbs	47
Golfball Bulbs	48-49
A60 Bulbs	50
G80, G125 Bulbs	51
T5, T8 LED Bulbs	52
Grow Lighting Bulbs	53
LED Strip Lights	54-55
CEILING FITTINGS & WB 56-95	
Battery Backup Ceiling Fittings	57
LED Ceiling Fittings	58-77
Crystal and Acrylic Crystal CF	78-79
Ceiling Fittings and Wall Brackets	80-93
Resin Ceiling Fittings	94
Cheese Fittings	95

CHANDELIERS & WB 96-137	
LED Chandeliers	97-99
Crystal Chandeliers	100-108
Acrylic Crystal Chandeliers	109
Chrome Chandeliers	110-113
Satin Chrome Chandeliers	114-117
Metal, Resin, Wrought Iron	118-135
Beaded Chandeliers	136-137
DOWNLIGHTERS 138-155	
GU10 Bracket and Lampholder	139
Polycarbonate Downlighters	139-141
Blister Packs / Triple Packs	142-143
12V or 220V-240V Aluminium	144-146
12V or 220V-240V Pressed Metal	147
Splashproof with Glass	148
LED Deck Lighting	148
LED Recessed Downlighters	149-151
LED Surface Downlighters	152-153
LED Panel Lights	154-155
FANS 156-175	
Rechargeable Fans	157-158
Floor and Table Fans	159-161
Ceiling and Wall Fans	162-173
Retractable Blade Ceiling Fans	174-175
LINEAR LIGHTING 176-197	
T5 and T8 Tubes and Fluorescents	177
LED Open Channel Fittings	178-179
LED Undercorder Strip Lights	180-181
LED Outdoor Linear	182
LED Linear	183-187
LED Strip Lighting	188-197
BATHROOM LIGHTING 198-217	
Toilet Light	199
Extractor Fans	200
Splashproof Downlighters	201
Mirror Lights	202-207
Bathroom Lighting	208-217

OUTDOOR LIGHTING	218-291
Mosquito Lamp and Deck Lighting	219
Solar Lighting	220-226
String Lights	226-227
Stainless Steel:	
Lanterns	228
Half Lanterns	229
Wall Brackets	230
Bollards	231
Die Cast Aluminium:	
Half Lanterns	232-233
Up Facing Lanterns	234-236
Down Facing Lanterns	237-242
Hanging Lanterns	243
Pillar, Pole Lanterns	244-245
Standing Lanterns	246-249
Bulkheads	250-252
PVC:	
Bulkheads	253-255
Lanterns	256-259
Pillar Lanterns	260
Standing Lanterns	261-263
Up / Down Facing	264-265
Up / Down Facing Lanterns:	
PVC	264-265
Die Cast Aluminium LED	266-267
Die Cast Aluminium	268-270
Stainless Steel	271
LED Lighting	272-276
Foot Lighting	277-279
Recessed Ground Lighting	280
Grow Lighting	281
LED Bollards	282-283
PVC - Garden Lighting	284-285
Flood Light Stand	286
Flood Lights with Sensor	287
PVC Flood Lights	288
Die Cast Aluminium Flood Lights	289-291
Flood Lights for Car Parks	291

PENDANTS	292-391
Hanging Suspension for LED Tubes	293
Aluminium Cord Pendants	294-295
Metal Pendants	296-327
Glass Pendants	328-343
Chrome / Satin Chrome Pendants	344-351
Acrylic Crystal Pendants	352-353
Crystal Pendants	354-362
LED Pendants	363-375
Acrylic and PVC Pendants	376-377
Copper Pendants	378-379
Wood and Wood Finish Pendants	380-382
Natural Pendants	383-389
Blister Packs	390-391
SPOTLIGHTS	392-435
Polished Chrome Spotlights	393
Satin Chrome Spotlights	394-406
Saturn Spotlights	407
Satin Brass Spotlights	408-410
Painted Spotlights	411-435
TABLE & FLOOR LAMPS	436-487
LED Standing Lamps	437-439
Standing Lamps	440-449
Rechargeable LED Lamps	450-457
LED Lamps	458-460
Clip On Desk Lamps	461
Desk Lamps	462-463
Metal Lamps	464-475
Satin Chrome Lamps	476-479
Polished Chrome Lamps	480-481
Resin Lamps	482-483
Acrylic and Crystal Lamps	484
Lava Lamps	485
Shades	486-487
TRACK LIGHTING	488-499
Slimline Track System	489-491
Wire Systems - 12V	492
Track Lighting	493-499
WALL BRACKETS	500-525
LED Wall Brackets	501-511
Wall Brackets with USB Ports	512-513
Wall Brackets	514-525
PARTS	526-541
Outdoor IP Ratings	542

EMERGENCY / RECHARGEABLE



EMERGENCY / RECHARGEABLE



FAN020
page 10, 157



FAN021
page 11, 158



FAN024
page 10, 157



FL076
page 13



FL077
page 13



FTL109
page 4




LS010
page 12, 39, 220



LS018
page 12, 221



PART113
page 21



PART509
PART510
page 21, 538



TL003
page 14, 450



TL038
page 15, 453



TL646, TL647
page 20, 457



TL648
page 20, 457



TL649
page 18, 456



TL655, TL656
page 18, 456



TL657
page 17, 456



TL658, TL659
page 18, 454



TL660, TL661
page 15, 454



TL663
page 18, 455



TL664, TL665
page 15, 454



TL666
page 15, 453



TL682, TL683
page 17, 452



TL684, TL685
page 19, 455



TL686, TL687
page 16, 451



TL688, TL689
page 19, 455



TL701, TL702
page 19, 452



TL703
page 17, 453



WB318
WB319
page 4, 501

PLUGS, SWITCHES, COMPONENTS



ECP601
ECP601/2
page 33



ECP605
page 33



ECP606
page 33



ECP607
page 33



ECP610
page 23



ECP611
page 23



ECP612
page 23



ECP613
page 23



ECP614
page 23



ECP615
page 23



ECP616
page 23



ECP617
page 23



ECP618
page 23



ECP619
page 23



ECP620
page 23



ECP621
page 23



ECP622
page 33



ECP623
page 33



ECP624
page 33



ECP635
ECP635/2
page 33



ECP636
page 33



ECP637
page 33



ECP640
page 33



ECP641
page 33



ECP642
page 33



ECP643
page 33



EPL301
page 30



EPL320
page 30



EPL321
page 30



EPL322
page 30



EPL323
page 29



EPL324
page 29



EPL325
page 31



EPL326
page 32



EPL327
page 32



EPL328
page 32

PLUGS, SWITCHES, COMPONENTS



EPL329
page 32



EPL330
page 32



EPL331
page 29



EPL332
page 31



EPL333
page 31



EPL334
page 31



EPL335
page 29



EPL349
page 30



EPL350
page 30



EPL351
page 30



EPL352
page 30



EPL353
page 29



EPL354
page 29



EPL355
page 31



EPL356
page 32



EPL357
page 32



EPL358
page 32



EPL359
page 32



EPL360
page 32



EPL361
page 29



EPL362
page 31



EPL363
page 31



EPL364
page 31



EPL365
page 29



ESW001
ESW001/2
page 24



ESW002
ESW002/2
page 24



ESW003
ESW003/2
page 24



ESW004
ESW004/2
page 24



ESW005
page 25



ESW006
page 25



ESW007
page 25



ESW008
page 25



ESW030
page 28



ESW031
page 28



ESW032
page 27




ESW033
page 26

PLUGS, SWITCHES, COMPONENTS




ESW034
page 26




ESW035
page 27




ESW037
page 26



ESW038
page 27



ESW039
page 27




ESW040
page 27



ESW041
page 26




ESW042
page 26



ESW043
page 26



ESW071
ESW071/2
page 24



ESW072
ESW072/2
page 24



ESW073
ESW073/2
page 24



ESW074
ESW074/2
page 24



ESW075
page 25



ESW076
page 25



ESW077
page 25




ESW078
page 25



ESW080
page 28



ESW081
page 28



ESW082
page 27




ESW083
page 26




ESW084
page 26



ESW085
page 27




ESW087
page 26




ESW088
page 27



ESW089
page 27



ESW090
page 27



ESW091
page 26



ESW092
page 26



ESW093
page 32

BULBS



BULB LAVA LAMP
page 46



BULB LED 100
BULB LED 101
page 45



BULB LED 102
BULB LED 103
page 45



BULB LED 104
BULB LED 105
BULB LED 262
page 44



BULB LED 106
BULB LED 107
BULB LED 263
page 44



BULB LED 108
BULB LED 109
page 46



BULB LED 110
BULB LED 111
page 46



BULB LED 112
BULB LED 113
page 46



BULB LED 115
BULB LED 116
BULB LED 265
page 50



BULB LED 117
BULB LED 118
BULB LED 266
page 50



BULB LED 119
BULB LED 120
page 49



BULB LED 121
BULB LED 122
page 49



BULB LED 129
page 45



BULB LED 130
page 44



BULB LED 131
page 50



BULB LED 132
page 50



BULB LED 133
BULB LED 134
BULB LED 264
page 44



BULB LED 135
BULB LED 136
page 45



BULB LED 145
BULB LED 146
BULB LED 268
page 46



BULB LED 153
page 49



BULB LED 154
page 49



BULB LED 155
page 49



BULB LED 156
page 46



BULB LED 157
BULB LED 196
page 46




BULB LED 162
BULB LED 164
page 50



BULB LED 166
page 51



BULB LED 167
page 51



BULB LED 176 - 181
page 52



BULB LED 184
BULB LED 185
page 52



BULB LED 187
page 47



BULB LED 190
BULB LED 191
page 44



BULB LED 192
BULB LED 193
page 44




BULB LED 194
BULB LED 195
page 44



BULB LED 196
BULB LED 157
page 46



BULB LED 197 - 200
260 - 261
page 46



BULB LED 201
BULB LED 202
BULB LED 203
BULB LED 204
BULB LED 220
page 52

BULBS



BULB LED 205
BULB LED 206
page 53, 281



BULB LED 207
page 53, 281



BULB LED 221 - 225
page 47



BULB LED 230
BULB LED 231
page 44



BULB LED 232
BULB LED 233
page 44



BULB LED 234
BULB LED 235
page 44



BULB LED 236
BULB LED 237
page 48



BULB LED 238
BULB LED 239
page 48



BULB LED 240
BULB LED 241
page 48



BULB LED 242
page 48



BULB LED 243
page 48



BULB LED 244
page 48



BULB LED 245
BULB LED 246
page 50



BULB LED 247
BULB LED 248
page 50



BULB LED 249
page 50



BULB LED 250
page 50



BULB LED 251
BULB LED 253
page 43



BULB LED 252
BULB LED 254
page 43



BULB LED 260 - 261
BULB LED 197 - 200
page 46



BULB LED 262
BULB LED 104
BULB LED 105
page 44



BULB LED 263
BULB LED 106
BULB LED 107
page 44



BULB LED 264
BULB LED 133
BULB LED 134
page 44



BULB LED 265
BULB LED 115
BULB LED 116
page 50



BULB LED 266
BULB LED 117
BULB LED 118
page 50



BULB LED 267
BULB LED 273
BULB LED 274
page 47



BULB LED 268
BULB LED 145
BULB LED 146
page 46



BULB LED 269
page 51



BULB LED 270
page 51



BULB LED 271
page 51



BULB LED 272
page 51



BULB LED 273
BULB LED 274
BULB LED 267
page 47



BULB LED 278
page 7, 41



BULB LED 279
page 7, 41



BULB LED 280
page 6, 40



BULB LED 281
page 6, 40



BULB LED 282
BULB LED 283
BULB LED 284
page 6, 40

BULBS



BULB LED 285
BULB LED 286
BULB LED 287
page 47



BULB LED 288
page 6, 40



BULB LED 290
BULB LED 291
BULB LED 292
BULB LED 293
page 6, 39



BULB LED 294
page 7, 41



BULB LED 295
page 7, 41



BULB LED 296
page 7, 41



BULB LED 297
page 7, 41



BULB LED 298
page 12, 39, 220



BULB LED 299
page 49, 226



BULB LED 900
BULB LED 901
page 54



BULB LED 902
BULB LED 903
page 55



BULB LED 905
page 3, 37



BULB LED 906
page 2, 36



BULB LED 907
BULB LED 910
BULB LED 913
page 42



BULB LED 908
BULB LED 911
BULB LED 914
page 42



BULB LED 909
BULB LED 912
BULB LED 915
page 42



BULB LED 916
page 43, 199



BULB LED 918
BULB LED 919
BULB LED 920
page 42



BULB LED 921
page 1, 35



BULB LED 922
BULB LED 923
page 1, 35



BULB LED 924
page 2, 36



BULB LED 925
page 3, 37



BULB LED 929
page 5, 38



BULB LED 930
BULB LED 931
page 5, 38



BULB LED 932
page 3, 37



BULB LED 934
page 2, 36



BULB LED 935
page 2, 36



BULB LED 936
page 3, 37




BULB LED 937
page 3, 37



BULB LED 938
page 3, 37



BULB T5 TUBE
page 52



BULB T8 TUBE
page 52



LS010
page 12, 39, 220

CEILING FITTINGS



CF010/12
page 74



CF011/9
page 74



CF012
CF013
CF014
page 58, 210



CF015/5
page 80



CF016/9
page 84



CF017, 216
page 65



CF021
page 93



CF046 - CF050
page 59, 211



CF052
page 79



CF053
CF054
CF055
page 58, 210



CF056
page 73



CF057/8
page 82



CF058/8
page 82



CF0663
CF0664
CF0665
page 60, 213



CF083
page 60



CF096/5
page 80



CF099
page 95, 216



CF118/24
page 72



CF12009
page 89



CF121
CF122
CF123
page 60, 214



CF124
CF127
page 65, 216



CF125
CF128
page 65, 216



CF126
CF130
page 65, 216



CF1299
page 87



CF131
page 63



CF132
page 9, 57



CF133
page 8, 57



CF134
page 8, 57



CF1361
page 90



CF1362
page 90



CF1550
page 90



CF160
page 71



CF161
page 71



CF162
page 71



CF163
page 77



CF164
page 77

CEILING FITTINGS



CF166
page 77



CF170
page 63



CF171
page 63



CF172
page 63



CF187
page 91



CF188
page 91



CF189
page 91



CF190
page 91



CF191, CF192
page 93, 530



CF193
page 93, 530



CF194
page 68



CF195/3
page 83



CF196/3
page 84



CF2008
page 89



CF222
page 72



CF249
CF250
CF251
page 59, 211



CF255
CF256
CF257
page 58, 210



CF270
CF271
CF272
page 9, 57



CF273
page 76



CF274
page 69



CF275
page 69



CF276
page 70



CF277
page 69



CF278
page 69



CF279
page 69



CF2826/6
page 75



CF286/6
page 78



CF288
page 75



CF289
page 88



CF293
page 87



CF294
page 76



CF295
page 76



CF298
page 78



CF2999
page 86



CF3005
page 90



CF3008
page 90

CEILING FITTINGS



CF3014
page 93



CF3031
page 86



CF3040
page 95, 217



CF311
page 78



CF312/5
page 78



CF314/9
page 80



CF315/8
page 75



CF318
page 75



CF320
page 74



CF326
page 87



CF327
page 86



CF328
page 86



CF330
page 86



CF334
page 72



CF335
page 64, 215



CF336
page 64, 215



CF337
page 64, 215



CF338
page 64, 215



CF339
page 85



CF3401
page 87



CF3402
page 88



CF3403
page 88



CF3404
page 88



CF344
page 64, 215



CF345
page 64, 215



CF346
page 64, 215



CF347
page 64, 215



CF3505
page 88



CF3507
page 88



CF3508
page 88



CF3509
page 88



CF360
page 92



CF361
page 92



CF362
page 92



CF364
CF365
CF366
page 60, 214



CF367
CF368
page 62, 213

CEILING FITTINGS



CF370
page 65, 216



CF372
page 63, 214



CF375
CF376
CF377
page 62, 213



CF380
page 95, 217



CF381/8
page 80



CF384/5
page 82



CF385
CF386
CF387
page 62



CF414
page 87



CF427/4
page 94



CF432/2
page 94



CF434/9
page 83



CF435/6
page 83



CF436
page 85



CF437
CF438
page 70



CF439
page 85



CF441
page 85



CF442
page 68



CF443
page 68



CF444
page 85



CF445
page 70



CF468/5
page 84



CF469/3
page 84



CF469/4
page 84



CF471
page 63



CF472/8
page 70



CF480/3
CF481/4
page 83



CF484/2
page 94



CF493
page 89



CF494
page 89



CF495
page 89



CF496
page 89



CF513
page 87



CF520
page 73



CF535
CF536
page 66



CF537
CF538
page 66



CF541
page 72

CEILING FITTINGS

					
CF544 page 67	CF545 page 67	CF546 page 67	CF548 page 67	CF550 page 67	CF560/4 page 81
					
CF561/4 page 81	CF562/8 page 81	CF563/8 page 81	CF564 CF566 page 62, 214	CF565 CF567 page 62, 214	CF569 page 60
					
CF570/6 page 71	CF573 page 74	CF631 page 92	CF634/4 page 92	CF637 page 90	CF642/3 page 79
					
CF643/3 page 79	CF673 CF674 page 61, 212	CF721/10 page 73	CF722/5 page 79	CF723 page 65	CF727 page 71
					
CF728 CF729 page 61, 213	CF8206 page 93	CF8207 page 93	CH001 page 95, 217	CH002 CH006 page 61, 217	CH003 page 95, 217
					
CH004 page 95, 217	CH005 page 95, 217	CH006 CH002 page 61, 217	DL506 DL507 DL510 DL512 page 61, 152	DL511 page 61, 152	


CHANDELIERS



CH019/3
page 113



CH019/5
page 113



CH065/3
page 121



CH065/5
page 121



CH065/8
page 121



CH079/3
page 113



CH079/5
page 113



CH081/3
page 131



CH082/4
page 131



CH087/5
page 110



CH088/3
page 110



CH100/10
page 134



CH1032/3
page 128



CH1032/5
page 128




CH104/3
page 108




CH104/5
page 108



CH104/8+4
page 108



CH1334/6
page 119




CH1334/9
page 119



CH167/5
page 116



CH168/5
page 116



CH178/3
page 113



CH178/5
page 113



CH179/3
page 115




CH179/5
page 115




CH231/5
page 112



CH233/10
page 102




CH234/11
page 102



CH235/10
page 101



CH236/6
page 101



CH238/3
page 130



CH239/5
page 116



CH240/12
page 111



CH243
page 99







CH246/4
page 132



CH250/3
page 114

CHANDELIERS



CHANDELIERS



CH383/5
page 112



CH384/5
page 112



CH388/3
page 107



CH388/5
page 107



CH388/9
page 107



CH3901/3
page 122



CH3901/5
page 122



CH393/6
page 99



CH394/6
page 99



CH395/3
page 120



CH395/5
page 120



CH396/3
page 120



CH396/5
page 120



CH397/12
page 98



CH398/3
page 126



CH469/10
page 99




CH470/4
page 100



CH471/3
page 100




CH473/4
page 100



CH475/3
page 118




CH475/6
page 118



CH475/9
page 118




CH488/5
page 111



CH489/5
page 126




CH490/5
page 111



CH491/3
page 127



CH491/5
page 127




CH492/3
page 127




CH493/3
page 125



CH5035/6
page 119



CH507/4
page 133



CH508/6
page 135



CH509/8
page 133



CH510/8
page 117



CH511/15
page 104



CH511/6
page 104

CHANDELIERS



CH512/9
page 98



CH513/6
page 132



CH514/3
page 130



CH515/6
page 110



CH517
page 97



CH518
page 97



CH519
page 97



CH522/3
page 109



CH522/5
page 109



CH523/3
page 122



CH523/5
page 122



CH524/3
page 122



CH524/5
page 122



CH529/3
page 129



CH531/3
page 130



CH532
page 98



CH534/6
page 135



CH537/3
page 117, 134



CH537/5
page 117, 134



CH661/5
page 109



CH663/5
page 111



CH665/3
page 115



CH665/5
page 115



CH890/3
page 137



CH891/8
page 137



CH892/3
page 136



CH893/1
page 136



CH894/3
page 136



CH895/3
page 136



CH896/3
page 136



CH899/5
page 128

DOWNLIGHTERS

 <p>DL GU10 BRACKET page 139, 532</p>	 <p>DL GU10 LAMPHOLDER page 139, 532</p>	 <p>DL001 page 147</p>	 <p>DL003 page 147</p>	 <p>DL004 DL005 DL006 page 151</p>	 <p>DL008 page 146</p>
 <p>DL009 page 147</p>	 <p>DL018 page 146</p>	 <p>DL019 page 147</p>	 <p>DL023 page 148, 201</p>	 <p>DL028 page 146</p>	 <p>DL030 DL031 page 142</p>
 <p>DL032 page 148, 201</p>	 <p>DL033/3 page 143</p>	 <p>DL034 DL035 DL036 page 143</p>	 <p>DL037 page 151</p>	 <p>DL039 page 147</p>	 <p>DL046 page 151</p>
 <p>DL047 page 151</p>	 <p>DL050 page 146</p>	 <p>DL054 DL056 page 151</p>	 <p>DL055 DL057 page 151</p>	 <p>DL058 DL059 page 151</p>	 <p>DL062 page 141</p>
 <p>DL063 page 141</p>	 <p>DL064 page 141</p>	 <p>DL066 page 147</p>	 <p>DL067 page 147</p>	 <p>DL070 page 148, 219</p>	 <p>DL072 page 152</p>
 <p>DL081 page 147</p>	 <p>DL082 page 147</p>	 <p>DL086 page 145</p>	 <p>DL087 page 145</p>	 <p>DL088 page 145</p>	 <p>DL089 page 145</p>

DOWNLIGHTERS



DOWNLIGHTERS



FANS



FAN008/3
page 160



FAN010
page 159



FAN012
page 159



FAN013
page 159



FAN014/3
page 161



FAN015
page 11, 158



FAN016
page 11, 158



FAN017
page 11, 158



FAN018
page 11, 158



FAN019
page 10, 157



FAN020
page 10, 157



FAN021
page 11, 158



FAN024
page 10, 157



FAN025
page 167



FCF004
page 163



FCF007
page 164



FCF013
page 167



FCF018
page 162



FCF019
page 162



FCF020
page 162



FCF021
page 162



FCF031
page 164



FCF037
page 166



FCF038
page 166



FCF040
page 164



FCF041
page 164



FCF043
page 175



FCF044
page 168



FCF045
page 168



FCF046
page 168



FCF047
page 168



FCF048
page 165



FCF049
page 165



FCF050
page 165





FCF051
page 165



FCF054
page 166

FANS



LINEAR STRIP LIGHTING



BULB LED 900
BULB LED 901
page 54, 196



BULB LED 902
BULB LED 903
page 55, 197



HVS001
HVS002
page 192



HVS003
page 192



HVS004
page 192



HVS005
page 192



HVS006
page 192



HVS007
page 192



HVS008
page 192



HVS009
page 192



HVS010
page 192



HVS011
page 192



HVS012
page 192



HVS120
page 193



HVS121
page 193



HVS122
page 193,194,195



HVS123
page 193



HVS124
page 193



HVS231
HVS232
page 194



HVS233
page 194



HVS234
page 194



HVS235
page 194



HVS236
page 194



HVS237
page 194



HVS238
page 194, 195



HVS239
page 194, 195



HVS240
page 194



HVS350
page 195



HVS351
page 195



HVS352
page 195



HVS400
page 190



HVS401
page 190



HVS402
page 190



HVS403
page 191







HVS404
page 191



























HVS405
page 191








LINEAR STRIP LIGHTING




LINEAR LIGHTING



MIRROR LIGHTING



BATHROOM LIGHTING



BATHROOM LIGHTING



CH005
page 95 , 217



CH006
CH002
page 61, 217




DL023
page 148, 201



DL032
page 148, 201



DL506
DL507
DL510
DL512
page 61, 152, 212



DL511
page 61, 152, 212



FAN EXT 02
page 200



FAN EXT 03
FAN EXT 04
page 200



FAN EXT 05
FAN EXT 06
page 200



FAN EXT 07
page 200



FAN EXT 08
FAN EXT 09
page 200



FAN EXT 10
FAN EXT 11
page 200



ML005
page 209



ML009
page 209



ML020
ML021
page 208



ML030
page 209



WB186
page 209



WB187
page 209



WB188
page 209



WB272
page 208, 506



WB273
page 208



WB274
page 208



WB800
page 199

OUTDOOR LIGHTING



BH013
page 250



BH021
page 253



BH022
page 253



BH023
page 253



BH026
page 253



BH027
page 253



BH028
page 253



BH033
page 255



BH050
page 250



BH051
page 250



BH052
page 250



BH057/2
page 250



BH058/1
page 250



BH060
page 251



BH061
page 251



BH062
page 251



BH064
page 254



BH066
page 254



BH067
page 254



BH068
page 255



BH074
page 252



BH075
page 252



BH076
page 252



BH082
page 252



BH083
page 252



BH090
page 251



BH091
page 251



BH110
page 253



BH112
page 253



BH113
page 253



BH114
page 254



BH120
page 254



BH121
page 254



BH124
page 255



BH128
BH129
page 255



BH130
BH131
page 255

OUTDOOR LIGHTING



BH132
BH133
BH134
BH135
page 255



BH137
BH138
BH139
page 255



BH2080
page 252



BH2081
page 252



BH408
page 251



BULB LED 205
BULB LED 206
page 53, 281



BULB LED 207
page 53, 281



BULB LED 298
page 12,39,220



DL070
page 148, 219



FL005
page 291



FL006
page 291



FL009
page 286



FL010
page 288



FL011
page 288



FL012
page 288



FL013
page 288



FL030
page 290



FL031
page 287



FL032
page 290



FL033
page 287



FL034
page 290



FL035
page 290



FL045
page 290



FL046
page 291



FL047
page 291



FL070
page 289



FL071
page 289



FL072
page 289



FL073
page 289



FL074
page 287



FL075
page 287



FL076
page 13,222,287



FL077
page 13, 222



FL080
page 221



FT004
page 277



FT009
page 277

OUTDOOR LIGHTING



FT010
page 277



FT013
page 277



FT014
page 277



FT020
page 278



FT021
page 278



FT022
page 278



FT025
page 278



FT027
page 279



FT030
page 279



FT031
page 279



FT032
page 279



FT035
page 278



FT036
page 278



FT038
page 279



GL6101
page 280



GL6109
page 280



GL6110
page 280



GS001
page 285



GS002
page 285



GS004/1
page 285



GS005/2
page 285



GS006
page 285



GS008
page 285



GS010
page 284



GS011
page 284



GS012
page 284



GS013
page 284



GS014
page 284



GS015
page 284



GS016
page 284



L004
page 236



L005
page 244



L037
page 230



L038
page 230



L039
page 230



L040
page 230

OUTDOOR LIGHTING



L046
page 230



L047
page 230



L048
page 230



L051
page 235



L052
page 245



L053
page 276



L054
page 274



L055
page 274



L058
page 231



L059
page 231



L070
page 273



L072
page 274




L079
page 229



L080
page 271



L081
page 229



L083
page 228



L090
page 228



L093
page 228



L106
page 238



L119
page 269



L121
page 268



L122
page 268



L123
page 270



L124
page 270



L125
page 268




L126
page 268



L127
page 268



L128
page 268



L129
page 256



L130
page 270



L131
page 270



L132
page 269



L133
page 269



L149
page 232



L157
page 270



L158
page 270

OUTDOOR LIGHTING



L159
page 237



L163
page 237



L172
page 271



L174
page 234



L175
page 246



L197
page 271



L198
page 271



L202
page 236



L203
page 237



L204
page 244



L212
page 236



L213
page 237



L214
page 244



L222
page 236



L223
page 237



L224
page 244



L231
page 234



L236
page 233



L240
page 232



L244
page 256



L245
page 266




L246
page 266



L247
page 266



L248
page 266



L249
page 266



L255
page 234



L256
page 234



L258
page 242



L260
page 269



L270
page 271



L271
page 271



L272
page 269



L303
page 259



L304
page 259



L307
page 260



L308
page 260

OUTDOOR LIGHTING

 <p>L309 page 260</p>	 <p>L310 page 263</p>	 <p>L311 page 263</p>	 <p>L312 page 259</p>	 <p>L313 page 259</p>	 <p>L320 page 258</p>
 <p>L321 page 258</p>	 <p>L322 page 260</p>	 <p>L326 page 256</p>	 <p>L331 page 265</p>	 <p>L332 page 265</p>	 <p>L333 page 257</p>
 <p>L340 page 258</p>	 <p>L341 page 260</p>	 <p>L342 page 265</p>	 <p>L343 page 265</p>	 <p>L344 page 265</p>	 <p>L345 page 265</p>
 <p>L350 page 242</p>	 <p>L351 page 242</p>	 <p>L352 page 242</p>	 <p>L353 page 242</p>	 <p>L360 page 235</p>	 <p>L361 page 237</p>
 <p>L362 page 245</p>	 <p>L363 page 243</p>	 <p>L365 page 264</p>	 <p>L366 page 264</p>	 <p>L367 page 264</p>	 <p>L368 page 264</p>
 <p>L369 page 234</p>	 <p>L370 page 235</p>	 <p>L371 page 235</p>	 <p>L373 page 245</p>	 <p>L374 page 245</p>	 <p>L375 page 264</p>

OUTDOOR LIGHTING



L376
page 264



L377
page 259



L378
page 264



L379
page 264



L380
page 235



L4000
page 236



L4998
page 233



L4999
page 233



L5001
page 233



L5002
page 233



L5051
page 233



L508
page 283



L509
page 241



L510
page 241



L511
page 245



L512
page 233



L513
page 241



L514
page 238



L515
page 246



L516
page 241



L517
page 241



L518
page 238



L519
page 238



L520
page 238



L522
page 235



L523
page 232



L524
page 232



L525
page 239



L526
page 239



L527
page 275



L528
page 239



L529
page 275



L530
page 275



L531
page 275









L532
page 239



L533
page 240

OUTDOOR LIGHTING



OUTDOOR LIGHTING



L577
page 245



L578
page 276



L579
page 232



L580
page 232



L601
page 229



L603
page 228



L604
page 228



L605
page 231



L606
page 231



L607
page 229



L608
page 266



L610
page 229



L611
page 229



L612
page 228



L613
page 231



L616
page 228



L8082
page 236



L8083
page 244



L9007
page 257



L9008
page 257



L9009
page 257



LFL004/1
page 247



LFL005/3
page 247



LFL006/1
page 247



LFL007/1
page 248



LFL008/3
page 248



LFL012
page 282



LFL014/1
page 248



LFL015/3
page 248



LFL017
page 249



LFL018
page 249



LFL019
page 249



LFL023
page 282



LFL026
page 283








LFL027
page 246



LFL028
page 283

OUTDOOR LIGHTING



PENDANTS



PEN004
page 295



PEN006
page 294



PEN007
page 295



PEN009
page 295



PEN014
page 293



PEN025
page 370



PEN026
page 371



PEN027
page 356



PEN030
page 356



PEN032/3
page 358



PEN040
page 348



PEN044
page 348



PEN046/1
page 315



PEN072
page 380



PEN076/3
page 344



PEN077/3
page 344



PEN094/1
page 366



PEN1031
page 347



PEN1032
page 335



PEN133
page 295



PEN135
page 295



PEN136
page 295



PEN139
page 295



PEN163
page 348



PEN164
page 348



PEN167/1
page 352



PEN187/1
page 305



PEN190/1
page 384



PEN191/1
page 384



PEN194/1
page 387



PEN195/1
page 352



PEN201
page 322



PEN203
page 312



PEN204
page 305










PEN206/3
page 308











PEN207
page 308







PENDANTS














PENDANTS



PENDANTS



PENDANTS



PENDANTS



PEN571/3
page 340



PEN572/1
page 336



PEN573/1
page 340



PEN576
page 341



PEN577
page 339



PEN582
page 379



PEN583
page 379



PEN586
page 318



PEN587
page 318



PEN588
page 318



PEN589
page 306



PEN590
page 306



PEN591
page 306



PEN592
page 304



PEN596
page 321



PEN598
page 337



PEN599
page 337



PEN601
page 331



PEN602
page 335



PEN603
page 337



PEN604
page 322



PEN606
page 310



PEN607
page 310



PEN609
page 309



PEN610
page 332



PEN611
page 332



PEN612
page 332



PEN613
page 332



PEN617
page 364



PEN621/6
page 347



PEN624/9
page 337



PEN628/5
page 358



PEN630
page 364



PEN637/1
page 304













PEN638/3
page 304








PEN640/1
page 347










PENDANTS















PENDANTS




PENDANTS




PENDANTS



SPOTLIGHTS 220V



SPOTLIGHTS 220V



SPOTLIGHTS 220V



S156/1
page 416



S156/2
page 416



S156/3
page 416



S161/1
page 432



S161/2
page 432




S161/3
page 432



S161/4
page 432



S163/1
page 398



S163/2
page 398



S163/3
page 398



S164/1
page 433



S164/2
page 433



S164/3
page 433



S165/1
page 428



S165/2
page 428




S165/3
page 428



S166/1
page 429



S166/2
page 429



S166/3
page 429



S167/1
page 424



S167/2
page 424



S167/3
page 424



S168/1
page 394



S168/2
page 394



S168/3
page 394



S169/1
page 431



S169/2
page 431



S169/3
page 431



S170/1
page 425



S170/2
page 425



S170/3
page 425



S171/1
page 403



S171/2
page 403



S171/3
page 403



S172/1
page 408



S172/2
page 408

SPOTLIGHTS 220V



S172/3
page 408



S173/1
page 409



S173/2
page 409



S173/3
page 409



S176/1
page 422



S176/2
page 422



S176/3
page 422



S177/1
page 423



S177/2
page 423



S177/3
page 423



S178/1
page 395



S178/2
page 395



S178/3
page 395



S400/1
page 420



S400/2
page 420



S400/3
page 420




S400/4
page 420



S401/1
page 419



S401/2
page 419



S401/3
page 419



S401/4
page 419




S402/1
page 418



S402/2
page 418



S402/3
page 418



S402/4
page 418



S404/1
page 405



S404/2
page 405



S405/1
page 428



S406/1
page 421



S406/2
page 421



S406/3
page 421



S406/4
page 421



S411/1
page 412



S411/2
page 412



S411/3
page 412



S411/4
page 412



S412/1
page 413



S412/2
page 413



S412/3
page 413



S412/4
page 413



S413/1
page 411



S413/2
page 411



S413/3
page 411



S413/4
page 411




S414/1
page 410



S414/2
page 410

















S414/3
page 410



S414/4
page 410

STANDING LAMPS



TABLE/DESK LAMPS

 CL005 page 461	 CL008 page 426, 427, 461	 CL009 page 17, 452	 TL003 page 14, 450	 TL005 page 462	 TL021 page 462	 TL022 page 460
 TL024 page 458	 TL026 page 458	 TL053 page 463	 TL140 page 462	 TL182 page 459	 TL183 page 459	 TL185 page 458
 TL186 page 463	 TL310 page 463	 TL311 page 463	 TL312 page 462	 TL626 page 459	 TL627 page 459	 TL628 page 458
 TL645 page 460	 TL646 page 20, 457	 TL647 page 20, 457	 TL648 page 20, 457	 TL649 page 18, 456	 TL655 page 18, 456	 TL656 page 18, 456
 TL657 page 17, 456	 TL663 page 18, 455	 TL671 page 460	 TL672 page 460	 TL684 page 19, 455	 TL685 page 19, 455	 TL686 page 16, 451
 TL687 page 16, 451	 TL688 page 19, 455	 TL689 page 19, 455	 TL701 page 19, 452	 TL702 page 19, 452	 TL800 page 460	 TL813 page 463
 TL821 page 458	 TL824 page 459	 TL825 page 459				

TABLE LAMPS



BTL007
page 482



BTL014
page 484



BTL021
page 481



BTL023
page 478



BTL024
page 478



BTL025
page 478



BTL026
page 478



BTL031
page 484



BTL052
page 481



BTL2444
page 482



BTL2447
page 482



BTL2448
page 482



BTL623
page 472, 481



BTL624
page 472, 478



BTL625
page 472



BTL903
page 478



BTL908
page 478



BTL9303
page 482



TL012
page 477



TL038
page 15, 453



TL066
page 483



TL067
page 483




TL084
page 483



TL089
page 477



TL106
page 485



TL108
page 485



TL109
page 485



TL110
page 485



TL111
page 485



TL112
page 485



TL117
page 483



TL118
page 483



TL141
page 471



TL142
page 471



TL143
page 471



TL144
page 471

TABLE LAMPS



TL149
page 477



TL155
page 476



TL175
page 474



TL176
page 481



TL177
page 476



TL178
page 480



TL179
page 480



TL180
page 476



TL181
page 476



TL187
page 477



TL193
page 470



TL194
page 470



TL195
page 470



TL196
page 477



TL200
page 484



TL202
page 465



TL400
page 481



TL600
page 474



TL620
page 472



TL621
page 472



TL622
page 472, 479



TL629
page 480



TL630
page 480



TL631
page 480



TL632
page 480



TL633
page 473



TL634
page 473



TL635
page 473, 479



TL636
page 473



TL637
page 473



TL650
page 474



TL651
page 473, 479



TL652
page 473



TL653
page 473



TL654
page 473



TL658
page 18, 454

TABLE LAMPS



TL659
page 18, 454



TL660
page 15, 454



TL661
page 15, 454



TL662
page 475



TL664
page 15, 454



TL665
page 15, 454



TL666
page 15, 453



TL667
page 469



TL668
page 469



TL669
page 469



TL670
page 469



TL673
page 464



TL674
page 475



TL675
page 468



TL676
page 468



TL677
page 468



TL678
page 468



TL679
page 467



TL680
page 467



TL681
page 475



TL682
page 17, 452



TL683
page 17, 452




TL690
page 465



TL691
page 466



TL692
page 466



TL693
page 466




TL694
page 466




TL695
page 475



TL696
page 475



TL697
page 467



TL698
page 467



TL699
page 468



TL700
page 465



TL703
page 17, 453




TL704
page 467



TL802
page 465



TL812
page 481




TL818
page 474




TL819
page 464



TL820
page 464



TL822
page 465



TL823
page 468

SHADES



BEIGE
SH010, SH011
page 487



CHAMPAGNE
SH010, SH011
page 487




GREY
SH010, SH011
page 487



WHITE
SH010, SH011
page 487



BROWN
SH2
page 486



HESSIAN
SH2, SH3, SH4
page 486



STRAW
SH2, SH3, SH4
page 486



**SH2,SH3
COLOURS**
page 486




SH355
page 486



SH4
page 486



SH6
page 487



SH7
page 487

TRACK LIGHTING

 PART507 page 495	 PART508 page 495	 PEN234 page 496	 S096/20W page 496	 S097/36W page 496	 S098/1 page 496	 S099/1 page 496
 S100/1 page 497, 498	 S101/10W page 498	 S102/20W page 498	 S106 page 497, 499	 S107 page 497, 499	 S108/1 S109/1 S110/1 page 497, 499	 S111/1 page 497, 498
 S113/20W S115/30W page 499	 S116/1 page 496	 S409/3 page 493	 S410/3 page 493	 S301/1M S302/2M S303/3M page 489	 S304/100W page 489	 S305 page 489
 S306 L page 489	 S307 page 489	 S308 T page 489	 S309 page 489	 S310 C to W page 489	 S311 page 489	 S312 page 490
 S313 page 490	 S314 page 490	 S315/6W page 491	 S316/2X6W page 491	 S317/12W page 491	 S318/2X12W page 491	 S319/6W page 491
 S320 page 490	 S321/3X6W page 490	 S322/4 page 489	 S323 page 491	 S551 Type I page 495	 S552 Type L page 495	 S553 Type I page 495
 S554 Type L page 495	 S555 Type T page 495	 S556 Type T page 495	 S570/1M S571/2M page 494	 S572/1M S573/2M S574/3M page 494	 WSC003 page 492	 WSC007 page 492

WALL BRACKETS



WB004
page 518



WB005
page 518



WB006
page 518



WB022
page 507



WB023
page 507



WB030/2
page 516



WB031/2
page 516



WB032/2
page 516



WB033/2
page 516



WB040/1
page 510



WB041/1
page 510



WB045/1
page 522



WB065/2
page 121



WB067/1
page 525



WB078/1
page 521



WB079/1
page 521



WB080/1
page 521



WB081/1
page 521



WB098
page 274, 506



WB105/1
page 518



WB108/1
page 525



WB1130
page 522



WB1131
page 522



WB1132
page 522



WB12009
page 89



WB121
WB122
page 508



WB124/1
page 518



WB125/1
page 518



WB1299/1
page 87



WB1334/2
page 119



WB1470/2
page 525



WB167/1
page 116



WB169/1
page 525



WB171/2
page 513



WB172/2
page 513



WB173/1
page 513

WALL BRACKETS




WB177
page 505




WB178
page 505




WB180
page 508



WB182
page 505



WB184
page 519



WB185
page 519



WB186
page 209




WB187
page 209



WB188
page 209




WB194
page 503



WB195
page 503



WB196
page 508



WB197
page 502



WB198
page 502



WB2008
page 89



WB2022
page 519




WB2023
page 518



WB204
page 512



WB205
page 512




WB206
page 503



WB212
page 512



WB217
page 511



WB218
page 511



WB219
page 511



WB220
page 511



WB268
page 509



WB269
page 509



WB270
page 521



WB271
page 521



WB272
page 208, 506



WB273
page 208



WB274
page 208



WB275
page 516



WB276
page 516




WB277
page 516










WB278
page 515






WALL BRACKETS



WALL BRACKETS



PARTS



PARTS



PART115
page 533



PART116
page 533



PART117
page 533



PART118
page 533



PART119
page 533



PART120
page 533



PART121
page 533



PART122
page 532



PART123
page 532



PART190
page 531



PART191
page 531



PART192
page 531



PART193
page 531



PART200
page 529



PART201
page 530



PART500
page 535



PART501
page 535



PART502
page 535



PART503
page 537



PART504
page 537



PART505
page 537



PART506
page 535



PART507
PART508
page 495



PART509
page 21, 538



PART510
page 21, 538



PART511
page 537



PART512
page 537



PART513
page 537




PART514
page 537



PART516
page 537



PART601
page 536



PART603
page 536



PART606
page 536



PART608
PART609
page 142, 532




PART610
page 534



PART612
page 536

PARTS



PART613
page 534



PART640
PART643
page 531



PART641
PART644
page 531



PART642
PART645
page 531



PART646
page 531



PART647
page 531



PART650
PART651
page 534



PART684
PART685
PART686
PART687
page 534



PART688
page 534



PART705
page 529



PART707
page 534



PART801
page 532



PART802
page 532



PART803
page 532



WIRE 001 - 007
page 540



WIRE 008
WIRE 009
page 539



WIRE 010
WIRE 011
WIRE 012
page 540



WIRE 13
page 539



WIRE 14
page 539



WIRE 051-3M
WIRE 071-5M
page 541



WIRE 052-3M
WIRE 072-5M
page 541



WIRE 053-3M
WIRE 073-5M
page 541



WIRE 054-3m
WIRE 074-5m
page 541



WIRE 055-3m
WIRE 075-5m
page 541



WIRE 056-3m
WIRE 076-5m
page 541



WIRE 057-3m
WIRE 077-5m
page 541



WIRE 060-3m
WIRE 080-5m
page 541



WIRE 061-3m
WIRE 081-5m
page 541



WIRE 062-3m
WIRE 082-5m
page 541



WIRE 2 CORE
page 539



WIRE 3 CORE
page 539

Emergency & Rechargeable




Emergency / Rechargeable

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 922



BULB LED 923

T5 Portable Emergency Rechargeable Torch
with USB Cable for Charging
Magnetic Attachment
Easy to carry and can be hung anywhere

Material: PC
Colour Temp: 6500K

Beam Angle: 120 Degrees
RA: >70

Battery: 3600mA Lithium Battery
Discharging Time: 3-5 Hours

3 Modes for Brightness:
High Brightness: 3 Hours
Low Brightness: 5 Hours
Flashing: 3 Hours

BULB LED 922


- 6W LED
Lumen: 500
16 Pieces LED CCT Chips

Width: 25mm
Length: 170mm

BULB LED 923

- 12W LED
Lumen: 1050
56 Pieces LED CCT Chips

Width: 25mm
Length: 520mm



BULB LED 921 - 2W - 3.5W (Included)

Includes:
Flashlight
Emergency Light
Warning Light
USB Charging Cable
Portable Charging Source

Product Features:
Magnetic
Impact Resistant
3 grade dimmable for brightness:
Cool White, Warm White, Daylight
5V USB Powerbank Function
Mobile phone Charging function
30 Hours of working hours

Width: 35mm
Length: 223mm

Emergency / Rechargeable

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 924

LED Emergency Rechargeable Torch
with slide handle
2 Pin plug with 500mm connection cable
2 Settings: 100 Lumen / 500 Lumen

- 6W LED

Material: ABS
Colour Temp: 6000K
Lumen: 100 / 500

30 Pieces LED Bulbs
2 Level Brightness
Battery: 1200mA Lead Acid Battery
Charging Time: 15 Hours
Discharging Time: 3-5 Hours

Width: 58mm
Length: 158mm



BULB LED 906

LED Emergency Rechargeable Torch
with slide handle
2 Pin plug with 500mm connection cable

- 10W LED

Material: ABS
Colour Temp: 6000K
Lumen: 200 / 1000

60 Pieces LED Bulbs
2 level brightness
Battery: 1200mA Lead Acid Battery
Charging time: 15 Hours
Discharging time: 3-5 Hours

Width: 70mm
Length: 245mm



BULB LED 934

LED Rechargeable Emergency Light
2 Pin Plug with Connection Cord
stored in the back of the fitting

- 3W LED

Material: ABS
Colour Temp: 6000K
Lumen: 100 / 300

30 Pieces LED Bulbs
2 Level Brightness
Battery: 1200mA Lithium Battery
Charging Time: 24 Hours
Discharging Time:
Full Mode: 3 Hours
Low Mode: 6 Hours

Width: 56mm
Length: 192mm



BULB LED 935

LED Rechargeable Emergency Light
2 Pin Plug with Connection Cord
stored in the back of the fitting

- 6W LED

Material: ABS
Colour Temp: 6000K
Lumen: 200 / 400

60 Pieces LED Bulbs
2 Level Brightness
Battery: 1800mA Lithium Battery
Charging Time: 12 Hours
Discharging Time:
Full Mode: 3 Hours
Low Mode: 6 Hours

Width: 56mm
Length: 350mm

Emergency / Rechargeable

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 937 BULB LED 938

LED Rechargeable Emergency Light with Handle
Self Stand, Portable, Wall Mounted
2 Pin Plug stored in the back of the fitting

- 12W LED

Material: ABS
5V1A USB Output
DC Input Charging Function

Specifications:

Light Source: 24 Pieces 0.5W 5730 SMD LEDS
Battery: 4000mAh Rechargeable
Charging Time: 16 Hours
Discharging Time: 15 - 24 Hours for Strong Mode
40 Hours for Soft Mode
Charge at least every three Months
to keep the battery life longer

Width: 95mm
Height: 198mm
Depth: 85mm



BULB LED 905

LED Emergency Rechargeable Torch
2 Pin plug with 500mm
connection cable

- 3W LED

Material: ABS
Colour Temp: 6000K
40 Pieces LED Bulbs
Battery: 2400mA Lead Acid Battery
Beam Angle: 180 degrees
2 Levels Brightness
Lumen: 100 / 200
Charging time: 15 Hours
Discharge time: 4-8 Hours

Width: 90mm
Length: 270mm



BULB LED 925

LED Emergency Rechargeable Torch
with slide handle
2 Pin plug with 500mm
connection cable

- 2W + 10W LED

Material: ABS
Colour Temp: 6000K
Lumen: 200 / 500

48 Pieces LED Bulbs
2 Level Brightness
Battery: 1200mA Lead Acid Battery
Charging Time: 15 Hours
Discharging Time: 1.5 - 8 Hours

Width: 68mm
Length: 215mm



BULB LED 932

LED Rechargeable Emergency Light
USB Charging Cable

- 5W LED

Material: ABS
Colour Temp: 6000K
Lumen: 50/250

1+20 Pieces LED Bulbs
Battery: 1200mA Lithium Battery
Charging Time: 5 Hours
Discharging Time:
Energy Saving Lamp: 3 Hours
Focus Lamp: 8 Hours

Width: 60mm
Length: 145mm



BULB LED 936

LED Rechargeable Emergency Light
with handle
12V DC Input Charging Jack
5V USB Output for Mobile Charging
2 pin plug with connection cord

- 1 x 1W LED
- 24 x 0.5W LED

Material: ABS
Colour Temp: 6000K
Lumen: 400/800

1+24 Pieces LED Bulbs
2 Level Brightness
Battery: 4000mAh Lead Acid Battery
Charging Time: 16 Hours
Discharging Time:
Strong Light: 15 Hours
Soft Light: 30 Hours
Focus Lamp: 80 Hours

Width: 75mm
Length: 180mm

EMERGENCY LINEAR CABINET LIGHT



FTL109

T5 Emergency Linear Cabinet Light with On/Off Side Switch, IP20

Includes: 2 Clips, 2 Screws, 1 Connector, 2 Pin Power Cable
Fitting is Extendable

- 9W LED

Material: Plastic
Colour Temp: 4000K
Lumen: 810
Battery: 1800mAh
Chips: SMD2835
PF: >0.5
Power Cable: 1200mm

Emergency Time: 4 Hours
Emergency Wattage: 3W

Length: 578mm
Width: 23mm
Height: 35mm



LED NIGHT LIGHT

WB318 PIR

Polycarbonate Night Light
with Day / Night Motion Sensor

- 0.8W LED

Colour Temp: 3000K
Lumen: 50

1 x PIR Sensor (Included)
Detecting Angle: 120 degrees
Detecting Distance: 3 – 5M
Time Delay: 30 seconds
3 x AAA Batteries (Not Included)

Width: 90mm
Height: 90mm
Depth: 38mm



WB319 ON/OFF

Polycarbonate Night Light
with ON/OFF Switch

- 0.8W LED

Colour Temp: 3000K
Lumen: 50

ON/OFF Switch (Included)
3 x AAA Batteries (Not Included)

Width: 90mm
Height: 90mm
Depth: 38mm



MAGNETIC LED MODULE EMERGENCY KIT



BULB LED 929

Magnetic LED Module Emergency Kit

- 24W LED

Colour Temp: 4000K

Lumen: 2400

Emergency Power: 2W 200 Lumen

Battery: LI 3.7V 1800mAh

Charging Time: 6-8 Hours

Emergency Time: 3 Hours

Width: 211mm



BULB LED 930

Magnetic LED Module Emergency Kit

- 12W

Colour Temp: 4000K

Lumen: 1200


Emergency Power: 2W 200 Lumen

Battery: LI 3.7V 1800mAh

Charging Time: 6-8 Hours

Emergency Time: 3 Hours

Diameter: 200mm



BULB LED 931

Magnetic LED Module Emergency Kit

- 20W

Colour Temp: 4000K

Lumen: 2000

Emergency Power: 3W 300 Lumen

Battery: LI 3.7V 2000mAh

Charging Time: 6-8 Hours

Emergency Time: 3 Hours

Diameter: 250mm

Emergency / Rechargeable

EMERGENCY RECHARGEABLE LED BULBS



T8 LED Rechargeable Emergency Tube
Not Dimmable
Built-in Non-Isolated Battery

Material: Aluminium Lampbody with PC Cover
Colour Temp: 6000K
PF: >0.9
Beam Angle: 180 degrees
Emergency Wattage: 3-4W
Emergency Time: 2.5 - 3 Hours

BULB LED 290

- 9W LED
Lumen: 810

Length: 590mm
Width: 26mm

BULB LED 291

- 13W LED
Lumen: 1170

Length: 895mm
Width: 26mm

BULB LED 292

- 18W LED
Lumen: 1620

Length: 1200mm
Width: 26mm

BULB LED 293

- 22W LED
Lumen: 1980

Length: 1500mm
Width: 26mm

Also Available:
FTL015 WHITE



BULB LED 280

- 5W ES LED
Lampholder: E27

A60 Emergency Rechargeable Bulb
Material: PC with Aluminium

Colour Temp: 4000K
Lumen: 375

16 Pieces SMD LED
Beam Angle: 180 Degrees
Battery: 1200mA Lithium Battery

Emergency Power
lasts for 3 Hours:
Wattage: 1.5W
Lumen: 105

Width: 60mm
Height: 108mm



BULB LED 281

- 5W B22 LED
Lampholder: B22



BULB LED 288

Replacement Bulb
for LS033 Solar Kit

12V DC LED
- 9W A60 Bulb

Lampholder: E27
Colour Temp: 4000K
Lumen: 400

Width: 60mm
Height: 100mm



GU10 LED Emergency Rechargeable Bulb

- 5W GU10 LED

Material: Plastic with Aluminium
Lumen: 400

Beam Angle: 120 Degrees
Battery: 500mA Lithium Battery
Emergency Power lasts for 3 Hours:
Wattage: 0.5W
Lumen: 50

Width: 50mm
Height: 82mm

BULB LED 282

Colour Temp: 3000K

BULB LED 283

Colour Temp: 4000K

BULB LED 284

Colour Temp: 6000K

Emergency / Rechargeable

EMERGENCY RECHARGEABLE LED BULBS



BULB LED 278
- 5W ES LED
Lampholder: E27



BULB LED 279
- 5W B22 LED
Lampholder: B22



BULB LED 294
- 7W ES LED
Lampholder: E27



BULB LED 295
- 7W B22 LED
Lampholder: B22

LED Emergency Rechargeable Bulb with Built in DOB Driver

Material: PC Lampshade and PBT Lampbody
Packaging: Blister Pack

Colour Temp: 3000K
Lumen: 500
Emergency Wattage: 2W / 200 Lumen
Emergency Time: 2.5 Hours

Width: 60mm
Height: 115mm

LED Emergency Rechargeable Bulb, No Clip

Material: Aluminium with Diamond Pattern PC
Packaging: Blister Pack

Colour Temp: 4000K
Lumen: 630
Battery: 1200mAh
Charging Time: 12 Hours
Working Time: 4 Hours

Width: 60mm
Height: 120mm



BULB LED 296
- 12W ES LED
Lampholder: E27



BULB LED 297
- 12W B22 LED
Lampholder: B22

LED Emergency Rechargeable Bulb with Clip and Switch
Material: Aluminium with Diamond Pattern PC
Packaging: Blister Pack

Colour Temp: 4000K
Lumen: 1080
Battery: 1200mAh
Charging Time: 12 Hours
Working Time: 4 Hours

Width: 70mm
Height: 195mm (Including Clip)

Emergency / Rechargeable

BATTERY BACKUP EMERGENCY CEILING FITTINGS



CF133 EMERGENCY

Emergency Light, IP30

- 1.5W LED (Included)
Colour Temp: 6000K
Lumen: 100
Material: ABS

Features:

Emergency and Automatic Light Up
Can only be used as an emergency fitting
Not for normal general lighting
Must have a permanent live wire to charge the battery
In the case of a power outage it will turn on automatically
and will switch off when power is restored.

Wall mounted, ceiling or suspended installations
Rechargeable Battery: Lithium 3.6V
Emergency Duration Time: 3 Hours
Charging Time: 20 Hours
Overcharge and over-discharge protection
Red Light Charge Indicator

Length: 359mm
Width: 137mm
Depth: 82mm



CF134 EMERGENCY

Emergency Light, IP30

- 3W LED (Included)
Colour Temp: 6000K
Lumen: 104
Material: Cream White ABS

Features:

Emergency and Automatic Light Up
Can only be used as an emergency fitting
Not for normal general lighting
Must have a permanent live wire to charge the battery
In the case of a power outage it will turn on automatically
and will switch off when power is restored.

Wall mounted, ceiling or suspended installations
Rechargeable Battery: Ni-CD 3.6V
Emergency Duration Time: 3 Hours
Charging Time: 18-24 Hours
Overcharge and over-discharge protection

Length: 285mm
Width: 120mm
Depth: 50mm

Emergency / Rechargeable

BATTERY BACKUP EMERGENCY CEILING FITTINGS



CF132 EMERGENCY

Emergency Light, IP54

- 18W LED (Included)
- 3W When Emergency
- Material: ABS
- Colour Temp: 6000K

Features:

- Emergency and Automatic Light Up
- Can be used as both emergency fitting as well as general lighting
- During normal use the emergency lamp is connected to the power supply
- Must have a permanent live wire to charge the battery
- In the case of a power outage it will turn on automatically
- When product is in emergency mode, battery backup bypasses on/off switch

Wall mounted, ceiling or suspended installations

Rechargeable Battery: Lithium 3.6V

Emergency Duration Time: 1.5 Hours

Charging Time: 18-24 Hours

Overcharge and over-discharge protection

Diameter: 280

Height: 90mm



LED Emergency Polycarbonate Ceiling Fitting

Bayonet Lock, IP20

Battery: 1800mAh Lithium-Ion

Colour Temp: 6000K

Emergency Time: 4 Hours

Emergency Wattage: 3W

CF270 LED

- 12W LED (Included)
- Lumen: 1080

Diameter: 260mm

Also Available:

CF364 LED

CF271 LED

- 18W LED (Included)
- Lumen: 1620

Diameter: 330mm

Also Available:

CF365 LED

CF272 LED

- 24W LED (Included)
- Lumen: 2160

Diameter: 380mm

Also Available:

CF366 LED

RECHARGEABLE FANS



FAN019 WHITE
White with White Blades



FAN020 BLACK
Black with Black Blades

3 Speed Rechargeable clip on Table Fan
with USB Cable, Portable
Fan Power: 7W
Lithium Battery: 1800mAh
Material: Plastic

Width: 116mm
Height: 150mm

Charging Time: 3 Hours
Discharging Time: 2 - 4 Hours

FAN024 BLACK

12" Rechargeable Oscillating Table Fan
Material: Plastic

Features:

3 Speed Setting, Low Noise, Adjustable Vertical Tilt
LED Light, 5V USB output, On/Off Switch
Fan Power: 5W
Battery: 6V 4.5Ah Lead Acid Rechargeable
Voltage: AC220V/DC6V
Frequency: 50/60Hz
Charging Time: 5-12 Hours
Discharging Time: 5-10 Hours

Includes:

1 x 3V 9W Solar Panel (230mm x 140mm) and 2800mm Cord
2 x Rechargeable Bulbs with 2700mm Cord
On/Off Switches and Hooks
1 x 2 Pin Plug with 1000mm Cord

Width: 345mm
Height: 415mm
Base: 200mm



When the LED gets dim, please recharge the product
Charge at least once in every 3 months
for 8 Hours even when the appliance is not in use.
Keep the Fan Switch in OFF position when not in use

Emergency / Rechargeable

RECHARGEABLE FANS



FAN016

12" Rechargeable Table Fan
Fan Power: 12W
Battery: 2600mAh
Voltage: AC220V/DC12V
Material: Metal with Metal Blades
Colour: Black

Width: 400mm
Height: 370mm

Charging Time: 3 Hours
Discharging Time: 3 - 5 Hours



FAN018 PANEL

Solar Panel for Rechargeable Fans
with 5 Meter Cable
Voltage: 18V
Peak Power: 20W

Width: 350mm
Height: 450mm

Solar Panel for:
FAN015
FAN016
FAN017
FAN021



FAN015

12" Rechargeable Oscillating Floor Fan
Fan Power: 10W
Battery: 2600mAh
Voltage: AC220V/DC12V
Material: Plastic
Colour: White

Width: 350mm
Height: 1000mm
Base: 340mm

Charging Time: 3 Hours
Discharging Time: 3 - 5 Hours



FAN017

16" Rechargeable Oscillating Floor Fan
3 Speed
Fan Power: 15W
Battery: 2600mAh
Voltage: AC220V/DC12V
Material: Plastic
Colour: White and Black

Width: 430mm
Height: 1200mm
Base: 370mm

Charging Time: 3 Hours
Discharging Time: 2.5 - 5 Hours



FAN021 BLACK

16" Rechargeable Oscillating Floor Fan
3 Speed
Fan Power: 15W
Battery: 2500mAh
Voltage: AC220V/DC12V
Material: Plastic
Colour: Black

Charging Time: 3 Hours
Discharging Time: 3 - 5 Hours

Width: 430mm
Height: 1200mm
Base: 360mm

Emergency / Rechargeable

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.
THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



BULB LED 298


Portable, Emergency Solar Bulb
Diamond Pattern PC with Aluminium Hook
USB Cable, IP44
Battery Indicator Light,
Moisture proof and Anticorrosive

- 5W LED

Battery: 1200mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450
CRI: >80

Solar Charging Time: 24 Hours
USB Charging Time: 2 Hours
Emergency Duration: 2-4 Hours

Width: 100mm
Height: 150mm
USB Cable: 300mm



LS010 EMERGENCY

Portable Emergency Bulb with Aluminium Hook and Solar Panel
Remote Control and USB Cord
Moisture proof and Anticorrosive

- 5W LED (Included)

Battery: 3600mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450

Solar Charging Time: 24 Hours
USB Charging Time: 5 Hours
Emergency Duration: 4-6 Hours

Solar Panel: IP65
Width: 135mm
Height: 220mm

Bulb: IP44
Width: 100mm
Height: 150mm

USB Cable: 300mm

Features:

Time Switch
Intelligent Light Control
15 Meters Distance Wireless Remote Control



LS018 SOLAR

Portable Solar Charging Light
5V USB Port for charging Mobile Phones
Lithium Battery Capacity: 3.7V/4500MAH

Color temperature: 6000K
Solar Panel, Polysilicon 3.5W/6V, size: 215mm x 130mm
Output: 5.0V/2.0A USB discharge
: 5V/2.1A Lighting
Function: 3 Levels of Brightness / Flashing Light

Height: 240mm
Width: 140mm
Depth: 25mm

Emergency / Rechargeable

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.

THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



Solar Panel:
3.7V 2000MAH
Battery Running Time: 1.5 hours
Width: 180mm
Height: 150mm (Excluding Bracket)
Cable: 5 meters



FL076 BLACK

- 10W LED Floodlight
- 3W Solar Panel

Floodlight:

Width: 115mm
Height: 155mm (Excluding Bracket)
Depth: 110mm

Features:

Colour Temp: 6000K
Lumen: 600
Power Factor: > 0.9
Beam Angle: 120 degrees
Detected Distance Maximum: 5M
Time Delay: 5 Seconds – 5 Minutes (Adjustable)

FL077 SOLAR

50W LED Aluminium Floodlight with Tempered Glass Lens and Solar Panel, IP65
Includes Remote Control



Flood Light:

- 50W LED (Included)
Colour Temp: 6000K
Lumen: 500
Beam Angle: 90 degrees

Width: 177mm
Height: 211mm
Depth: 50mm

Solar Panel:

5V 8W Solar Panel
Battery: 3.2V 6000mAH
Charging Time: 4-6 Hours

Width: 350mm
Height: 230mm
Depth: 17mm
Cable: 1.8 Metres

Brightness Levels:

Constant Light for 12 hours
100% Brightness in the first 4 Hours
70-80% Brightness in the next 3 Hours
40-50% Brightness in the following 3 Hours
30% Brightness in the last 2 Hours
Timing Function: 3H, 5H, 8H

Fixing Instructions:

The light fixture should be installed on a flat and stable surface.
Avoid installing the light near an air conditioner, heater, or high voltage system.
The solar charger board should be set in a sunny area where maximum sunlight can be collected.
The solar board requires at least 3 hours per day or 5 hours per day if behind glass.
Charge the light for 24 hours before first use. Charging time afterwards is 4-6 hours.
Use a soft wet cloth to periodically (at least once a year) clean the charger board to avoid the reduction of power output due to accumulated dust.

RECHARGEABLE LED METAL TABLE LAMPS

DETACHABLE HEAD FOR MULTIPLE APPLICATIONS
CAN BE USED AS A TABLE LAMP, CLIP ON LAMP, MAGNETIZED WALL MOUNT OR TORCH

TL003

Rechargeable Light 4 in 1
Magnetic, Rechargeable Light
with Touch Control and USB Charging Cable

Detachable Head for Multiple Applications
Can be used as a Table Lamp, Clip on Lamp,
Magnetized Wall Mount or Torch
Material: Metal

- 3W LED (Included)

Colour Temp: 4000K
3 Grade Brightness
Battery: 1200mAh
Charging Time: 3 Hours
Discharge Time: 3-5 Hours



Table Lamp

Height: 340mm
Base: 120mm

Clip:

Width: 78mm
Length: 115mm

Torch/Head:

Width: 40mm
Length: 110mm

Magnetized Mounting Bracket:


Width: 40mm
Height: 45mm

Colours Available:

Black, White



RECHARGEABLE LED METAL TABLE LAMPS



Emergency / Rechargeable

RECHARGEABLE LED METAL TABLE LAMPS

RECHARGEABLE LAMP WHICH FITS ONTO AN OPEN WINE BOTTLE



TL038
Rechargeable Lamp
which fits onto an open wine bottle
Material: Metal
Type C USB Cable

- 2.5W LED (Included)

Colour Temp: 3000K
3 Grade Brightness
Battery: 2400mAh

Charging Time: 3 Hours
Discharge Time: 3-5 Hours

Width: 110mm
Height: 130mm

Colours Available:
Black, White



TL666 ANTIQUE
Rechargeable Metal Table Lamp
IP20

Colour: Antique Brass
Type C USB Cable
Battery: Lithium 1200mAh

- 3W LED (Included)

Colour Temp: 3000K
3 CCT and Dimmable
Lumen: 120
CRI: >80
PF: 0.5

Charging Time: 3 Hours
Discharging Time: 3-5 Hours

Width: 90mm
Height: 220mm



TL660 BLACK TL661 WHITE

Rechargeable LED Table Lamp
with Touch Control and Type C USB Cable

- 3W LED (Included)

Material: Metal and Plastic
Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 1200mAh Lithium-Ion

Charging time: 3-4 Hours
Working time: 8-9 Hours

Width: 114mm
Height: 380mm
Base: 95mm



TL665 BLACK TL664 WHITE

Rechargeable LED Table Lamp, IP20
Type C USB Cable
Battery: Lithium 1200mAh

- 3W LED (Included)

Material: Metal
Colour Temp: 3000K, 3 CCT and Dimmable
Lumen: 120
CRI: >80
PF: 0.5

Charging Time: 3 Hours
Discharging Time: 3-5 Hours

Width: 110mm
Height: 380mm
Base: 100mm

Emergency / Rechargeable

RECHARGEABLE LED ABS TABLE LAMPS



TL686 BLACK

Rechargeable Multifunctional Magnetic LED Table Lamp with Touch Control and Type C USB Cable

Can be used as a Table Lamp, Wall Light, or Hand Carry Torch
Light Bar can be separated as a hand carry torch during load shedding

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 800mAh Lithium-Polymer

Charging time: 3 Hours

Working time: 2 - 5 Hours

Head Length: 368mm

Height: 375mm

Base: 172mm x 102mm



TL687 WHITE

Rechargeable Multifunctional Magnetic LED Table Lamp with Touch Control and Type C USB Cable

Can be used as a Table Lamp, Wall Light, or Hand Carry Torch
Light Bar can be separated as a hand carry torch during load shedding

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 800mAh Lithium-Polymer

Charging time: 3 Hours

Working time: 2 - 5 Hours

Head Length: 368mm


Height: 375mm

Base: 172mm x 102mm



Emergency / Rechargeable

RECHARGEABLE LED ABS TABLE LAMPS




TL682 BLACK

TL683 WHITE

Magnetic LED Table or Wall Light with Touch Control, USB Cable
Rechargeable and Multifunctional
Can be used as a Table Lamp, Wall Light,
Under Counter Light or Hand Carry Torch

- 3W LED (Included)

Material: ABS
Colour Temp: CCT 2800K, 4000K, 6500K and Dimmable
Battery: 1200mAh Lithium-Ion



Charging time: 3 Hours
Working time: 3 - 8 Hours

Width: 30mm
Length: 250mm



CL009

Rechargeable Mini LED Clip on Table Lamp
with Touch Control Switch
and Type-C USB Charging Cable
180 Degree Up and Down

- 3.5W LED (Included)

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh

Charging Time: 3 Hours
Discharging Time: 3-8 Hours

Width: 60mm
Height: 232mm
Length: 120mm

Colours Available:
Black, White



COLOUR CHANGING



TL703 WHITE

Outdoor Colour Changing Rechargeable Lamp
with Remote Control and USB Charging Cable, IP44
Material: PE and ABS

- 2.8W LED

Battery: 1 x 3.7V 1200mAh
USB Charging Cable
Charging Time: 2-3 Hours
Working Time: 10-12 Hours

Width: 140mm
Height: 205mm (Excluding Handle)



TL657 GREY

Rechargeable LED Table Lamp
with Touch Control Switch
and USB Charging Cable

- 3W LED

Material: PMMA
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh
Charging Time: 4 Hours
Discharging Time: 3-10 Hours

Width: 151mm
Height: 275mm



Emergency / Rechargeable

RECHARGEABLE LED ABS TABLE LAMPS



TL655 BLACK

TL656 WHITE

Rechargeable Mini LED Table Lamp
with Touch Control Switch and USB Charging Cable
40 Degree Rotation Head

- 4W LED

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh
Charging Time: 4 Hours
Discharging Time: 4-10 Hours

Width: 139mm
Height: 195mm



TL658 BLACK TL659 WHITE

Rechargeable Mini LED Table Lamp
with Touch Control Switch
and Type-C USB Charging Cable
40 Degree Front and Back Foldable Head
180 Degree Left or Right Swing

- 4W LED (Included)

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh

Charging Time: 4 Hours
Discharging Time: 4-5 Hours

Width: 91mm
Height: 280mm



TL649 WHITE

Rechargeable LED Table Lamp, IP20
Dimmable and CCT, USB Charging Port

- 10W LED (Included)
- 5V Power Supply Adapter and USB (Included)


Material: ABS
Colour Temp: 3000K – 6000K
Lumen: 500
CRI: >80
PF: >0.5

Features:

Touch Switch to switch the light on and off
Touch "M" to change colour temperatures
Touch "M" over 3 seconds to change brightness

Lithium Battery 1200mAh
Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 550mm
Base: 150mm



TL663 BLACK

Rechargeable Table Lamp, IP20
Material: ABS with Rubberized Flexi Arm
Battery: Lithium 1200mAh

- 10W LED (Included)

Colour Temp: 3000k CCT and Dimmable
Lumen: 500
CRI: >80
PF: 0.5

Charging Time: 2-3 Hours
Discharging Time: 2.5 Hours

Height: 550mm
Base: 150mm



Emergency / Rechargeable

RECHARGEABLE LED ABS TABLE LAMPS



TL684 BLACK

Rechargeable LED Table Lamp with Flexible Arm
Touch Control and Type C USB Cable

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS and Silica Gel

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging time: 4 Hours

Working time: 2.5 - 5 Hours

Head Length: 246mm

Height: 430mm

Base: 160mm



TL685 WHITE



TL688 BLACK

Colour: Black with Rose Gold

TL689 WHITE

Colour: White with Rose Gold

Rechargeable LED Table Lamp with Flexible Arm
Touch Control, USB Cable

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging time: 4 Hours

Working time: 4 - 5 Hours

Head Width: 116mm

Height: 395mm

Base: 165mm



TL701 BLACK

TL701 BLACK

TL702 WHITE

Multi-functional Rechargeable Folding Desk Lamp
with Touch Switch and USB Cable
Multi-angle Adjustment for Lamp Head and Arm
Lamp Head can be rotated left and right 180 degrees

- 3W LED (Included)

Material: ABS

Colour: Imitation Leather Appearance

Quantity of LED: 26 SMD LED

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging Time: 4 Hours

Working Time: 2-10 Hours

Height: 343mm

Base: 170mm x 120mm



TL702 WHITE

RECHARGEABLE LED ABS TABLE LAMPS

Emergency / Rechargeable

RECHARGEABLE LED ABS TABLE LAMPS



TL646 BLACK

Rechargeable LED Table Lamp, IP20
Touch Switch with 3 step brightness
USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included)
- 5V Power Supply Adapter and USB (Included)

Material: ABS
Colour Temp: 4000K
Lumen: 250
CRI: >80
PF: >0.5
Lithium Battery 1200mA

Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 540mm
Base: 150mm



TL647 WHITE


Rechargeable LED Table Lamp, IP20
Touch Switch with 3 step brightness
USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included)
- 5V Power Supply Adapter and USB (Included)

Material: ABS
Colour Temp: 4000K
Lumen: 250
CRI: >80
PF: >0.5
Lithium Battery 1200mA

Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 540mm
Base: 170mm x 115mm



TL648 BLACK

Rechargeable LED Table Lamp, IP20
Dimmable and CCT
USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included)
- 5V Power Supply Adapter and USB (Included)

Material: ABS
Colour Temp: 3000K - 6000K
Lumen: 280
CRI: >80
PF: >0.5

Features: Dimmable and CCT

Display with Time, Calender, Temperature and Alarm Settings
Touch Front Silver Switch to switch on and off and for brightness
Press Front Silver Switch for CCT

Time and Calender Setting: Push the button "M", then push button "S", when the figure start flashing, using up and down button to set, push "S" to next figure.

Alarm Setting: Push the button "M" twice, when the display top shows "Alarm", Push button "S", when the figure start flashing, using up and down button to set. "SNOOZE" time is 60 seconds, push "S" to shut snooze.


Temperature: Push "Down" Button to change degree from Celsius to Fahrenheit

Lithium Battery 1200mA
Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 480mm
Base: 95mm x 75mm

Emergency / Rechargeable

EMERGENCY RECHARGEABLE PARTS



PART509 EMERGENCY

Connect to Permanent Live Wire to Charge Battery
Emergency Power Kit Replacement
Light Fitting must have an External Driver

To Convert Light Source:

5 - 40W LED Downlight, Panel and Ceiling to Emergency Light

- 30% of Power Output when the power goes down
Emergency Duration:
180 minutes @ 3Watts approximately

Includes:

Pilot light and push button tester
2 x Connectors to Driver and LED Lamps

Length: 180mm
Width: 42mm



PART113

- 3.7V Lithium Battery

1800 mAh with Protection IC Board

Width: 20mm
Height: 70mm



PART510 EMERGENCY

Connect to Permanent Live Wire to Charge Battery
Emergency Power Kit Replacement

To Convert up to 20W LED Downlight
or LED Tube to Emergency Light

Same Power Output as Original Light Source
(Less than 20W)

Light Source: 5 – 20W LED Lamp
Power: 20W

Emergency Duration: 60 – 90 minutes

Length: 215mm
Width: 42mm

PLUGS, SWITCHES & COMPONENTS



Plugs, Switches, Components

INTERCHANGEABLE CLIP ON COVER PLATES



ECP610
POL CHROME
Polished Chrome Cover
- 2 X 4 (Component)



ECP616
POL CHROME
Polished Chrome Cover
- 4 X 4 (Component)



ECP611
POL GOLD
Polished Gold Cover
- 2 X 4 (Component)



ECP617
POL GOLD
Polished Gold Cover
- 4 X 4 (Component)



ECP612
BRUSHED SIL
Brushed Silver Cover
- 2 X 4 (Component)



ECP618
BRUSHED SIL
Brushed Silver Cover
- 4 X 4 (Component)



ECP613
BRUSHED GOLD
Brushed Gold Cover
- 2 X 4 (Component)



ECP619
BRUSHED GOLD
Brushed Gold Cover
- 4 X 4 (Component)



ECP614
MATT BLACK
Matt Black Cover
- 2 X 4 (Component)



ECP620
MATT BLACK
Matt Black Cover
- 4 X 4 (Component)



ECP615
MATT SILVER
Matt Silver Cover
- 2 X 4 (Component)



ECP621
MATT SILVER
Matt Silver Cover
- 4 X 4 (Component)

Plugs, Switches, Components

DUO = CHAMPAGNE AND CHARCOAL



ESW001 WHITE

1 Lever 1 Way Switch - 2 X 4



ESW071 DUO

ESW001/2 WHITE ESW071/2 DUO

1 Lever 2 Way Switch - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW002 WHITE

2 Lever 1 Way Switch - 2 X 4



ESW072 DUO

ESW002/2 WHITE ESW072/2 DUO

2 Lever 2 Way Switch - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW003 WHITE

3 Lever 1 Way Switch - 2 X 4

ESW003/2 WHITE ESW073/2 DUO

3 Lever 2 Way Switch - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW073 DUO



ESW004 WHITE

4 Lever 1 Way Switch - 2 X 4

ESW004/2 WHITE ESW074/2 DUO

4 Lever 2 Way Switch - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW074 DUO

Plugs, Switches, Components

DUO = CHAMPAGNE AND CHARCOAL



ESW005 WHITE ESW075 DUO

1 Lever Switch – 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



ESW006 WHITE ESW076 DUO

2 Lever 1 Way Switch – 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



ESW007 WHITE ESW077 DUO

3 Lever 1 Way Switch – 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



ESW008 WHITE ESW078 DUO

4 Lever 1 Way Switch – 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



Plugs, Switches, Components



ESW037 WHITE

Door Bell Switch - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW087 DUO



ESW041 WHITE

Fan Speed Control - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 5
Outer Box Quantity: 50



ESW091 DUO



ESW042 WHITE

Fan Speed Control
Light Switch - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 5
Outer Box Quantity: 50



ESW092 DUO



ESW043 WHITE

Push Dimming Switch - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100

Also Available:
ECP642 DUO (Component)



ESW033 WHITE

Telephone Socket - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW083 DUO



ESW034 WHITE

Computer Socket - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW084 DUO

Plugs, Switches, Components



ESW032 WHITE

ESW082 DUO

TV Socket - 2 X 4
Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW035 WHITE

ESW085 DUO

Double TV Socket - 2 X 4
Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW038 WHITE

ESW088 DUO

Satellite Socket - 2 X 4
Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW039 WHITE

ESW089 DUO

Double Satellite Socket - 2 X 4
Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



ESW040 WHITE

ESW090 DUO

TV + Satellite Socket - 2 X 4
Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100

Plugs, Switches, Components



ESW030 WHITE



ESW080 DUO

Blank Plate - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 20
Outer Box Quantity: 200



ESW031 WHITE



ESW081 DUO

Blank Plate - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 10
Outer Box Quantity: 100

Plugs, Switches, Components

PLUGS WITH USB PORTS



EPL323 WHITE EPL353 DUO

16 AMP Plug + 2 USB - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL324 WHITE EPL354 DUO

16 AMP Plug
New RSA Socket + 2 USB - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL331 WHITE EPL361 DUO

Schuko Plug - 4 X 4
16 AMP Plug, New RSA Socket + USB

Length: 126mm
Width: 126mm

Inner Box Quantity: 4
Outer Box Quantity: 40



EPL335 WHITE EPL365 DUO

16 AMP Plug - 4 X 4
New RSA Socket
1 USB-C and 1 USB-A

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



Plugs, Switches, Components



EPL301 WHITE EPL349 DUO

16 AMP Plug - 2 X 4

Length: 80mm
Width: 126mm

Inner Box Quantity: 10
Outer Box Quantity: 100



EPL320 WHITE EPL350 DUO

16 AMP Single Plug - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL321 WHITE EPL351 DUO

16 AMP Double Plug - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL322 WHITE EPL352 DUO

16 AMP Plug
New RSA Socket - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



Plugs, Switches, Components



EPL325 WHITE EPL355 DUO

16 AMP Plug
3 New RSA Sockets - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL332 WHITE EPL362 DUO

Schuko Plug - 4 X 4
16 AMP Plug + New RSA Socket

Length: 126mm
Width: 126mm

Inner Box Quantity: 4
Outer Box Quantity: 40



EPL334 WHITE EPL364 DUO

Schuko Plug - 4 X 4
2 New RSA Sockets with 3 Switches

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL333 WHITE EPL363 DUO

2 New RSA Sockets with 2 Switches - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



Plugs, Switches, Components



EPL326 WHITE

45A Double Pole Isolator - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL356 DUO



EPL327 WHITE

32A Double Pole Isolator - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100



EPL357 DUO



EPL328 WHITE

16 AMP Dedicated Plug - 2 X 4

Length: 80mm
Width: 126mm

Inner Box Quantity: 10
Outer Box Quantity: 100



EPL358 DUO



ESW093 DUO

20 AMP Double Pole Isolator - 2 X 4

Length: 126mm
Width: 80mm

Inner Box Quantity: 10
Outer Box Quantity: 100

Also Available:
ECP624 WHITE (Component)



EPL329 WHITE

16 AMP Dedicated Plug - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL359 DUO



EPL330 WHITE

16 AMP Double Dedicated Plug - 4 X 4

Length: 126mm
Width: 126mm

Inner Box Quantity: 5
Outer Box Quantity: 50



EPL360 DUO

Plugs, Switches, Components



ECP601 WHITE
1 Lever 1 Way Switch (Component)

ECP601/2 WHITE
1 Lever 2 Way Switch (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP635 DUO
1 Lever 1 Way Switch (Component)

ECP635/2 DUO
1 Lever 2 Way Switch (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP624 WHITE
Double Pole Isolator Switch (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP640 DUO
Double Pole Isolator Switch (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP641 WHITE
Push Dimmer (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP642 DUO
Push Dimmer (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP607 WHITE
Intermediate Switch (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP643 DUO
Intermediate Switch (Component)

Length: 32mm
Width: 22mm
Box Quantity: 100



ECP606 WHITE
Computer Plug (Component)

Length: 28mm
Width: 20mm
Box Quantity: 200



ECP637 DUO
Computer Plug (Component)

Length: 28mm
Width: 20mm
Box Quantity: 100



ECP605 WHITE
TV Plug (Component)

Length: 22mm
Width: 22mm
Box Quantity: 200



ECP636 DUO
TV Plug (Component)

Length: 22mm
Width: 22mm
Box Quantity: 100



ECP622 WHITE
Surface Mount Box
- 4 X 4 (Component)

Length: 126mm
Width: 126mm
Box Quantity: 60



ECP623 WHITE
Surface Mount Box
- 2 X 4 (Component)

Length: 126mm
Width: 80mm
Box Quantity: 80



BULBS

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 922



BULB LED 923

T5 Portable Emergency Rechargeable Torch
with USB Cable for Charging
Magnetic Attachment
Easy to carry and can be hung anywhere

Material: PC
Colour Temp: 6500K

Beam Angle: 120 Degrees
RA: >70

Battery: 3600mA Lithium Battery
Discharging Time: 3-5 Hours

3 Modes for Brightness:
High Brightness: 3 Hours
Low Brightness: 5 Hours
Flashing: 3 Hours

BULB LED 922

- 6W LED
Lumen: 500

16 Pieces LED CCT Chips


Width: 25mm
Length: 170mm

BULB LED 923

- 12W LED
Lumen: 1050

56 Pieces LED CCT Chips

Width: 25mm
Length: 520mm



BULB LED 921

- 2W - 3.5W (Included)

Includes:

Flashlight
Emergency Light
Warning Light
USB Charging Cable
Portable Charging Source

Product Features:

Magnetic
Impact Resistant
3 grade dimmable for brightness:
Cool White, Warm White, Daylight
5V USB Powerbank Function
Mobile phone Charging function
30 Hours of working hours

Width: 35mm
Length: 223mm

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 924

LED Emergency Rechargeable Torch
with slide handle
2 Pin plug with 500mm connection cable
2 Settings: 100 Lumen / 500 Lumen

- 6W LED

Material: ABS
Colour Temp: 6000K
Lumen: 100 / 500

30 Pieces LED Bulbs
2 Level Brightness
Battery: 1200mA Lead Acid Battery
Charging Time: 15 Hours
Discharging Time: 3-5 Hours

Width: 58mm
Length: 158mm



BULB LED 906

LED Emergency Rechargeable Torch
with slide handle
2 Pin plug with 500mm connection cable

- 10W LED

Material: ABS
Colour Temp: 6000K
Lumen: 200 / 1000

60 Pieces LED Bulbs
2 level brightness
Battery: 1200mA Lead Acid Battery
Charging time: 15 Hours
Discharging time: 3-5 Hours

Width: 70mm
Length: 245mm



BULB LED 934

LED Rechargeable Emergency Light
2 Pin Plug with Connection Cord
stored in the back of the fitting

- 3W LED

Material: ABS
Colour Temp: 6000K
Lumen: 100 / 300

30 Pieces LED Bulbs
2 Level Brightness
Battery: 1200mA Lithium Battery
Charging Time: 24 Hours
Discharging Time:
Full Mode: 3 Hours
Low Mode: 6 Hours

Width: 56mm
Length: 192mm



BULB LED 935

LED Rechargeable Emergency Light
2 Pin Plug with Connection Cord
stored in the back of the fitting

- 6W LED

Material: ABS
Colour Temp: 6000K
Lumen: 200 / 400

60 Pieces LED Bulbs
2 Level Brightness
Battery: 1800mA Lithium Battery
Charging Time: 12 Hours
Discharging Time:
Full Mode: 3 Hours
Low Mode: 6 Hours

Width: 56mm
Length: 350mm

Bulbs

PORTABLE, EMERGENCY RECHARGEABLE TORCHES



BULB LED 937 BULB LED 938

LED Rechargeable Emergency Light with Handle
Self Stand, Portable, Wall Mounted
2 Pin Plug stored in the back of the fitting

- 12W LED

Material: ABS
5V1A USB Output
DC Input Charging Function

Specifications:

Light Source: 24 Pieces 0.5W 5730 SMD LEDS
Battery: 4000mAh Rechargeable
Charging Time: 16 Hours
Discharging Time: 15 - 24 Hours for Strong Mode
40 Hours for Soft Mode
Charge at least every three Months
to keep the battery life longer

Width: 95mm
Height: 198mm
Depth: 85mm



BULB LED 905

LED Emergency Rechargeable Torch
2 Pin plug with 500mm
connection cable

- 3W LED

Material: ABS
Colour Temp: 6000K
40 Pieces LED Bulbs
Battery: 2400mA Lead Acid Battery
Beam Angle: 180 degrees
2 Levels Brightness
Lumen: 100 / 200
Charging time: 15 Hours
Discharge time: 4-8 Hours

Width: 90mm
Length: 270mm



BULB LED 925

LED Emergency Rechargeable Torch
with slide handle
2 Pin plug with 500mm
connection cable

- 2W + 10W LED

Material: ABS
Colour Temp: 6000K
Lumen: 200 / 500

48 Pieces LED Bulbs
2 Level Brightness
Battery: 1200mA Lead Acid Battery
Charging Time: 15 Hours
Discharging Time: 1.5 - 8 Hours

Width: 68mm
Length: 215mm



BULB LED 932

LED Rechargeable Emergency Light
USB Charging Cable

- 5W LED

Material: ABS
Colour Temp: 6000K
Lumen: 50/250

1+20 Pieces LED Bulbs
Battery: 1200mA Lithium Battery
Charging Time: 5 Hours
Discharging Time:
Energy Saving Lamp: 3 Hours
Focus Lamp: 8 Hours

Width: 60mm
Length: 145mm



BULB LED 936

LED Rechargeable Emergency Light
with handle
12V DC Input Charging Jack
5V USB Output for Mobile Charging
2 pin plug with connection cord

- 1 x 1W LED
- 24 x 0.5W LED

Material: ABS
Colour Temp: 6000K
Lumen: 400/800

1+24 Pieces LED Bulbs
2 Level Brightness
Battery: 4000mAh Lead Acid Battery
Charging Time: 16 Hours
Discharging Time:
Strong Light: 15 Hours
Soft Light: 30 Hours
Focus Lamp: 80 Hours

Width: 75mm
Length: 180mm

EMERGENCY RECHARGEABLE TORCHES

MAGNETIC LED MODULE EMERGENCY KIT



BULB LED 929

Magnetic LED Module Emergency Kit

- 24W LED

Colour Temp: 4000K

Lumen: 2400

Emergency Power: 2W 200 Lumen

Battery: LI 3.7V 1800mAh

Charging Time: 6-8 Hours

Emergency Time: 3 Hours

Width: 211mm



BULB LED 930

Magnetic LED Module Emergency Kit

- 12W

Colour Temp: 4000K

Lumen: 1200


Emergency Power: 2W 200 Lumen

Battery: LI 3.7V 1800mAh

Charging Time: 6-8 Hours

Emergency Time: 3 Hours

Diameter: 200mm



BULB LED 931

Magnetic LED Module Emergency Kit

- 20W

Colour Temp: 4000K

Lumen: 2000

Emergency Power: 3W 300 Lumen

Battery: LI 3.7V 2000mAh

Charging Time: 6-8 Hours

Emergency Time: 3 Hours

Diameter: 250mm

EMERGENCY RECHARGEABLE LED BULBS



BULB LED 298

Portable, Emergency Solar Bulb
Diamond Pattern PC with Aluminium Hook
USB Cable, IP44
Battery Indicator Light,
Moisture proof and Anticorrosive

- 5W LED

Battery: 1200mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450
CRI: >80
Solar Charging Time: 24 Hours
USB Charging Time: 2 Hours
Emergency Duration: 2-4 Hours

Width: 100mm
Height: 150mm
USB Cable: 300mm



LS010 EMERGENCY

Portable Emergency Bulb with Aluminium Hook and Solar Panel
Remote Control and USB Cord
Moisture proof and Anticorrosive

- 5W LED (Included)

Battery: 3600mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450

Solar Charging Time: 24 Hours
USB Charging Time: 5 Hours
Emergency Duration: 4-6 Hours

Solar Panel: IP65
Width: 135mm
Height: 220mm

Features:
Time Switch
Intelligent Light Control
15 Meters Distance Wireless Remote Control

Bulb: IP44
Width: 100mm
Height: 150mm

USB Cable: 300mm



T8 LED Rechargeable Emergency Tube
Not Dimmable
Built-in Non-Isolated Battery

Material: Aluminium Lampbody with PC Cover
Colour Temp: 6000K
PF: >0.9
Beam Angle: 180 degrees
Emergency Wattage: 3-4W
Emergency Time: 2.5 - 3 Hours

BULB LED 290

- 9W LED
Lumen: 810

Length: 590mm
Width: 26mm

BULB LED 291

- 13W LED
Lumen: 1170

Length: 895mm
Width: 26mm

BULB LED 292

- 18W LED
Lumen: 1620

Length: 1200mm
Width: 26mm

BULB LED 293

- 22W LED
Lumen: 1980

Length: 1500mm
Width: 26mm

Also Available:
FTL015 WHITE

EMERGENCY RECHARGEABLE LED BULBS

GU10 LED Emergency Rechargeable Bulb



- 5W GU10 LED

Material: Plastic with Aluminium
Lumen: 400

Beam Angle: 120 Degrees
Battery: 500mA Lithium Battery
Emergency Power lasts for 3 Hours:
Wattage: 0.5W
Lumen: 50

Width: 50mm
Height: 82mm

BULB LED 282
Colour Temp: 3000K

BULB LED 283
Colour Temp: 4000K

BULB LED 284
Colour Temp: 6000K



BULB LED 280
A60 Emergency Rechargeable Bulb

- 5W ES LED

Lampholder: E27
Material: PC with Aluminium

Colour Temp: 4000K
Lumen: 375

16 Pieces SMD LED
Beam Angle: 180 Degrees
Battery: 1200mA Lithium Battery

Emergency Power lasts for 3 Hours:
Wattage: 1.5W
Lumen: 105

Width: 60mm
Height: 108mm



BULB LED 281
A60 Emergency Rechargeable Bulb

- 5W B22 LED

Lampholder: B22
Material: PC with Aluminium

Colour Temp: 4000K
Lumen: 375

16 Pieces SMD LED
Beam Angle: 180 Degrees
Battery: 1200mA Lithium Battery

Emergency Power lasts for 3 Hours:
Wattage: 1.5W
Lumen: 105

Width: 60mm
Height: 108mm



BULB LED 288
Replacement Bulb for LS033 Solar Kit

12V DC LED
- 9W A60 Bulb

Lampholder: E27
Colour Temp: 4000K
Lumen: 400

Width: 60mm
Height: 100mm

EMERGENCY RECHARGEABLE LED BULBS



BULB LED 278
- 5W ES LED
Lampholder: E27



BULB LED 279
- 5W B22 LED
Lampholder: B22



BULB LED 294
- 7W ES LED
Lampholder: E27



BULB LED 295
- 7W B22 LED
Lampholder: B22

LED Emergency Rechargeable Bulb with Built in DOB Driver

Material: PC Lampshade and PBT Lampbody
Packaging: Blister Pack

Colour Temp: 3000K
Lumen: 500
Emergency Wattage: 2W / 200 Lumen
Emergency Time: 2.5 Hours

Width: 60mm
Height: 115mm

LED Emergency Rechargeable Bulb, No Clip

Material: Aluminium with Diamond Pattern PC
Packaging: Blister Pack

Colour Temp: 4000K
Lumen: 630
Battery: 1200mAh
Charging Time: 12 Hours
Working Time: 4 Hours

Width: 60mm
Height: 120mm



BULB LED 296
- 12W ES LED
Lampholder: E27



BULB LED 297
- 12W B22 LED
Lampholder: B22



LED Emergency Rechargeable Bulb with Clip and Switch
Material: Aluminium with Diamond Pattern PC
Packaging: Blister Pack

Colour Temp: 4000K
Lumen: 1080
Battery: 1200mAh
Charging Time: 12 Hours
Working Time: 4 Hours

Width: 70mm
Height: 195mm (Including Clip)

LED CONVERSION KITS

**MAGNETIC CONVERSION KIT
CONVERTS YOUR CEILING FITTING TO LED**



- 12W LED
Lumen: 950

Width: 65mm

BULB LED 913
Colour Temp: 3000K

BULB LED 907
Colour Temp: 4000K

BULB LED 910
Colour Temp: 6000K



- 18W LED
Lumen: 1400

Width: 80mm

BULB LED 914
Colour Temp: 3000K

BULB LED 908
Colour Temp: 4000K

BULB LED 911
Colour Temp: 6000K



- 24W LED
Lumen: 1900

Width: 65mm
Height: 120mm

BULB LED 915
Colour Temp: 3000K

BULB LED 909
Colour Temp: 4000K

BULB LED 912
Colour Temp: 6000K



- 36W LED
Lumen: 2800

Width: 80mm
Height: 160mm

BULB LED 918
Colour Temp: 3000K

BULB LED 919
Colour Temp: 4000K

BULB LED 920
Colour Temp: 6000K

SENSOR BULBS

DAY/NIGHT LIGHT SENSOR



BULB LED 251
- 9W LED A60 Bulb
with Day/Night Light Sensor
E27 (ES) Lampholder
220V – 240V

Material: Opal Plastic
Colour Temp: 4000K
Lumen: 800
Beam Angle: 240 Degrees
PF: >0.5
CRI: >80

Width: 60mm
Height: 110mm



BULB LED 252
- 9W LED A60 Bulb
with Day/Night Light Sensor
B22 Lampholder
220V – 240V

Material: Opal Plastic
Colour Temp: 4000K
Lumen: 800
Beam Angle: 240 Degrees
PF: >0.5
CRI: >80

Width: 60mm
Height: 110mm

MOTION SENSOR



BULB LED 253
- 9W LED A60 Bulb
with Motion Sensor
E27 (ES) Lampholder
220V – 240V

Material: Opal Plastic
Colour Temp: 4000K
Lumen: 800
Beam Angle: 240 Degrees
PF: >0.5
CRI: >80

Delay Time: 30-45s

Width: 60mm
Height: 110mm



BULB LED 254
- 9W LED A60 Bulb
with Motion Sensor
B22 Lampholder
220V – 240V

Material: Opal Plastic
Colour Temp: 4000K
Lumen: 800
Beam Angle: 240 Degrees
PF: >0.5
CRI: >80

Delay Time: 30-45s

Width: 60mm
Height: 110mm



BULB LED 916

LED Toilet Light with Motion and Light Sensor
Fits any Toilet

- 0.1W LED (Included)

Lightbulb only works in the dark when it detects movement
It will turn on and stay on for 2 minutes after last movement
The lightbulb will work best if facing the door
8 Colours in One Device.

One button control to set single colour or colour rotation

3 x AAA batteries (Not Included)

Width: 65mm
Height: 100mm

CANDLE BULBS NOT DIMMABLE



BULB LED 130
- 4W Warm White LED
Filament Candle Bulb
E14 (SES) Lampholder
Not Dimmable
220V – 240V
Material: Clear Glass
Colour Temp: 2700K
Lumen: 400

Width: 35mm
Height: 100mm



E14 (SES) Lampholder
BULB LED 104
Colour Temp: 4000K

BULB LED 105
Colour Temp: 3000K

BULB LED 262
Colour Temp: 6000K



E27 (ES) Lampholder
BULB LED 133
Colour Temp: 3000K

BULB LED 134
Colour Temp: 4000K

BULB LED 264
Colour Temp: 6000K



B22 Lampholder
BULB LED 106
Colour Temp: 4000K

BULB LED 107
Colour Temp: 3000K

BULB LED 263
Colour Temp: 6000K

- 5W LED Candle Bulb
Not Dimmable
220V – 240V
Material: Frosted Cover
Lumen: 400

Width: 37mm
Height: 100mm

DIMMABLE



E14 (SES) Lampholder
BULB LED 190
Colour Temp: 4000K

BULB LED 191
Colour Temp: 2700K



E27 (ES) Lampholder
BULB LED 192
Colour Temp: 4000K

BULB LED 193
Colour Temp: 2700K



B22 Lampholder
BULB LED 194
Colour Temp: 4000K

BULB LED 195
Colour Temp: 2700K

- 4.5W LED Filament Candle Bulb
Dimmable
220V – 240V
Material: Clear Glass
Lumen: 400
PF: >0.9

Width: 35mm
Height: 91mm



E14 (SES) Lampholder
BULB LED 230
Colour Temp: 4000K

BULB LED 231
Colour Temp: 2700K



E27 (ES) Lampholder
BULB LED 232
Colour Temp: 4000K

BULB LED 233
Colour Temp: 2700K



B22 Lampholder
BULB LED 234
Colour Temp: 4000K

BULB LED 235
Colour Temp: 2700K

- 4.5W LED Candle Bulb
Dimmable
220V – 240V
Material: Opal Glass
Lumen: 400
PF: >0.9

Width: 35mm
Height: 100mm

FLAME BULBS



- 5W LED Flame Bulb
E14 (SES) Lampholder
Not Dimmable
220V – 240V
Material: Frosted Cover
Lumen: 400

Width: 37mm
Height: 135mm

BULB LED 100

Colour Temp: 4000K

BULB LED 101

Colour Temp: 3000K



- 5W LED Flame Bulb
E27 (ES) Lampholder
Not Dimmable
220V – 240V
Material: Frosted Cover
Lumen: 400

Width: 37mm
Height: 135mm

BULB LED 135

Colour Temp: 3000K

BULB LED 136

Colour Temp: 4000K



- 5W LED Flame Bulb
B22 Lampholder
Not Dimmable
220V – 240V
Material: Frosted Cover
Lumen: 400

Width: 37mm
Height: 135mm

BULB LED 102

Colour Temp: 4000K

BULB LED 103

Colour Temp: 3000K



BULB LED 129

- 4W Warm White LED
Filament Flame Bulb
E14 (SES) Lampholder
Not Dimmable
220V – 240V
Material: Clear Glass
Colour Temp: 2700K
Lumen: 400

Width: 35mm
Height: 122mm

Bulbs

GU10 BULBS



BULB LED 197

Colour Temp: 3000K

BULB LED 199

Colour Temp: 3000K

BULB LED 198

Colour Temp: 4000K

BULB LED 200

Colour Temp: 4000K

BULB LED 260

Colour Temp: 6000K

BULB LED 261

Colour Temp: 6000K

- 5W LED Bulb
Lumen: 400

- 7W LED Bulb
Lumen: 560

GU10 Lampholder
Not Dimmable
220V – 240V

Material: PVC with Frosted Cover

Width: 50mm
Height: 57mm



BULB LED 145

Colour Temp: 4000K

BULB LED 146

Colour Temp: 3000K

BULB LED 268

Colour Temp: 6000K

- 5W LED Bulb
Lumen: 400

GU10 Lampholder
Dimmable
220V – 240V
Material: Plastic

Width: 50mm
Height: 53mm



BULB LED 112

Colour Temp: 4000K

BULB LED 113

Colour Temp: 2700K

- 4.5W R50 LED Bulb
E14 (SES) Lampholder
Not Dimmable
220V – 240V

Material: Plastic
Lumen: 360

Width: 50mm
Height: 85mm

R50



BULB LAVA LAMP

- 20W
- 25W

Material: Mirror Glass
Colour Temp: 4000K

Width: 37mm
Height: 84mm

ST64 LED



BULB LED 157

Not Dimmable


BULB LED 196

Dimmable

- 6W ST64
Warm White LED Filament Bulb
E27 (ES) Lampholder
220V – 240V
Material: Amber Glass
Colour Temp: 2700K
Lumen: 600
PF: >0.5

Width: 64mm
Height: 143mm

G4 AND G9 BULBS



BULB LED 108

Colour Temp: 6000K

BULB LED 109

Colour Temp: 3000K

- 1.5W G4 LED Bulb
2 in 1 Blister Pack
12V
Dimmable
Material: Silicon
Lumen: 80
Beam Angle: 360 degrees

Width: 8mm
Height: 36mm



BULB LED 110

Colour Temp: 4000K

BULB LED 111

Colour Temp: 2700K

- 3.5W G9 LED Bulb
Blister Pack
Dimmable
220V – 240V
Lumen: 250

Width: 18mm
Height: 48mm



BULB LED 156

- 3W G9
Warm White LED Bulb
Blister Pack
Not Dimmable
220V – 240V
Material: Plastic
Colour Temp: 2700K
Lumen: 300

Width: 16mm
Height: 49mm

R7S, T-LAMP, TUBULAR BULBS

TUBULAR BULBS



BULB LED 285

Colour Temp: 3000K

BULB LED 286

Colour Temp: 4000K

BULB LED 287

Colour Temp: 6000K

- 7W Tubular LED

Material: PC with Aluminium

Lumen: 560

Power Factor: >0.5

RA: >80

Width: 37mm

Height: 116mm

R7S BULBS



BULB LED 187

- 7.5W LED R7S Bulb
Dimmable

Material: Aluminium and PC
CRI>80

Beam Angle: 360°

Colour Temp: 4000K
Lumen: 830

Length: 118mm

Width: 25mm

T-LAMP



E27 (ES) Lampholder
Material: PP and PBT
Colour Temp: 4000K

BULB LED 221

- 5W LED Bulb
Lumen: 450

Width: 50mm

Height: 96mm

BULB LED 222

- 9W LED Bulb
Lumen: 810

Width: 60mm

Height: 115mm

BULB LED 223

- 13W LED Bulb
Lumen: 1170

Width: 70mm

Height: 122mm

BULB LED 224

- 24W LED Bulb
Lumen: 2160

Width: 100mm

Height: 173mm

BULB LED 225

- 38W LED Bulb
Lumen: 3420

Width: 125mm

Height: 215mm



Energy Saving High-Bay LED Lamp

Not Dimmable

Do not use under a reflector

220V – 240V

Material: PC and Aluminium

Colour Temp: 6000K

CRI: 80Ra

BULB LED 273

- 100W E40 Lampholder
Lumen: 8330

Width: 152mm

Height: 265mm

BULB LED 274

- 100W B22 Lampholder
Lumen: 9000

Width: 152mm

Height: 265mm

BULB LED 267

- 150W E40 Lampholder
Lumen: 13500

Width: 170mm

Height: 280mm

G45 GOLFBALL BULBS DIMMABLE



- 4.5W LED G45 Golf Ball
E14 (SES) Lampholder
Dimmable
220V – 240V
Material: Clear Glass
Lumen: 400
PF: >0.9

Width: 45mm
Height: 82mm

BULB LED 236

Colour Temp: 4000K

BULB LED 237

Colour Temp: 2700K



- 4.5W LED G45 Golf Ball
E27 (ES) Lampholder
Dimmable
220V – 240V
Material: Clear Glass
Lumen: 400
PF: >0.9

Width: 45mm
Height: 73mm

BULB LED 238

Colour Temp: 4000K

BULB LED 239

Colour Temp: 2700K



- 4.5W LED G45 Golf Ball
B22 Lampholder
Dimmable
220V – 240V
Material: Clear Glass
Lumen: 400
PF: >0.9

Width: 45mm
Height: 73mm

BULB LED 240

Colour Temp: 4000K

BULB LED 241

Colour Temp: 2700K



BULB LED 242
- 4.5W LED G45 Golf Ball
E14 (SES) Lampholder
Dimmable
220V – 240V
Material: Opal Glass
Colour Temp: 4000K
Lumen: 400
PF: >0.9

Width: 45mm
Height: 82mm



BULB LED 243
- 4.5W LED G45 Golf Ball
E27 (ES) Lampholder
Dimmable
220V – 240V
Material: Opal Glass
Colour Temp: 4000K
Lumen: 400
PF: >0.9

Width: 45mm
Height: 73mm



BULB LED 244
- 4.5W LED G45 Golf Ball
B22 Lampholder
Dimmable
220V – 240V
Material: Opal Glass
Colour Temp: 4000K
Lumen: 400
PF: >0.9

Width: 45mm
Height: 73mm

G45 GOLFBALL BULBS NOT DIMMABLE



BULB LED 153

- 4W LED G45 Golf Ball
E14 (SES) Lampholder
Not Dimmable
220V – 240V
Material: Clear Glass
Colour Temp: 2700K
Lumen: 360

Width: 45mm
Height: 84mm



BULB LED 154

- 4W LED G45 Golf Ball
E27 (ES) Lampholder
Not Dimmable
220V – 240V
Material: Clear Glass
Colour Temp: 2700K
Lumen: 360

Width: 45mm
Height: 81mm



BULB LED 155

- 4W LED G45 Golf Ball
B22 Lampholder
Not Dimmable
220V – 240V
Material: Clear Glass
Colour Temp: 2700K
Lumen: 360

Width: 45mm
Height: 80mm



BULB LED 299

Replacement bulb for WSC009
(Solar String Light)
12V
- 2W ES LED
Colour Temp: 3000K
Lumen: 1800
CRI: >80
Beam Angle: 270 degrees

Width: 45mm
Height: 85mm



- 5W LED Frosted Golf Ball
E14 (SES) Lampholder
Not Dimmable
220V – 240V
Material: PVC and Aluminium
with Frosted Cover
Lumen: 400

Width: 45mm
Height: 79mm

BULB LED 119

Colour Temp: 4000K

BULB LED 120

Colour Temp: 2700K



- 5W LED Frosted Golf Ball
E27 (ES) Lampholder
Not Dimmable
220V – 240V
Material: PVC and Aluminium
with Frosted Cover
Lumen: 400

Width: 45mm
Height: 73mm

BULB LED 121

Colour Temp: 4000K

BULB LED 122

Colour Temp: 3000K

A60 BULBS DIMMABLE



- 8W LED A60
Filament Bulb

Dimmable
220V – 240V

Material: Clear Glass
Lumen: 800
PF: >0.9

Width: 60mm
Height: 106mm

E27 (ES) Lampholder



B22 Lampholder

BULB LED 245

Colour Temp: 4000K

BULB LED 246

Colour Temp: 2700

BULB LED 247

Colour Temp: 4000K

BULB LED 248

Colour Temp: 2700K



- 8W LED A60 Bulb

Dimmable
220V – 240V

Material: Opal Glass
Colour Temp: 4000K
Lumen: 800
PF: >0.9

E27 (ES) Lampholder

BULB LED 249

Width: 55mm
Height: 106mm



B22 Lampholder

BULB LED 250

Width: 60mm
Height: 106mm

NOT DIMMABLE



- 9W LED A60
Frosted Bulb

Not Dimmable
220V – 240V

Material: Plastic
Lumen: 806
PF: >0.5

Width: 60mm
Height: 112mm

E27 (ES) Lampholder

BULB LED 115

Colour Temp: 4000K

BULB LED 116

Colour Temp: 2700K

BULB LED 265

Colour Temp: 6000K



B22 Lampholder

BULB LED 117

Colour Temp: 4000K

BULB LED 118

Colour Temp: 2700K

BULB LED 266

Colour Temp: 6000K



Full Vision LED Bulb

Not Dimmable
220V – 240V

Material:
Ceramic and Frosted Glass
Beam Angle:
360 degrees

Width: 60mm
Height: 105mm

E27 (ES) Lampholder

BULB LED 162

- 6W Warm White
Colour Temp: 2700K
Lumen: 500

BULB LED 164

- 8W Cool White
Colour Temp: 4000K
Lumen: 700



- 4W Warm White LED
Filament Bulb

Not Dimmable
220V – 240V

Material: Clear Glass
Colour Temp: 2700K
Lumen: 400

Width: 60mm
Height: 98mm

BULB LED 131

E27 (ES) Lampholder



BULB LED 132

B22 Lampholder

Bulbs

G80 AND G125 BULBS DIMMABLE



BULB LED 269
- 8W G80
E27 (ES) Lampholder

Dimmable
220V – 240V

Material: Opal Glass
Colour Temp: 4000K
Lumen: 800

Width: 80mm
Height: 120mm



BULB LED 270
- 8W G80
B22 Lampholder

Dimmable
220V – 240V

Material: Opal Glass
Colour Temp: 4000K
Lumen: 800

Width: 80mm
Height: 120mm



BULB LED 271
- 8W G125
E27 (ES) Lampholder

Dimmable
220V – 240V

Material: Opal Glass
Colour Temp: 4000K
Lumen: 800

Width: 125mm
Height: 175mm



BULB LED 272
- 8W G125
B22 Lampholder

Dimmable
220V – 240V

Material: Opal Glass
Colour Temp: 4000K
Lumen: 800

Width: 125mm
Height: 175mm

NOT DIMMABLE



BULB LED 166
- 9W Cool White LED Filament Bulb
E27 (ES) Lampholder

Not Dimmable
220V – 240V

Material: Clear Glass
Colour Temp: 4000K
Lumen: 950

Width: 125mm
Height: 165mm



BULB LED 167
- 9W Cool White LED Filament Bulb
B22 Lampholder

Not Dimmable
220V – 240V

Material: Clear Glass
Colour Temp: 4000K
Lumen: 950

Width: 125mm
Height: 165mm

Bulbs

T5 AND T8 BULBS



T5 FLUORESCENT TUBE

- 14W Length: 550mm
- 24W Length: 550mm
- 28W Length: 1105mm
- 55W Length: 1105mm



T5 LED TUBE

Not Dimmable, 220V – 240V
Beam Angle: 240 degrees
PF: > 0.6

- 8W LED
Lumen: 720

Length: 550mm
Diameter: 16mm

BULB LED 201
Colour Temp: 6000K
BULB LED 202
Colour Temp: 3000K

- 16W LED
Lumen: 1440

Length: 1150mm
Diameter: 16mm

BULB LED 203
Colour Temp: 6000K
BULB LED 204
Colour Temp: 3000K

- 18W LED
Lumen: 1620

Length: 1449mm
Diameter: 16mm

BULB LED 220
Colour Temp: 6000K



T8 LED TUBE

Sold 30 per Box
Not Dimmable, 220V – 240V
Beam Angle: 240 degrees
PF: >0.6

- 9W T8 LED Tube
Length: 600mm
Lumen: 900

BULB LED 176
Colour Temp: 3000K
BULB LED 177
Colour Temp: 6000K

- 18W T8 LED Tube
Length: 1200mm
Lumen: 1800

BULB LED 178
Colour Temp: 3000K
BULB LED 179
Colour Temp: 6000K

- 22W T8 LED Tube
Length: 1500mm
Lumen: 2200

BULB LED 180
Colour Temp: 3000K
BULB LED 181
Colour Temp: 6000K




T8 LED RADAR SENSOR TUBE

Not Dimmable, 220V – 240V
Colour Temp: 6000K
Beam Angle: 240 Degrees
Sensor Angle: 160 Degrees
Detective Range: 0-7m
Power Factor: >0.6
Time Delay: 20-30s
Standby Mode: No Light without Detecting Moving Object
LED Starter Included

Installation Distance: At least 2M between each Tube

BULB LED 184
- 9W T8 LED Radar Sensor Tube
Length: 600mm
Lumen: 900
BULB LED 185
- 12W T8 LED Radar Sensor Tube
Length: 900mm
Lumen: 1200



GROW LIGHTING BULBS



Due to the size of these tubes, they are perfect to fit Grow Shelves.
They can also be used in conjunction with PEN014 to hang tubes between the plants.
These tubes are perfect for leafy greens and vegetables.

BULB LED 205

- 9W T8 Full Spectrum LED Grow Tube, IP20
Not Dimmable
Input Voltage: 220-240V
Material: Glass Tube

PPF: >13.5umol@0.5M
Par/W: 0.5mW@0.5M
PPE: >1.5umol/s/W
PF: >0.9
@10cm: PPFD 60


Length: 590mm
Width: 26mm

BULB LED 206

- 18W T8 Full Spectrum LED Grow Tube, IP20
Not Dimmable
Input Voltage: 220-240V
Material: Glass Tube

PPF: >35umol@0.5M
Par/W: 0.5mW@0.5M
PPE: >1.9umol/s/W
PF: >0.9
@10cm: PPFD 120

Length: 1199mm
Width: 26mm



BULB LED 207

This bulb is mainly for residential use. It is ideal for all phases of small indoor plant growth
LED PAR38 Grow Bulb, Red and Blue Wavelength, IP65

- 15W ES (E27) LED and Driver (Included)
Not Dimmable

Material:
Die Cast Aluminium and High Light Transmission Lens,
Rubber Seal

LED Quantity: 24 Pieces 3030 SMD
Lumen: 30 LM/W
Beam Angle: 30 degrees

Full Spectrum of Ratio:
620-630nm/650-670nm/730-750nm/390-410nm/430-450nm/460-470nm
Par Value (PPFD):
154umol@0.3M, 62umol@0.5M
Lighting Coverage:
0.3M@0.31m², 0.5M@0.65m²

Width: 120mm
Height: 127mm

LED STRIP LIGHTS



BULB LED 900

5 Meter Flexible LED Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (5cm apart)

Lumen: 3-4W/LED
12V DC
IP20
SMD: 3528 60 LED

Colour: White
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 8mm
LED per Meter: 60 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

1 x 5000mm Flexible Strip Light
1 x 18W Wall Mounted Driver



BULB LED 901

5 Meter Flexible Silicon Gel Insulated LED Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (5cm apart)

Lumen: 3-4W/LED
12V DC
IP65
SMD: 3528 60 LED

Colour: White
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 8mm
LED per Meter: 60 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

1 x 5000mm Flexible Strip Light
1 x 18W Wall Mounted Driver



LED STRIP LIGHTS



BULB LED 902

5 Meter Flexible LED RGB Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (10cm apart)
12V DC
IP20
SMD: 5050 30 LED

Colour: RGB
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 10mm
LED per Meter: 30 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

- 1 x 5000mm Flexible Strip Light
- 1 x RGB Remote Control
- 1 x RGB Control Box
- 1 x 36W Wall Mounted Driver
- 1 X AC/DC Adapter



BULB LED 903

5 Meter Flexible Silicon Gel Insulated LED RGB Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (10cm apart)
12V DC
IP65
SMD: 5050 30 LED

Colour: RGB
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 10mm
LED per Meter: 30 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

- 1 x 5000mm Flexible Strip Light
- 1 x RGB Remote Control
- 1 x RGB Control Box
- 1 x 36W Wall Mounted Driver
- 1 X AC/DC Adapter



CEILING FITTINGS & WALL BRACKETS



Ceiling Fittings

BATTERY BACKUP CEILING FITTINGS



CF132 EMERGENCY

Emergency Light, IP54

- 18W LED (Included)
- 3W When Emergency
- Material: ABS
- Colour Temp: 6000K

Features:

- Emergency and Automatic Light Up
- Can be used as both emergency fitting as well as general lighting
- During normal use the emergency lamp is connected to the power supply
- Must have a permanent live wire to charge the battery
- In the case of a power outage it will turn on automatically
- When product is in emergency mode, battery backup on/off switch
- Wall mounted, ceiling or suspended installations
- Rechargeable Battery: Lithium 3.6V
- Emergency Duration Time: 1.5 Hours
- Charging Time: 18-24 Hours
- Overcharge and over-discharge protection

Diameter: 280
Height: 90mm



CF270 LED

- 12W LED
Lumen: 1080
Diameter: 260mm

CF271 LED

- 18W LED
Lumen: 1620
Diameter: 330mm

CF272 LED

- 24W LED
Lumen: 2160
Diameter: 380mm

Also Available:
CF364 LED

Also Available:
CF365 LED

Also Available:
CF366 LED

LED Emergency Polycarbonate Ceiling Fitting
Bayonet Lock, IP20
Battery: 1800mAh Lithium-Ion
Colour Temp: 6000K

Emergency Time: 4 Hours
Emergency Wattage: 3W



CF133 EMERGENCY

Emergency Light, IP30

- 1.5W LED (Included)
- Colour Temp: 6000K
- Lumen: 100
- Material: ABS

Features:

- Emergency and Automatic Light Up
- Can only be used as an emergency fitting
- Not for normal general lighting
- Must have a permanent live wire to charge the battery
- In the case of a power outage it will turn on automatically and will switch off when power is restored.
- Wall mounted, ceiling or suspended installations
- Rechargeable Battery: Lithium 3.6V
- Emergency Duration Time: 3 Hours
- Charging Time: 20 Hours
- Overcharge and over-discharge protection
- Red Light Charge Indicator

Length: 359mm
Width: 137mm
Depth: 82mm



CF134 EMERGENCY

Emergency Light, IP30

- 3W LED (Included)
- Colour Temp: 6000K
- Lumen: 104
- Material: Cream White ABS

Features:

- Emergency and Automatic Light Up
- Can only be used as an emergency fitting
- Not for normal general lighting
- Must have a permanent live wire to charge the battery
- In the case of a power outage it will turn on automatically and will switch off when power is restored.
- Wall mounted, ceiling or suspended installations
- Rechargeable Battery: Ni-CD 3.6V
- Emergency Duration Time: 3 Hours
- Charging Time: 18-24 Hours
- Overcharge and over-discharge protection

Length: 285mm
Width: 120mm
Depth: 50mm

Ceiling Fittings

LED

STARLIGHT PATTERNED POLYCARBONATE COVERS



LED Hexagonal Polycarbonate Fitting with Starlight Patterned Polycarbonate Cover
Bayonet Lock, 1 x LED Driver (Included)
IP20

CF255 COOL

- 12W LED (Included)
Colour Temp: 4000K
Lumen: 800


Diameter: 260mm
Height: 60mm



CF256 COOL

- 18W LED (Included)
Colour Temp: 4000K
Lumen: 1200

Diameter: 360mm
Height: 70mm



CF257 COOL

- 24W LED (Included)
Colour Temp: 4000K
Lumen: 1700

Diameter: 395mm
Height: 72mm



LED Polycarbonate Fitting
with Starlight Patterned Polycarbonate Cover
Bayonet Lock
IP20
1 x Electronic Driver (Included)

Colour Temp: 6000K

CF012

- 12W LED (Included)
Lumen: 800mm
Diameter: 260mm

CF013

- 18W LED (Included)
Lumen: 1200mm
Diameter: 330mm

CF014

- 24W LED (Included)
Lumen: 1700mm
Diameter: 385mm



LED Aluminium Fitting
with Starlight Patterned Polycarbonate Cover
1 x Electronic Driver (Included)
Bayonet Lock

Colour Temp: 6000K

CF053 ALUMINIUM

- 12W LED (Included)
Lumen: 1260
Diameter: 215mm
Height: 60mm

CF054 ALUMINIUM

- 18W LED (Included)
Lumen: 1890
Diameter: 262mm
Height: 60mm

CF055 ALUMINIUM

- 24W LED (Included)
Lumen: 2520
Diameter: 320mm
Height: 60mm

Ceiling Fittings

LED

EASY INSTALLATION CEILING FITTING

Polycarbonate Fitting
1 x Electronic Driver (Included)
Colour Temp: 4000K
CRI >70
PF >0.5



CF046/9
- 9W LED (Included)
Lumen: 810

Diameter: 95mm
Height: 40mm



CF047/13
- 13W LED (Included)
Lumen: 1170

Diameter: 120mm
Height: 40mm



CF048/18
- 18W LED (Included)
Lumen: 1620

Diameter: 150mm
Height: 40mm



CF049/24
- 24W LED (Included)
Lumen: 2160

Diameter: 180mm
Height: 40mm



CF050/36
- 36W LED (Included)
Lumen: 3240

Diameter: 230mm
Height: 40mm



SIDE VIEW



CF249 COOL
- 12W LED (Included)
Colour Temp: 4000K
Lumen: 800

Diameter: 260mm
Height: 58mm



CF250 COOL
- 18W LED (Included)
Colour Temp: 4000K
Lumen: 1200

Diameter: 330mm
Height: 60mm



CF251 COOL
- 24W LED (Included)
Colour Temp: 4000K
Lumen: 1700

Diameter: 380mm
Height: 60mm

LED Metal Base with Polycarbonate PC Cover, Bayonet Lock
1 x LED Driver (Included)
IP20

Ceiling Fittings

LED

WITH BLUETOOTH SPEAKER



CF569 WHITE

LED Ceiling Fitting with Infinity Mirror

- 80W LED (Included)
- 2 x Electronic Drivers (Included)
- Material: Aluminium and Acrylic
- Colour Temp: 4000K

Diameter: 500mm
Height: 75mm



CF083 LED

Metal Ceiling Fitting with Opal Polycarbonate Cover and Bluetooth Speaker

- 24W LED (Included)
- 1 x Electronic Bluetooth Driver
- Colour Temp: 4000K
- Lumen: 1700
- Beam Angle: 120 degrees
- PF: >0.5

Diameter: 380mm
Height: 100mm



Aluminium, Iron and Acrylic Ceiling Fitting
Bayonet Lock

CF0663 ALUMINIUM

- 1 x 60W ES (E27) LED or Energy Saver Only

Diameter: 215mm
Height: 82mm

CF0664 ALUMINIUM

- 1 x 60W ES (E27) LED or Energy Saver Only

Diameter: 260mm
Height: 90mm

CF0665 ALUMINIUM

- 2 x 60W ES (E27) LED or Energy Saver Only

Diameter: 325mm
Height: 105mm



LED Polycarbonate Fitting
Bayonet Lock, IP20

- 1 x Electronic Driver (Included)

CF364

- 12W LED (Included)
- Colour Temp: 6000K
- Lumen: 800
- Diameter: 260mm

CF121 ES

- 1 x ES (E27) LED Only
- Diameter: 260mm
- Height: 85mm

CF365

- 18W LED (Included)
- Colour Temp: 6000K
- Lumen: 1200
- Diameter: 330mm

CF122 ES

- 2 x ES (E27) LED Only
- Height: 105mm

CF366

- 24W LED (Included)
- Colour Temp: 6000K
- Lumen: 1700
- Diameter: 385mm

CF123 ES

- 2 x ES (E27) LED Only
- Height: 105mm

Also Available:
CF270, CF271, CF272 LED
EMERGENCY BATTERY BACKUP

Ceiling Fittings

LED



LED Surface Die Cast Aluminium with PC Cover

DL506 WHITE

- 6W LED (Included)

Colour Temp: 4000K
Lumen: 420mm

Diameter: 115mm
Height: 28mm

DL507 WHITE

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 840mm

Diameter: 165mm
Height: 28mm

DL510 WHITE

- 18W LED (Included)

Colour Temp: 4000K
Lumen: 1200mm

Diameter: 220mm
Height: 28mm

DL512 WHITE

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920mm

Diameter: 288mm
Height: 28mm



LED, Metal base with Polycarbonate Cover

CH002 SMALL COOL

Colour Temp: 4000K

CH006 SMALL WARM

Colour Temp: 2700K

- 12W LED
Lumen: 750

Diameter: 260mm
Height: 70mm

CH002 LARGE COOL

- 18W LED
Colour Temp: 4000K
Lumen: 1100

Diameter: 340mm
Height: 75mm



Metal with PC Cover
Colour Temp: 6300K

CF728


- 24W LED (Included)
Lumen: 900

Width: 320mm
Height: 50mm

CF729

- 36W LED (Included)
Lumen: 1600

Width: 375mm
Height: 50mm



DL511 WHITE

Die Cast Aluminium Ceiling Fitting with Polycarbonate Cover

- 18W LED (Included)
1 x Electronic LED Driver (Included)
Colour Temp: 4000K

Width: 240mm
Height: 35mm



LED Brushed Aluminium and Polycarbonate Fitting
Includes LED Power Supply
Colour Temp: 6300K

CF673

- 11W LED (Included)
Lumen: 565

Width: 270mm
Height: 75mm

CF674

- 22W LED (Included)
Lumen: 1400

Width: 370mm
Height: 75mm

Ceiling Fittings

LED



LED, ABS Ceiling Fitting
IP33
1 x Electronic Driver (Included)
Material: ABS
Colour Temp: 4000K
CRI: 70
PF: >0.5

CF564 MATT BLACK

- 38W LED (Included)
Lumen: 3240

Diameter: 400mm
Height: 25mm

CF566 MATT BLACK

- 48W LED (Included)
Lumen: 4320

Diameter: 500mm
Height: 25mm



LED, ABS Ceiling Fitting
IP33
1 x Electronic Driver (Included)
Material: ABS
Colour Temp: 4000K
CRI: 70
PF: >0.5

CF565 MATT WHITE

- 38W LED (Included)
Lumen: 3240

Diameter: 400mm
Height: 25mm

CF567 MATT WHITE

- 48W LED (Included)
Lumen: 4320

Diameter: 500mm
Height: 25mm



LED Polycarbonate Fitting
with 2 Inter-Changeable outer rings
Outer Ring Colour: Black, White
Rings easily clip on to change outer ring colour
IP20

Colour Temp: 3 CCT on the back of the fitting
Beam Angle: 120 degrees
CRI: >80

CF385

- 18W LED
Lumen: 1400

Width: 250mm
Height: 50mm

CF386

- 24W LED
Lumen: 1900

Width: 330mm
Height: 55mm

CF387

- 32W LED
Lumen: 2600

Width: 380mm
Height: 60mm



LED Polycarbonate Fitting
Includes LED Power Supply
Colour Temp: 6300K

CF367

- 16W LED (Included)
Lumen: 1200
Diameter: 350mm

CF368

- 22W LED (Included)
Lumen: 1650
Diameter: 390mm



LED, Polycarbonate Fitting
Colour Temp: 6300K

CF375

- 12W LED (Included)
Lumen: 840
Diameter: 292mm

CF376

- 18W LED (Included)
Lumen: 1080
Diameter: 350mm

CF377

- 24W LED (Included)
Lumen: 1440
Diameter: 410mm

Ceiling Fittings

LED



CF471 LED

LED, Polycarbonate Ceiling Fitting with Silver Base
15 Kinds of RGB Back Lighting
Includes Remote Control
Dimmable
IP44

- 32W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 3200
PF: >0.6
CRI: >70

Width: 300mm
Height: 40mm



CF131 CCT

ABS Ceiling Fitting with Blue Backlight
Includes Remote Control

- 80W LED (Included)
Electronic Driver (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 4800
PF: >0.9
CRI: >80

Diameter: 460mm
Height: 70mm



CF372 CCT LED

LED, Metal Base with PVC Cover, with CCT Switch on Driver
Bayonet Lock

- 48W LED (Included)
- 1 x LED Driver (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 3120

Diameter: 480mm
Height: 50mm



CF170 WHITE

Metal Ceiling Fitting with Brown and White Acrylic Cover

- 24W LED (Included)
1 x LED Driver (Included)

Colour Temp: 4000K
Lumen: 1500
PF > 0.8
CRI > 70

Base: 355mm
Width: 415mm
Depth: 75mm



CF171 WHITE

Metal Ceiling Fitting with White Acrylic Cover

- 24W LED
1 x Electronic Transformer (Included)

Colour Temp: 4000K
Lumen: 1500
PF > 0.8
CRI > 70

Base: 355mm
Width: 400mm
Depth: 75mm



CF172 WHITE

Metal Ceiling Fitting with White Acrylic Cover

- 24W LED
1 x Electronic Transformer (Included)

Colour Temp: 4000K
Lumen: 1500
PF > 0.8
CRI > 70

Base: 350mm
Width: 400mm
Depth: 75mm

Ceiling Fittings

LED



CF344 LED



CF345 LED

LED, Opal PVC Fitting
IP20

- 24W LED (Included)

Colour Temp: 6000K

Lumen: 1700

CRI: >80

PF: >0.5

Beam Angle: 120 degrees

Diameter: 380mm

Height: 50mm



CF346 LED



CF347 LED

SOLD PER BOX OF 10 PIECES



CF335 LED



CF336 LED

LED, Metal Base with Opal PVC Fitting
IP20

- 12W LED (Included)

Colour Temp: 6000K

Lumen: 780

CRI: >70

PF: >0.5

Beam Angle: 120 degrees

Diameter: 260mm

Height: 90mm



CF337 LED



CF338 LED

Diameter: 260mm
Height: 55mm

Ceiling Fittings

LED



Polycarbonate Ceiling Fitting
Bayonet Lock, IP54

Colour Temp: 4000K
CRI: >80
PF: >0.85

CF124 WHITE

- 15W LED
Lumen: 1800
Diameter: 160mm
Height: 60mm

CF127 WHITE

- 20W LED
Lumen: 2400
Diameter: 220mm
Height: 65mm



Polycarbonate Ceiling Fitting
Bayonet Lock, IP54

Colour Temp: 4000K
CRI: >80
PF: >0.85

CF125 LIGHT WOOD

- 15W LED
Lumen: 1800
Diameter: 160mm
Height: 60mm

CF128 LIGHT WOOD

- 20W LED
Lumen: 2400
Diameter: 220mm
Height: 65mm



Polycarbonate Ceiling Fitting
Bayonet Lock, IP54

Colour Temp: 4000K
CRI: >80
PF: >0.85

CF126 WOOD

- 15W LED
Lumen: 1800
Diameter: 160mm
Height: 60mm

CF130 WOOD

- 20W LED
Lumen: 2400
Diameter: 220mm
Height: 65mm



CF017 WHITE

LED, Metal Ceiling Fitting with Polycarbonate Cover
Bayonet Lock

1 x LED Power Supply (Included)

Colour Temp: 6000K

Large: - 24W LED
Lumen: 1600
Diameter: 370mm

Small: - 18W LED
Lumen: 1200
Diameter: 320mm



CF370

LED, Polycarbonate Fitting

- 24W LED (Included)

Colour Temp: 6300K
Lumen: 1800

Diameter: 340mm



CF723

LED Ceiling Fitting with Metal Base
Frosted Glass and Chrome Clips

- 16W LED (Included)

Colour Temp: 3500K
Lumen: 900

Width: 250mm

Ceiling Fittings

LED



Aluminium with PC Cover
1 x Electronic Driver (Included)
Colour Temp: 4000K

CF535

- 6W LED (Included)
Lumen: 400
Diameter: 120mm
Height: 32mm



CF536

- 12W LED (Included)
Lumen: 780
Diameter: 170mm
Height: 32mm

Colours Available:
Chrome, Matt Black, Satin, White

2 IN 1 - EITHER SURFACE OR RECESSED



Polycarbonate 2 in one Design
Surface Mounted or Recessed Fitting

1 x Built in Electronic Driver (Included)
Material: PC and PS
Colour Temp: 4000K



CF537

- 9W LED (Included)
Lumen: 760
Diameter: 120mm
Height: 43mm
Cut out: 90mm



CF538

- 18W LED (Included)
Lumen: 1530
Diameter: 170mm
Height: 43mm
Cut out: 140mm

Colours Available:
Matt Black, Silver, White

Ceiling Fittings

LED



CF544 LED

Die Cast Aluminium with PC Cover
1 x Electronic Driver (Included)
Temp: 4000K

Large: - 24W LED (Included)
Lumen: 1920
Width: 290mm
Height: 28mm

Small: - 18W LED (Included)
Lumen: 1200
Width: 215mm
Height: 28mm



CF545 LED

Polished Chrome with PC Cover
1 x Electronic Driver (Included)
Temp: 4000K

Large: - 24W LED (Included)
Lumen: 1680
Width: 300mm
Height: 32mm

Small: - 18W LED (Included)
Lumen: 1260
Width: 225mm
Height: 32mm



CF546 LED

Satin Chrome with PC Cover
1 x Electronic Driver (Included)

Large: - 24W LED (Included)
Lumen: 1680
Width: 300mm
Height: 32mm

Small: - 18W LED (Included)
Lumen: 1260
Width: 225mm
Height: 32mm



CF550 BLACK

Die Cast Aluminium with PC Cover
1 x Electronic Driver (Included)
Colour Temp: 4000K

Large: - 24W LED (Included)
Lumen: 1920
Width: 290mm
Height: 28mm

Small: - 18W LED (Included)
Lumen: 1200
Width: 215mm
Height: 28mm



CF548 LED

White Aluminium Alloy with Polycarbonate Cover
1 x Electronic Driver (Included)
Temp: 4000K and Blue LED

Large: - 24W LED (Included)
Lumen: 1260
Width: 248mm
Height: 40mm

Small: - 16W LED (Included)
Lumen: 840
Width: 198mm
Height: 40mm

On Wall Switch:

Press Once: Outer Blue LED switch on
Press Twice: Inner White LED switch on
Press 3 times: Both Outer Blue & Inner White LED switch on

Ceiling Fittings



OFF

LED



ON

CF194 LED

Metal and Plastic Ceiling Fitting with Remote Control

- 50W LED (Included)

Material: Metal and Plastic
Colour Temp: CCT - 3000K, 4000K, 6000K
Lumen: 4000

Width: 400mm
Length: 600mm
Height: 65mm



OFF



ON

CF442 WHITE

Metal and Plastic Ceiling Fitting

- 50W LED (Included)

Colour Temp: 4500K
Lumen: 3600

Diameter: 520mm
Height: 60mm



OFF



ON

CF443 WHITE

Metal and Plastic Ceiling Fitting

- 50W LED (Included)

Colour Temp: 4500K
Lumen: 3600

Diameter: 520mm
Height: 60mm

Ceiling Fittings

LED



CF274 BK/WH

Metal and Acrylic LED Ceiling Fitting, IP20
Colour: Black and White

- 36W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 2520
CRI: >80
PF: 0.9

Length: 555mm
Width: 450mm
Height: 55mm



CF275 BK/WH

Metal and Acrylic LED Ceiling Fitting, IP20
Colour: Black and White

- 40W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 2800
CRI: >80
PF: 0.9

Width: 555mm
Height: 55mm



CF277 BK/WH

Metal, Acrylic and PVC Ceiling Fitting
with 2.4G Dimmable Remote Control
Colour: Sandy White and Black

- 75W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 3700
CRI: >80
PF: >0.64

Length: 550mm
Width: 440
Height: 80mm



CF278 BK/WH

Metal, Acrylic and PVC Ceiling Fitting
with 2.4G Dimmable Remote Control
Colour: Sandy White and Black

- 69W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 4100
CRI: >80
PF: >0.64

Width: 500mm
Height: 60mm



CF279 BK/WH

Metal, Acrylic and PVC Ceiling Fitting
with 2.4G Dimmable Remote Control
Colour: Sandy White and Black

- 70W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 4800
CRI: >80
PF: >0.64

Width: 550mm
Height: 60mm



Ceiling Fittings

LED



Metal Ceiling Fitting with Clear PMMA and Gold Rim
Colour Temp: 4000K

CF437 GOLD

- 24W LED (Included)
Lumen: 1600

Diameter: 390mm
Height: 75mm

CF438 GOLD

- 36W LED (Included)
Lumen: 2300

Diameter: 495mm
Height: 75mm



CF276 GOLD

LED Ceiling Fitting

Material: Aluminium, Acrylic and Metal, IP20
Colour: Brushed Gold

- 28W LED (Included)

Colour Temp: CCT
Lumen: 1960
CRI: >80
PF: 0.9

Diameter: 400mm
Height: 85mm



CF445 WHITE/COPPER

Metal Ceiling Fitting
with Acrylic Diffuser

Colour: White and Copper

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 2400

Diameter: 400mm
Height: 130mm



CF472/8 LED

8 Light LED Metal Ceiling Fitting
Colour: Bronze and Black

- 52W LED

Colour Temp: 3 CCT, Slide Switch on Base

Width: 1250mm
Height: 260mm

Ceiling Fittings


LED

CF160 LED

LED, Polished Chrome and PVC Ceiling Fitting

- 27W LED (Included)
1 x LED Driver (Included)
Colour Temp: 3000K
Lumen: 1890

Length: 1090mm
Width: 105mm
Depth: 140mm
Ceiling Cup: 400mm x 80mm



CF162 LED

LED, Polished Chrome and PVC Ceiling Fitting

- 24W LED (Included)
1 x LED Driver (Included)
Colour Temp: 3000K
Lumen: 1680

Width: 700mm
Height: 155mm



CF727 CHROME

LED, Polished Chrome and PVC Ceiling Fitting

- 80W LED Max. (Included)
LED Power Supply (Included)
Colour Temp: 4000K
Lumen: 3200

Width: 675mm
Length: 945mm
Depth: 120mm



CF161 LED

LED, Polished Chrome and PVC Ceiling Fitting

- 37W LED (Included)
1 x LED Driver (Included)
Colour Temp: 3000K
Lumen: 2590

Width: 545mm
Height: 305mm



CF570/6 GOLD

LED, Aluminium and PVC Ceiling Fitting
Colour: Matt Gold


- 48W LED (Included)

Colour Temp: 4000k
Lumen: 3840
CRI: >80
PF: >0.8

Width: 580mm
Height: 185mm

Ceiling Fittings

LED



CF334 LED

Polished Chrome
with White Patterned Glass and Crystals
Colour Temp: 3000K

Large: - 15W LED
1 x LED Power Supply
Lumen: 930
Width: 400mm

Small: - 12W LED
1 x LED Power Supply
Lumen: 740
Width: 320mm

Also Available:
WB334 LED



WB334 LED

White Patterned Glass
with Crystals and Polished Chrome Clips
Colour Temp: 3000K

- 6W LED (Included)
1 x LED Power Supply
Lumen: 400
2 x 3W LED Strips

Width: 300mm
Height: 160mm
Depth: 95mm

Also Available:
CF334 LED



CF541 LED

Polished Chrome
with White Glass and Crystals
Colour Temp: 3000K

Large: - 15W LED (Included)
1 x Electronic Driver (Included)
Lumen: 930
Width: 400mm
Height: 70mm

Small: - 12W LED (Included)
1 x Electronic Driver (Included)
Lumen: 740
Width: 320mm
Height: 70mm



CF222 LED

LED Metal and Acrylic Ceiling Fitting
Bayonet Lock

- 12W LED (Included)
1 x Electronic Driver

Colour Temp: 3000K
Lumen: 960

Width: 280mm
Height: 90mm



CF118/24 LED

LED Ceiling Fitting with Glass and Crystals

- 48W LED (Included)

1 x Remote Control
Colour Temp: 3000K - 4000K
Lumen: 5040

Width: 480mm
Height: 150mm



Ceiling Fittings

LED



CF056 LED

Stainless Steel LED Ceiling Fitting
with K9 Crystals

- 56W LED (Included)
2 x LED Drivers (Included)

Colour Temp: 4000K
Lumen: 3300
Width: 600mm
Height: 250mm



CF520 LED

Stainless Steel LED Ceiling Fitting
with Glass and Crystals

- 21W LED (Included)
1 x LED Power Supply (Included)
Temp: 4000K
Lumen: 1386

Width: 370mm
Height: 280mm



CF721/10 LED

Polished Chrome Flush Mount Ceiling Fitting
with Glass and Crystals

- 10 x 40W G9 (Included)
- 64 x 0.03W White LED (Included)
1 x LED Controller
1 x Wireless Switch
1 x Digital Remote Control

Press A: Outside G9 lamps switch on
Press B: Inner G9 lamps switch on
Press C: LED switch on
Switch on: All Lamps switch on

Width: 600mm
Height: 300mm

Ceiling Fittings

LED



CF010/12 CHROME

LED, Metal Ceiling Fitting with Glass and Crystals

- 12 x 3W LED (Included)
- 2 x LED Drivers (Included)
- Colour Temp: 3000K and 6000K



1 x Remote Control

Press On:
Cool White LED Switch On
Press Off

Press On again:
Warm White LED Switch On
Press Off

Press On again:
Both Cool White LED and
Warm White LED Switch On

Width: 600mm
Height: 260mm



CF011/9 CHROME

LED, Metal Ceiling Fitting with Glass and Crystals

- 9 x 3W LED (Included)
- 2 x LED Drivers (Included)
- Colour Temp: 3000K and 6000K



1 x Remote Control

Press On:
Cool White LED Switch On
Press Off

Press On again:
Warm White LED Switch On
Press Off

Press On again:
Both Cool White LED and
Warm White LED Switch On

Width: 400mm
Height: 230mm



CF573 LED

Polished Chrome with Crystals

- 54W White LED - Outer Square (Included)
- 36W White LED - Inner Square (Included)
- 12W White LED - Centre (Included)
- 5 x LED Electronic Drivers

Width: 630mm
Height: 234mm



CF320 CHROME

Polished Chrome LED Ceiling Fitting with Frosted Patterned Glass and Amber Crystal Rods

- 5 x 40W ES
- White LED (Included)

1 x LED One Colour Controller
1 x Digital Remote Control Switch

1 x Remote Control
Press A: LED switch on
Press B: ES lamps switch on
Press D: LED and ES switch on

Width: 550mm
Height: 153mm



Ceiling Fittings

LED



CF318 CHROME

Polished Chrome LED Ceiling Fitting
with Frosted Patterned Glass and Acrylic Crystals

- 5 x 40W ES
- White LED (Included)
- 1 x LED One Colour Controller
- 1 x Digital Remote Control Switch

1 x Remote Control
Press A: LED switch on
Press B: ES lamps switch on
Press D: LED and ES switch on

Width: 500mm
Height: 248mm



CF315/8 + LED

Polished Chrome LED Ceiling Fitting
with Glass and Acrylic Crystals

- 8 x 40W SES
- 49 x 0.1W Blue LED (Included)

1 x LED Colour Controller
1 x 2 Group Section Switch

Press once: LED switch on
Press twice: SES lamps switch on
Press 3 times: LED and SES switch on

Width: 520mm
Height: 380mm



CF288 LED

Polished Chrome LED Ceiling Fitting with Crystals

- 6 x 40W SES
- 21 x 0.3W White LED (Included)
- 2 x Electronic Drivers (Included)
- Press once: SES switch on
- Press twice: LED switch on
- Press 3 times: all lamps switch on

Width: 500mm
Height: 370mm



CF2826/6 LED

Polished Chrome Flush Mount Ceiling Fitting
with Clear and Amber Crystals

- 6 x 40W SES
- White LED (Included)
- 1 x 2 Group Section Switch (Included)
- 1 x LED Transformer (Included)

Press once: LED switch on
Press twice: SES switch on
Press 3 times: LED and SES switch on

Width: 600mm
Height: 220mm

Ceiling Fittings

LED



CF294 LED
Stainless Steel LED Ceiling Fitting
with Glass and Acrylic Crystals

- 18W LED (Included)
Temp: 4000K
Lumen: 1500
1 x Electronic LED Driver

Width: 360mm
Height: 220mm



CF295 LED
Stainless Steel LED Ceiling Fitting
with Glass and Acrylic Crystals

- 21W LED (Included)
Temp: 4000K
Lumen: 1750
1 x Electronic LED Driver

Width: 360mm
Height: 220mm



CF273 LED
Polished Chrome LED Ceiling Fitting
with Glass and Clear Acrylic Crystals

- 12W LED (Included)
Colour Temp: 4000K
Lumen: 1080

Width: 280mm
Height: 110mm

Ceiling Fittings

LED

RGB COLOUR CHANGING LED CEILING FITTINGS



CF163 RGB

Polished Gold Metal
with Textured Glass and Plastic

RGB Colour Changing
Warm White, Cool White, Daylight

- 18W LED (Included)
1 x LED Driver (Included)
Includes Remote Control

Width: 420mm
Height: 140mm

CF164 RGB

RGB Colour Changing Ceiling Fitting
with Acrylic and Frosted Patterned Glass
Colour: Polished Chrome

- 24W LED (Included)
Colour Temp: 3000K – 6000K
LED Drivers (Included)

1 x Remote Control (Included)

Press A: RGB Light On/Off

Press B: Central Light with CCT Function
(Warm White, Cool White, Daylight)

Press C: Side Lights On/Off

Press D: Main Light On/Off

Press E: Sleep Mode
(Automatically Power-Off after 10 Seconds)

Width: 400mm
Height: 150mm



CF166 RGB

RGB Colour Changing Ceiling Fitting
with Acrylic and Frosted Patterned Glass
Colour: Black

- 36W LED (Included)
Colour Temp: 3000K – 6000K
LED Drivers (Included)

1 x Remote Control (Included)

Press A: RGB Light On/Off

Press B: Central Light with CCT Function
(Warm White, Cool White, Daylight)

Press C: Side Lights On/Off

Press D: Main Light On/Off


Press E: Sleep Mode
(Automatically Power-Off after 10 Seconds)

Width: 500mm
Height: 160mm



Ceiling Fittings

CRYSTAL



CF311 CRYSTAL

Stainless Steel and Crystal Ceiling Fitting
- 14 x 50W GU10 (Not Included)

Length: 1190mm
Width: 580mm
Height: 800mm



CF312/5 CRYSTAL

Polished Chrome with Glass and Crystals

- 5 x 25W G9 (Included)

Width: 490mm
Height: 150mm



CF298 CHROME

Polished Chrome Ceiling Fitting
with Glass and Crystals

- 7 x 9W SES

Width: 450mm
Height: 290mm



CF286/6 CHROME

Polished Chrome with Glass and Crystals

- 6 x 40W SES

Width: 450mm
Height: 250mm

Ceiling Fittings

ACRYLIC CRYSTAL



CF642/3 CHROME
Polished Chrome
with Clear Acrylic Crystals

- 3 x 40W SES

Width: 380mm
Height: 270mm



CF643/3 CHROME
Polished Chrome
with Clear Acrylic Crystals

- 3 x 40W SES

Width: 260mm
Height: 260mm



CF052 CHROME
Polished Chrome with Acrylic Crystals

- 4 x 60W SES

Width: 340mm
Height: 200mm




CF722/5 CHROME
Polished Chrome with Stippled Glass
and Clear Acrylic Crystals

- 5 x 40W SES

Width: 420mm
Height: 340mm

Ceiling Fittings



CF096/5 CHR
Polished Chrome with White Glass

- 5 x 40W SES


Width: 500mm
Height: 255mm



CF015/5 CHROME
Polished Chrome with White Glass

- 5 x 35W G9 (Not Included)

Width: 250mm
Height: 305mm



CF381/8 CHROME
Polished Chrome with White Glass

- 8 x 60W ES

Width: 750mm
Height: 350mm
Ceiling Cup: 150mm



CF314/9 CRYSTAL
Polished Chrome with Crystals

- 9 x 40W G9 (Not Included)

Width: 560mm
Height: 400mm

Ceiling Fittings



CF560/4 GD/SM
Satin Gold Metal Ceiling Fitting
with Smoke Colour Glass

- 4 x 40W ES (Not Included)

Length: 880mm
Width: 150mm
Height: 450mm

Also Available:
CF562/8 GD/SM
CH508/6 GD/SM

CF562/8 GD/SM
Satin Gold Metal Ceiling Fitting
with Smoke Colour Glass

- 8 x 40W ES (Not Included)

Length: 1200mm
Width: 400mm
Height: 450mm

Also Available:
CF560/4 GD/SM
CH508/6 GD/SM



CF561/4 SATIN
Satin Chrome Ceiling Fitting
with Clear Glass

- 4 x 40W ES (Not Included)

Length: 880mm
Width: 150mm
Height: 450mm

Also Available:
CF563/8 SATIN



CF563/8 SATIN
Satin Chrome Ceiling Fitting
with Clear Glass


- 8 x 40W ES (Not Included)

Length: 1200mm
Width: 400mm
Height: 450mm

Also Available:
CF561/4 SATIN



Ceiling Fittings



CF057/8 SATIN CHROME
Black and Satin Chrome Ceiling Fitting
- 8 x 60W ES
Length: 780mm
Width: 630mm
Height: 220mm



CF058/8 SATIN BRASS
Black and Satin Brass Ceiling Fitting
- 8 x 60W ES

Length: 780mm
Width: 630mm
Height: 220mm



CF384/5 BLACK
Metal Ceiling Fitting

- 5 x 60W ES
Width: 600mm
Height: 380mm
Ceiling Cup: 120mm

Ceiling Fittings



CF434/9 BRASS

Metal Ceiling Fitting
Colour: Antique Brass and Matt Black

- 9 x 40W (11W) ES (Not Included)

Width: 730mm
Height: 355mm
Ceiling Cup: 120mm



CF435/6 BRASS

Metal Ceiling Fitting with Cognac Colour Glass
Colour: Antique Brass and Matt Black

- 6 x 40W (11W) ES (Not Included)

Width: 622mm
Height: 200mm
Ceiling Cup: 120mm



CF195/3 GOLD

Metal Ceiling Fitting with Patterned White Glass
Colour: Polished Gold

- 3 x 40W ES (Not Included)

Width: 380mm
Height: 235mm
Ceiling Cup: 120mm



Metal Base with Clear Acrylic Crystals
and Patterned Glass

CF480/3 GOLD

- 3 x 60W SES
Width: 380mm
Height: 160mm

CF481/4 GOLD

- 4 x 60W SES
Width: 480mm
Height: 160mm

Ceiling Fittings



CF468/5 SMOKE

Satin Chrome Ceiling Fitting with Smoke Colour Glass

- 5 x 5W G9 LED (Not Included)

Length: 640mm
Width: 210mm
Height: 175mm



CF469/3 SATIN

Satin Chrome Ceiling Fitting with White Glass

- 3 x 40W SES

Width: 430mm
Height: 225mm



CF469/4 SATIN

Satin Chrome Ceiling Fitting with White Glass

- 4 x 40W SES

Width: 445mm
Height: 225mm



CF016/9 CHROME

Polished Chrome with Clear Glass

- 9 x 35W G9 (Not Included)

Width: 800mm
Height: 480mm
Ceiling Cup: 140mm

Also Available:
CH240/12 CHROME



CF196/3 CHROME

Polished Chrome Ceiling Fitting with White Glass
Colour: Polished Chrome

- 3 x 40W ES (Not Included)

Length: 590mm
Width: 220mm
Height: 230mm
Ceiling Cup: 145mm

Ceiling Fittings



CF436 WOOD

Metal and Wood Ceiling Fitting
with Smoke Colour Glass
Colour: Black

- 1 x 40W (11W) ES (Not Included)

Width: 95mm
Height: 180mm
Ceiling Cup: 100mm



CF439 BLACK/GOLD

Metal Ceiling Fitting
Colour: Black and Gold

- 2 x 40W ES (Not Included)

Width: 340mm
Height: 155mm



CF441 BK/WOOD

Metal and Wood Ceiling Fitting

- 2 x 40W (11W) ES (Not Included)

Width: 300mm
Height: 145mm



CF339 BK/AQ

Metal Ceiling Fitting
Colour: Black and Antique Brass

- 1 x 40W (11W) ES (Not Included)

Width: 350mm
Height: 300mm

Also Available:
PEN861 BLACK



CF444 RATTAN

Metal Ceiling Fitting
with Natural Rattan and White Glass

- 1 x 40W (11W) ES (Not Included)

Width: 300mm
Height: 325mm
Ceiling Cup: 120mm

Ceiling Fittings



CF328 CHROME
Metal Base with Patterned Frosted Glass
and Chrome Clips

Large: 400mm
- 3 x 60W ES
Small: 300mm
- 2 x 60W ES



WB328 CHROME
Metal Base with Patterned Frosted Glass
and Chrome Clips


- 1 x 60W ES

Width: 300mm
Height: 150mm
Depth: 90mm



CF330 CHROME
Metal Base with Patterned Frosted Glass
and Chrome Clips

Large: 400mm
- 3 x 60W ES
Small: 300mm
- 2 x 60W ES



WB330 CHROME
Metal Base with Patterned Frosted Glass
and Chrome Clips

- 1 x 60W ES

Width: 300mm
Height: 150mm
Depth: 90mm




CF3031 SATIN
White / Opaque Glass
with Satin Chrome Skew Clips

Large: - 320mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES



CF327
Metal Base with Patterned Frosted Glass
and Chrome Clips

Large: 400mm
- 3 x 60W ES
Small: 300mm
- 2 x 60W ES



CF2999 SATIN
Alabaster Glass
with Satin Chrome Clips

Large: - 400mm
- 2 x 60W ES
Small: - 300mm
- 1 x 60W ES

Ceiling Fittings




CF1299 WHITE
Patterned White Glass
with White clips

Large: - 400mm
- 3 x 60W ES
Small: - 300mm
- 2 x 60W ES



WB1299/1 WHITE
Patterned Glass
with White Clips

- 1 x 60W ES
Width: 300mm
Height: 150mm
Depth: 190mm



CF513 CHROME
Frosted Patterned Glass
with Polished Chrome Clips

Large: - 320mm
- 2 x 60W ES
Small: - 300mm
- 1 x 60W ES



WB513 CHROME
Frosted Patterned Glass
with Polished Chrome Clips

- 1 x 60W ES
Width: 293mm
Height: 160mm
Depth: 85mm



CF326 CHROME
Metal Base with Patterned Frosted Glass
and Chrome Clips

Large: 400mm
- 3 x 60W ES
Small: 300mm
- 2 x 60W ES



CF414 WH
Patterned Frosted Glass
with Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES



CF293
Patterned White Glass
with White Clips

Large: - 400mm
- 3 x 60W ES
Small: - 300mm
- 2 x 60W ES



CF3401 CHR
Frosted Patterned Glass
with Polished Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES

Ceiling Fittings



CF3402 CHR
Frosted Patterned Glass
with Polished Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES



CF3403 CHR
Frosted Patterned Glass
with Polished Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES



CF3505 CHROME
Frosted Patterned Speckled Glass

Large: - 400mm
- 2 x 60W ES
Small: - 300mm
- 1 x 60W ES



CF289
Patterned White Glass
with White Clips

Large: - 400mm
- 3 x 60W ES
Small: - 300mm
- 2 x 60W ES



CF3507 CHROME
Patterned Glass
with Polished Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES



CF3508
Frosted Glass
with Polished Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES



CF3509
Frosted Glass
with Polished Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES



CF3404 CHR
Frosted Patterned Glass
with Polished Chrome Clips

Width: 250mm
- 1 x 60W ES

Ceiling Fittings



CF493
Metal Base with Patterned Glass
Polished Chrome Clips

Large: - 2 x 60W ES
Width: 300mm
Small: - 1 x 60W ES
Width: 250mm




CF494
Metal Base with Patterned Glass
Polished Chrome Clips

Large: - 2 x 60W ES
Width: 300mm
Small: - 1 x 60W ES
Width: 250mm



CF495
Metal Base with Patterned Glass
Polished Chrome Clips

Large: - 2 x 60W ES
Width: 300mm
Small: - 1 x 60W ES
Width: 250mm



CF496
Metal Base with Patterned Glass
Polished Chrome Clips

Large: - 2 x 60W ES
Width: 300mm
Small: - 1 x 60W ES
Width: 250mm



CF12009 WHITE
Metal Base with Alabaster Glass
and White Clips

Large: - 400mm
- 3 x 60W ES
Small: - 300mm
- 2 x 60W ES



WB12009 WHITE
Metal Base with Alabaster Glass
and White Clips

- 1 x 60W ES
Width: 300mm
Height: 150mm
Depth: 80mm



CF2008 SILVER
Metal Base with Alabaster Glass
and Silver Clips

Large: - 400mm
- 3 x 60W ES
Small: - 300mm
- 2 x 60W ES



WB2008 SILVER
Metal Base with Alabaster Glass
and Silver Clips

- 1 x 60W ES
Width: 300mm
Height: 150mm
Depth: 80mm

Ceiling Fittings



CF3005 SATIN
Satin Chrome Base with Frosted Glass

Large: - 410mm
- 2 x 60W ES
Small: - 315mm
- 1 x 60W ES



WB3005 SATIN
Satin Chrome Base with Frosted Glass

- 1 x 60W ES

Width: 320mm
Height: 155mm
Depth: 80mm




CF3008 SILVER
Silver Metal Base with White Glass

Large: - 315mm
- 2 x 60W ES
Small: - 260mm
- 1 x 60W ES



CF1550 SATIN
Satin Chrome with White Glass

Large: - 300mm
- 2 x 40W ES
Small: - 255mm
- 1 x 40W ES



CF1361 CHROME
Mirror and Frosted Glass
with Polished Chrome Clips

- 1 x 60W ES
Width: 240mm



CF1362 CHROME
Mirror and Frosted Glass
with Polished Chrome Clips

- 1 x 60W ES
Width: 250mm



CF637
Frosted Patterned Glass
with Chrome Clips

Large: - 300mm
- 2 x 60W ES
Small: - 250mm
- 1 x 60W ES

Ceiling Fittings

SOLD PER BOX OF 10 PIECES



CF187 TYPE A

Metal and Frosted Glass with Clear Plastic Clips
Sold per Box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm
Height: 80mm



CF188 TYPE B

Metal and Patterned Frosted Glass with Clear Plastic Clips
Sold per Box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm
Height: 80mm



CF189 TYPE C

Metal and Patterned Frosted Glass with Clear Plastic Clips
Sold per Box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm
Height: 80mm



CF190 TYPE D

Metal and Patterned Frosted Glass with Clear Plastic Clips
Sold per box of 10 Pieces

- 1 x 60W (11W) ES

Width: 250mm
Height: 60mm

Ceiling Fittings



CF360 CHROME
Polished Chrome
with Frosted Glass and Crystals

Large: 420mm
- 3 x 60W ES
Small: 320mm
- 2 x 60W ES



CF361 CHROME
Polished Chrome
with Frosted Glass and Crystals

Large: 420mm
- 3 x 60W ES
Small: 320mm
- 2 x 60W ES



CF362
Frosted Patterned Glass
with Crystals and Polished Chrome Clips

- 2 x 60W ES
Width: 300mm



CF631
Frosted Patterned Glass
with Clear Acrylic Crystals

Large: - 400mm
- 2 x 60W ES
Small: - 300mm
- 1 x 60W ES



CF634/4 WHITE
White Patterned Glass
with Clear Acrylic Crystals

- 4 x 60W ES

Width: 200mm
Length: 600mm

Ceiling Fittings



CF3014 SATIN

Satin Chrome Base with White Glass

Large: - 290mm
 - 2 x 60W ES
Small: - 237mm
 - 1 x 60W ES



CF021 FR/WH

Metal Base with Alabaster Glass

Large: - 380mm
 - 3 x 60W ES
Small: - 320mm
 - 2 x 60W ES



CF8206 ANTIQUE

Metal Base with Frosted Glass

Large: - 390mm
 - 3 x 60W ES
Small: - 320mm
 - 2 x 60W ES



CF8207 FRENCH WHITE

Metal Base with Frosted Glass

Large: 390mm
 - 3 x 60W ES
Small: 320mm
 - 2 x 60W ES



CF191 WHITE

Plastic Ceiling Socket with ES (E27) Lampholder
 Material: PP and PA
 IP20

- 11W ES LED Bulb Only (Max.)

Width: 120mm
 Height: 50mm



CF192 BLACK

Plastic Ceiling Socket with ES (E27) Lampholder
 Material: PP and PA
 IP20

- 11W ES LED Bulb Only (Max.)

Width: 120mm
 Height: 50mm



CF193 WHITE

Plastic Ceiling Socket with ES (E27) Lampholder
 Material: PP and PA
 IP20

- 11W ES LED Bulb Only (Max.)

Width: 120mm
 Height: 134mm

Ceiling Fittings

RESIN



CF427/4 BK/GD

Resin Base with Alabaster Glass

- 4 x 60W ES
Width: 550mm



CF432/2 BK/GREY

Resin Base with Alabaster Glass

- 2 x 60W ES
Width: 320mm



CF484/2 FOSSIL WHITE

Resin Base with Alabaster Glass

- 2 x 60W ES
Width: 330mm

Ceiling Fittings

CHEESE FITTINGS



CH004

Metal Base with Alabaster Polycarbonate Cover
Bayonet Lock

Large: - 250mm
- 1 x 60W ES
Small: - 200mm
- 1 x 60W ES



CF099

Polycarbonate Colour Base
with Opal Polycarbonate Cover

- 1 x 15W ES CFL
Width: 270mm

Colours Available:
Black, Silver, White



CH003

Polycarbonate Cheese Fitting
Energy Saver or LED Bulb Only
Bayonet Lock, IP20

Large: - 250mm
- 2 x 11W ES
Small: - 200mm
- 1 x 11W ES



CH005

Metal Base with Alabaster Polycarbonate Cover
Energy Saver or LED Bulb only, IP20

Large: 250mm
- 2 x 11W ES CFL
Small: 190mm
- 1 x 11W ES CFL

GLASS



CF3040 STONE

Stone Finish Base with Alabaster Glass

Large: - 300mm
- 2 x 60W ES
Small: - 230mm
- 1 x 60W ES



CF380

Satin Chrome with Alabaster Glass
Bayonet Lock

Large: - 300mm
- 2 x 60W ES
Small: - 230mm
- 1 x 60W ES



CH001

Metal Base with White Glass

Large: - 230mm
- 1 x 60W ES
Small: - 180mm
- 1 x 60W ES




CHANDELIERS & WALL BRACKETS



Chandeliers

LED



CH517 BLACK

Aluminium and Acrylic LED Fitting

- 95W LED (Included)
Electronic Driver (Included)
Colour: Sand Black
Colour Temp: 4000K
Lumen: 6420
CR: >80
PF: >0.9

Length: 910mm
Height: 465mm
Cord: 1000mm (Adjustable)
Ceiling Cup: 760mm x 90mm



CH518 WHITE CH519 BLACK

Aluminium and Acrylic LED Fitting
with Moveable Arms

- 50W LED (Included)
Electronic Driver (Included)
Colour Temp: 4000K
Lumen: 3310
CR: >80
PF: >0.9

Length: 450mm
Height: 450mm
Cord: 850mm
Ceiling Cup: 240mm x 80mm

Colour:
CH518 WHITE: Sand White
CH519 BLACK: Sand Black




CH518 WHITE

CH519 BLACK

Chandeliers

LED



CH532 LED

Iron, Aluminium and PC LED Fitting

- 40W LED (Included)
- Electronic Driver (Included)
- Colour Temp: 4000K
- Lumen: 1900
- CR: >80
- PF: >0.6

Width: 400mm
Height: 100mm
Cord: 900mm
Ceiling Cup: 160mm




CH397/12 GUN METAL

Metal and Plastic Chandelier with 2.4G Drive Remote Control

- 60W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 4600

Width: 900mm
Height: 1100mm
Ceiling Cup: 180mm



CH512/9 BRONZE

Metal Chandelier, Adjustable size, IP20

- 9 x 9W ES LED (Not Included)

Width: 841mm
Rod: 500mm (Max.)
Ceiling Cup: 120mm

Chandeliers

LED



CH469/10 LED

Polished Chrome LED Chandelier with K9 Crystals

- 10 x 3W White LED (Included)
1 x Electronic Driver (Included)

Width: 250mm
Length: 660mm
Height: 250mm
Cord: 1100mm
Ceiling Cup: 300mm x 130mm



CH243 LED

Polished Aluminium and Polycarbonate LED Fitting

- 80W LED (Included)
2 x LED Power Supplies (Included)

Colour Temp: 4000K
Lumen: 2500

Width: 450mm
Height: 540mm
Cord: 1000mm
Ceiling Cup: 180mm



CH394/6 GOLD

Metal and Opal Glass Chandelier

- 6 x 5W G9 LED (Not Included)

Width: 650mm
Height: 600mm
Ceiling Cup: 120mm

Also Available:
CH393/6 BLACK



CH393/6 BLACK

Metal and Opal Glass Chandelier

- 6 x 5W G9 LED (Not Included)

Width: 650mm
Height: 600mm
Ceiling Cup: 120mm

Also Available:
CH394/6 GOLD

Chandeliers

CRYSTAL



CH344 CHROME

Polished Chrome Chandelier
with Crystals

- 8 x 40W (11W) SES

Width: 430mm

Height: 550mm

Chain: 800mm

Ceiling Cup: 120mm



CH471/3 CHROME

Polished Chrome with K9 Crystals
and Transparent Grey Outer Shade

- 3 x 40W SES

- 3 x 40W G9 (Included)

Width: 500mm

Height: 800mm

Ceiling Cup: 220mm



CH473/4 CHROME

Polished Chrome Chandelier
with K9 Crystals

- 4 x 40W SES

Width: 460mm

Height: 320mm

Rod: 600mm

Ceiling Cup: 120mm



CH470/5

Polished Chrome Chandelier with K9 Crystals
and Transparent Black Shade

- 5 x 40W SES

Width: 500mm

Height: 440mm

Cord: 1200mm

Ceiling Cup: 120mm

Chandeliers

CRYSTAL



CH236/6 CRYSTAL
Stainless Steel with Crystals

- 6 x 50W GU10 (Not Included)

Length: 915mm
Width: 240mm
Height: 830mm



CH235/10 CRYSTAL
Stainless Steel with Crystals

- 10 x 50W GU10 (Not Included)

Base: 600mm
Height: 1000mm



CH255 CRYSTAL
Stainless Steel with Crystals

- 3 x 5W GU10 (Not Included)

Base: 250mm
Height: 610mm



CH343 CHROME
Polished Chrome Chandelier
with Crystals

- 4 x 40W (11W) SES

Width: 450mm
Height: 800mm
Chain: 500mm
Ceiling Cup: 120mm

Chandeliers

CRYSTAL



CH233/10 CRYSTAL
Stainless Steel with Crystals

- 10 x 50W GU10 (Not Included)

Base: 800mm
Height: 2400mm



CH234/11 CRYSTAL
Stainless Steel with Crystals

- 11 x 50W GU10 (Not Included)

Base: 800mm
Height: 2100mm

Chandeliers


CRYSTAL



CH257 CRYSTAL
Stainless Steel with Crystals

- 4 x 5W GU10 (Not Included)

Base: 400mm
Height: 1400mm



CH256 CRYSTAL
Stainless Steel with Crystals

- 9 x 5W GU10 (Not Included)

Base: 660mm
Height: 2000mm

Chandeliers

CRYSTAL



CH511/6 CRYSTAL
Iron, Clear Glass and Crystal Chandelier

- 6 x 60W SES

Width: 570mm
Height: 550mm
Chain: 600mm
Ceiling Cup: 120mm



CH511/15 CRYSTAL
Iron, Clear Glass
and Crystal Chandelier

- 15 x 60W SES

Width: 850mm
Height: 650mm
Chain: 600mm
Ceiling Cup: 120mm



CH3050/24 CRYSTAL
Crystal Chandelier

- 24 x 40W SES

Width: 1100mm
Height: 1090mm
Chain: 1200mm

Also Available:
WB3054/2 CRYSTAL

Chandeliers

CRYSTAL

CH267/5 CHROME

Polished Chrome Chandelier with Crystals

- 5 x 40W SES (Not Included)

Width: 570mm
Height: 820mm
Chain: 1000mm
Ceiling Cup: 110mm



CH267/8+4 CRYSTAL

Polished Chrome Chandelier with Crystals

- 12 x 40W SES (Not Included)

Width: 800mm
Height: 900mm
Chain: 1500mm
Ceiling Cup: 110mm



CH267/12+6 CRYSTAL

Polished Chrome Chandelier with Crystals

- 18 x 40W SES (Not Included)

Width: 1000mm
Height: 1370mm
Chain: 1800mm
Ceiling Cup: 140mm



Chandeliers

CRYSTAL



WB3054/2 CRYSTAL
Crystal Wall Bracket

- 2 x 40W SES

Width: 440mm
Height: 200mm

Also Available:
CH3050/24 CRYSTAL
CH3054/6 CRYSTAL
CH3052/6 CRYSTAL
CH3052/12 CRYSTAL



CH3054/6 CRYSTAL
Crystal Chandelier

- 6 x 40W SES

Width: 550mm
Height: 560mm
Chain: 800mm
Cup: 93mm

Also Available:
WB3054/2 CRYSTAL



CH266/5 CRYSTAL
Polished Chrome Chandelier with Crystals

- 5 x 40W (9W) E14 (Not Included)

Width: 600mm
Height: 600mm
Chain: 1000mm
Ceiling Cup: 110mm

Chandeliers

CRYSTAL

CH388/3 CHROME

Polished Chrome Chandelier with Crystals

- 3 x 60W SES

Width: 430mm
Height: 500mm
Chain: 1000mm
Ceiling Cup: 93mm

Also Available:
CH388/5 CHROME
CH388/9 CHROME
WB388/2 CHROME



CH388/5 CHROME

Polished Chrome Chandelier with Crystals

- 5 x 60W SES

Width: 500mm
Height: 550mm
Chain: 1000mm
Ceiling Cup: 93mm

Also Available:
CH388/3 CHROME
CH388/9 CHROME
WB388/2 CHROME



CH388/9 CHROME

Polished Chrome Chandelier with Crystals

- 9 x 60W SES

Width: 660mm
Height: 800mm
Chain: 1800mm
Ceiling Cup: 93mm

Also Available:
CH388/3 CHROME
CH388/5 CHROME
WB388/2 CHROME

WB388/2 CHROME

Polished Chrome with Crystals

- 2 x 60W SES

Width: 305mm
Height: 380mm
Depth: 170mm

Also Available:
CH388/3 CHROME
CH388/5 CHROME
CH388/9 CHROME



Chandeliers

CRYSTAL

CH104/3 CHROME

Polished Chrome Chandelier
with Crystals

- 3 x 60W (9W) E14 (Not Included)

Width: 500mm
Height: 500mm
Chain: 1000mm
Ceiling Cup: 110mm

Also Available:
CH104/5 CHROME
CH104/8+4 CHROME



CH104/5 CHROME

Polished Chrome Chandelier
with Crystals

- 5 x 60W (9W) E14 (Not Included)

Width: 500mm
Height: 500mm
Chain: 1000mm
Ceiling Cup: 110mm

Also Available:
CH104/3 CHROME
CH104/8+4 CHROME



CH104/8+4 CHROME

Polished Chrome Chandelier
with Crystals

- 12 x 60W (9W) E14 (Not Included)

Width: 750mm
Height: 650mm
Chain: 1000mm
Ceiling Cup: 115mm

Also Available:
CH104/3 CHROME
CH104/5 CHROME

Chandeliers

ACRYLIC CRYSTAL



CH3052/6 CRYSTAL
Polished Chrome
and Acrylic Crystal Chandelier

- 6 x 40W SES

Width: 530mm
Height: 550mm
Chain: 700mm
Cup: 93mm



CH3052/12 CRYSTAL
Polished Chrome
and Acrylic Crystal Chandelier

- 12 x 40W SES

Width: 700mm
Height: 820mm
Chain: 800mm
Cup: 93mm

CH3056/6 WHITE
Polished Chrome
and Acrylic Crystal Chandelier
with Frosted Glass

- 6 x 40W SES

Width: 550mm
Height: 500mm
Chain: 800mm



CH661/5 CHROME
Polished Chrome Chandelier
with Amber Acrylic Crystals

- 5 x 60W SES

Width: 600mm
Height: 600mm
Chain: 700mm
Ceiling Cup: 93mm

CH522/5 CHROME
Polished Chrome
with Clear Acrylic Crystals

- 5 x 60W ES

Width: 400mm
Height: 450mm
Chain: 700mm
Ceiling Cup: 120mm



CH522/3 CHROME
Polished Chrome
with Clear Acrylic Crystals

- 3 x 60W ES

Width: 380mm
Height: 450mm
Chain: 600mm
Ceiling Cup: 120mm



ACRYLIC CRYSTAL CHANDELIERS

Chandeliers

CHROME



CH515/6 CHROME
Polished Chrome and Black Chandelier

- 6 x 60W SES

Width: 470mm
Height: 650mm
Chain: 1000mm
Ceiling Cup: 95mm



CH087/5 BK/CHROME
Metal and Polished Chrome Chandelier
- 5 x 60W (11W) SES

Width: 490mm
Height: 370mm
Rods: 3 x 410mm
Ceiling Cup: 120mm



CH340/4 CHROME
Polished Chrome Chandelier with Clear Glass
- 4 x 60W (11W) SES

Width: 450mm
Height: 310mm
Chain: 1100mm
Ceiling Cup: 93mm



CH088/3 CHROME
Polished Chrome Chandelier with Crystals
- 3 x 60W (11W) SES

Width: 300mm
Height: 480mm
Chain: 1100mm
Ceiling Cup: 93mm

Chandeliers

CHROME



CH490/5 CHROME

Polished Chrome Chandelier
with Silver Trim White Glass

Adjustable Arm to change direction of the Glass

- 5 x 40W ES (Not Included)

Length: 780mm
Height: 240mm
Width Glass sideways: 350mm
Ceiling Cup: 120mm



CH240/12 CHROME

Polished Chrome with Clear Glass

- 12 x 35W G9 (Not Included)

Width: 1000mm
Height: 340mm
Cord: 1100mm
Ceiling Cup: 140mm

Also Available:
CF016/9 CHROME



CH488/5 CHROME

Polished Chrome Chandelier with Frosted Glass

- 5 x 40W SES (Not Included)

Width: 550mm
Height: 170mm
Ceiling Cup: 150mm



CH663/5 CHROME

Polished Chrome Chandelier

- 5 x 60W SES

Width: 480mm
Height: 480mm
Chain: 1000mm
Ceiling Cup: 93mm

Chandeliers

CHROME



CH231/5 CHROME

Polished Chrome Chandelier with Alabaster Glass

- 5 x 40W ES

Width: 500mm
Height: 370mm
Chain: 400mm
Ceiling Cup: 95mm



CH384/5 CHROME

Polished Chrome with Opal Glass and Acrylic Crystals

- 5 x 40W ES

Width: 600mm
Height: 380mm
Chain: 400mm
Ceiling Cup: 92mm



CH383/5 CHROME

Polished Chrome with Opal Glass and Acrylic Crystals

- 5 x 40W ES

Width: 540mm
Height: 380mm
Chain: 400mm
Ceiling Cup: 92mm

Chandeliers

CHROME



CH178/3 CHROME
Polished Chrome and Black Metal Chandelier
with Frosted Glass

- 3 x 60W ES

Width: 520mm
Height: 215mm



CH178/5 CHROME
Polished Chrome and Black Metal Chandelier
with Frosted Glass

- 5 x 60W ES

Width: 570mm
Height: 215mm



CH019/3 CHROME
Polished Chrome with White Glass

- 3 x 60W/11W ES

Width: 580mm
Height: 280mm



CH019/5 CHROME
Polished Chrome with White Glass

- 5 x 60W/11W ES

Width: 590mm
Height: 280mm



CH079/3 CHROME
Polished Chrome Chandelier
with Frosted Glass

- 3 x 60W (11W) ES

Width: 500mm
Height: 320mm
Chain: 450mm
Ceiling Cup: 100mm



CH079/5 CHROME
Polished Chrome Chandelier
with Frosted Glass

- 5 x 60W (11W) ES

Width: 520mm
Height: 320mm
Chain: 450mm
Ceiling Cup: 100mm

Chandeliers

SATIN CHROME



CH250/3 SATIN
Satin Chrome Chandelier
with Clear Outer Glass and Frosted Inner Glass

- 3 x 40W SES

Width: 450mm
Height: 300mm



CH250/5 SATIN
Satin Chrome Chandelier
with Clear Outer Glass and Frosted Inner Glass

- 5 x 40W SES

Width: 500mm
Height: 300mm



CH252/3 SATIN
Satin Chrome Chandelier
with Clear Outer Glass and Frosted Inner Glass

- 3 x 40W SES

Width: 520mm
Height: 260mm



CH252/5 SATIN
Satin Chrome Chandelier
with Clear Outer Glass and Frosted Inner Glass

- 5 x 40W SES

Width: 550mm
Height: 260mm

Chandeliers

SATIN CHROME



CH179/3 SATIN
Satin Chrome Chandelier
with Alabaster Glass and Wood

- 3 x 60W ES

Width: 500mm
Height: 280mm



CH179/5 SATIN
Satin Chrome Chandelier
with Alabaster Glass and Wood

- 5 x 60W ES

Width: 540mm
Height: 280mm



CH665/3 SATIN
Satin Chrome Chandelier
with Alabaster Glass

- 3 x 60W ES


Width: 550mm
Height: 320mm
Chain: 500mm
Ceiling Cup: 110mm



CH665/5 SATIN
Satin Chrome Chandelier
with Alabaster Glass

- 5 x 60W ES

Width: 600mm
Height: 320mm
Chain: 500mm
Ceiling Cup: 110mm



Chandeliers

SATIN CHROME

WB167/1 SATIN

Satin Chrome Wall Bracket with Frosted Glass

- 1 x 60W ES

Width: 147mm
Height: 200mm
Depth: 180mm



CH168/5 SATIN

Satin Chrome Chandelier with Frosted Glass

- 5 x 60W ES

Width: 500mm
Height: 280mm

CH167/5 SATIN

Satin Chrome Chandelier with Frosted Glass

- 5 x 60W ES

Width: 500mm
Height: 480mm
Chain: 600mm
Ceiling Cup: 95mm



CH239/5 SATIN

Satin Chrome with Patterned Frosted Glass

- 5 x 60W ES

Width: 600mm
Height: 350mm
Chain: 1000mm
Ceiling Cup: 110mm



Chandeliers

SATIN CHROME



CH537/3 SATIN
Satin Chrome Chandelier with Clear Glass

- 3 x 40W ES

Width: 520mm
Height: 360mm
Ceiling Cup: 100mm

Also Available:
CH537/3 BK/AB

CH537/5 SATIN
Satin Chrome Chandelier with Clear Glass

- 5 x 40W ES

Width: 640mm
Height: 360mm
Ceiling Cup: 100mm

Also Available:
CH537/5 BK/AB



CH510/8 SATIN
Satin Chrome Chandelier with White Glass

- 8 x 40W ES

Width: 830mm
Height: 420mm
Ceiling Cup: 100mm

Also Available:
CH509/8 BK/GD



Chandeliers

METAL, RESIN, WROUGHT IRON



CH475/6 BROWN
Metal Chandelier with Rope

- 6 x 60W SES

Width: 600mm
Height: 510mm
Chain: 1000mm
Ceiling Cup: 93mm

Also Available:
CH475/3
CH475/9
WB475/2




WB475/2 BROWN
Metal Wall Bracket with Rope

- 2 x 60W SES

Width: 330mm
Height: 320mm

Also Available:
CH475/3
CH475/6
CH475/9



CH475/3 BROWN
Metal Chandelier with Rope

- 3 x 60W SES

Width: 520mm
Height: 510mm
Chain: 700mm
Ceiling Cup: 93mm

Also Available:
CH475/6
CH475/9
WB475/2



CH475/9 BROWN
Metal Chandelier with Rope

- 9 x 60W SES

Width: 690mm
Height: 670mm
Chain: 2000mm
Ceiling Cup: 93mm

Also Available:
CH475/3
CH475/6
WB475/2

Chandeliers

METAL, RESIN, WROUGHT IRON



CH1334/6 ANT/BR
Metal and Resin Chandelier

- 6 x 60W SES

Width: 575mm
Height: 720mm
Chain: 620mm
Ceiling Cup: 93mm



WB1334/2 ANT/BR
Metal and Resin Wall Bracket

- 2 x 60W SES

Width: 340mm
Height: 300mm
Depth: 180mm



CH1334/9 ANT/BR
2 Tier Metal and Resin Chandelier

- 9 x 60W SES

Width: 920mm
Height: 1230mm
Chain: 1970mm
Ceiling Cup: 130mm



CH5035/6 BR/GD

Metal Chandelier with
Fluted Alabaster Glass
and Crystal Drops

- 6 x 60W ES

Width: 780mm
Height: 860mm
Chain: 1000mm
Ceiling Cup: 150mm

METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON



CH395/3 BLACK

Metal Chandelier

- 3 x 40W SES (Not Included)

Width: 450mm
Height: 400mm
Ceiling Cup: 100mm

Also Available:
CH395/5 BLACK



CH395/5 BLACK

Metal Chandelier

- 5 x 40W SES (Not Included)

Width: 480mm
Height: 400mm
Ceiling Cup: 100mm

Also Available:
CH395/3 BLACK



CH396/3 GOLD

Metal Chandelier

- 3 x 40W SES (Not Included)

Width: 450mm
Height: 400mm
Ceiling Cup: 100mm

Also Available:
CH396/5 GOLD



CH396/5 GOLD

Metal Chandelier

- 5 x 40W SES (Not Included)

Width: 480mm
Height: 400mm
Ceiling Cup: 100mm

Also Available:
CH396/3 GOLD

Chandeliers

METAL, RESIN, WROUGHT IRON



CH065/3 RUST
Wrought Iron Chandelier

- 3 x 60W SES
Width: 500mm
Height: 410mm
Chain: 250mm
Ceiling Cup: 115mm

Also Available:
CH065/5 RUST
CH065/8 RUST
WB065/2 RUST



CH065/5 RUST
Wrought Iron Chandelier

- 5 x 60W SES
Width: 530mm
Height: 410mm
Chain: 250mm
Ceiling Cup: 115mm

Also Available:
CH065/3 RUST
CH065/8 RUST
WB065/2 RUST



CH065/8 RUST
Wrought Iron Chandelier

- 8 x 60W SES
Width: 830mm
Height: 470mm
Chain: 250mm
Ceiling Cup: 115mm

Also Available:
CH065/3 RUST
CH065/5 RUST
WB065/2 RUST

WB065/2 RUST
Wrought Iron Wall Bracket

- 2 x 60W SES

Width: 330mm
Height: 230mm
Depth: 225mm



CH374/3 BLACK

Metal Chandelier
with Alabaster Glass

- 3 x 60W ES

Width: 520mm
Height: 360mm
Chain: 500mm
Ceiling Cup: 90mm

Also Available:
CH374/5 BLACK



CH374/5 BLACK

Metal Chandelier
with Alabaster Glass

- 5 x 60W ES

Width: 560mm
Height: 360mm
Chain: 500mm
Ceiling Cup: 90mm

Also Available:
CH374/3 BLACK



METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON



CH3901/3 FOSSIL WHITE

Metal Chandelier

- 3 x 60W SES

Width: 440mm
Height: 440mm
Chain: 1000mm

Also Available:
CH3901/5 FOSSIL WHITE



CH3901/5 FOSSIL WHITE

Metal Chandelier

- 5 x 60W SES

Width: 440mm
Height: 440mm
Chain: 1000mm

Also Available:
CH3901/3 FOSSIL WHITE

CH523/5 BLACK

Metal Chandelier

- 5 x 60W SES

Width: 510mm
Height: 355mm
Chain: 1000mm
Ceiling Cup: 100mm

Also Available:
CH523/3 BLACK
CH524/3 FOSSIL
CH524/5 FOSSIL



CH523/3 BLACK

Metal Chandelier

- 3 x 60W SES

Width: 420mm
Height: 355mm
Chain: 1000mm
Ceiling Cup: 100mm

Also Available:
CH523/5 BLACK
CH524/3 FOSSIL
CH524/5 FOSSIL



CH524/5 FOSSIL

Metal Chandelier

- 5 x 60W SES

Width: 510mm
Height: 355mm
Chain: 1000mm
Ceiling Cup: 100mm

Also Available:
CH524/3 FOSSIL
CH523/3 BLACK
CH523/5 BLACK



CH524/3 FOSSIL

Metal Chandelier

- 3 x 60W SES

Width: 420mm
Height: 355mm
Chain: 1000mm
Ceiling Cup: 100mm

Also Available:
CH524/5 FOSSIL
CH523/3 BLACK
CH523/5 BLACK



Chandeliers

METAL, RESIN, WROUGHT IRON



CH360/3 BLACK
Metal Chandelier
with Clear Acrylic Crystals

- 3 x 60W SES

Width: 500mm
Height: 470mm
Chain: 800mm
Ceiling Cup: 93mm

Colours Available:
Black, Fossil White

Also Available:
CH360/3 FOSSIL WHITE



CH360/5 BLACK
Metal Chandelier
with Clear Acrylic Crystals

- 5 x 60W SES

Width: 540mm
Height: 470mm
Chain: 800mm
Ceiling Cup: 93mm

Colours Available:
Black, Fossil White

Also Available:
CH360/5 FOSSIL WHITE



CH360/3 FOSSIL WHITE
Metal Chandelier
with Clear Acrylic Crystals

- 3 x 60W SES

Width: 500mm
Height: 470mm
Chain: 800mm
Ceiling Cup: 93mm

Colours Available:
Black, Fossil White

Also Available:
CH360/3 BLACK



CH360/5 FOSSIL WHITE
Metal Chandelier
with Clear Acrylic Crystals

- 5 x 60W SES

Width: 540mm
Height: 470mm
Chain: 800mm
Ceiling Cup: 93mm

Colours Available:
Black, Fossil White

Also Available:
CH360/5 BLACK

METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON



CH3068/3 FRENCH WHITE

Metal Chandelier
with Alabaster Glass

- 3 x 60W ES

Width: 500mm
Height: 465mm
Chain: 1000mm
Ceiling Cup: 95mm

Also Available:
CH3068/5 FRENCH WHITE



CH3068/5 FRENCH WHITE

Metal Chandelier
with Alabaster Glass

- 5 x 60W ES

Width: 600mm
Height: 565mm
Chain: 1000mm
Ceiling Cup: 95mm

Also Available:
CH3068/3 FRENCH WHITE



Chandeliers

METAL, RESIN, WROUGHT IRON



CH251/3 MATT WHITE

Metal Chandelier with Patterned Frosted Glass

- 3 x 40W SES

Width: 460mm
Height: 250mm

Also Available:
CH251/5 MATT WHITE



CH251/5 MATT WHITE

Metal Chandelier with Patterned Frosted Glass

- 5 x 40W SES

Width: 500mm
Height: 250mm

Also Available:
CH251/3 MATT WHITE



CH493/3 WHITE

Metal Chandelier with White Fluted Glass

- 3 x 40W ES (Not Included)

Width: 420mm
Height: 225mm
Ceiling Cup: 120mm

METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON



WB398/1 ANTIQUE

Metal Wall Bracket with Speckled Glass
Colour: Antique Bronze

- 1 x 40W (11W) SES

Width: 150mm
Height: 285mm
Depth: 175mm

Also Available:
CH398/3 ANTIQUE



CH398/3 ANTIQUE

Metal Chandelier with Speckled Glass
Colour: Antique Bronze

- 3 x 40W (11W) SES

Width: 440mm
Height: 310mm

Also Available:
WB398/1 ANTIQUE



CH489/5 ANTIQUE

Metal Chandelier with White Glass
Colour: Antique Brass

- 5 x 40W ES (Not Included)

Width: 570mm
Height: 175mm
Ceiling Cup: 150mm

Chandeliers

METAL, RESIN, WROUGHT IRON



CH491/3 GOLD

Metal Chandelier with White Patterned Glass
Colour: Gold

- 3 x 40W ES (Not Included)

Width: 500mm
Height: 235mm
Ceiling Cup: 130mm

Also Available:
CH491/5 GOLD



CH491/5 GOLD

Metal Chandelier with White Patterned Glass
Colour: Gold

- 5 x 40W ES (Not Included)

Width: 540mm
Height: 235mm
Ceiling Cup: 130mm

Also Available:
CH491/3 GOLD



CH492/3 GOLD

Metal Chandelier with Amber Patterned Glass
Colour: Gold

- 3 x 40W ES (Not Included)

Width: 420mm
Height: 265mm
Ceiling Cup: 120mm

METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON



CH1032/3 BLACK

Metal Chandelier
with Alabaster Glass

- 3 x 60W ES

Width: 630mm
Height: 360mm
Chain: 800mm

Also Available:
CH1032/5 BLACK



CH1032/5 BLACK

Metal Chandelier with
Alabaster Glass

- 5 x 60W ES

Width: 630mm
Height: 360mm
Chain: 800mm

Also Available:
CH1032/3 BLACK



CH366/3 BLACK

Metal Chandelier
with Fluted Amber
Glass

- 3 x 40W ES

Width: 580mm
Height: 340mm
Chain: 500mm
Ceiling Cup: 100mm

Also Available:
CH366/5 BLACK



CH366/5 BLACK

Metal Chandelier
with Fluted Amber Glass

- 5 x 40W ES

Width: 580mm
Height: 340mm
Chain: 500mm
Ceiling Cup: 100mm

Also Available:
CH366/3 BLACK



CH899/5 MATT BLACK

Metal Chandelier with Smoky Glass

- 5 x G9 Lampholders

Width: 520mm
Height: 480mm



WB899/1 MATT BLACK

Metal Wall Light
with Smoky Glass shade

- 1 x 60W SES

Width: 130mm
Height: 215mm
Depth: 215mm

Also Available:
CH899/5 MATT BLACK
TL823 MATT BLACK

Chandeliers

METAL, RESIN, WROUGHT IRON



WB529/1 BLACK

Metal Wall Bracket

- 1 x 60W ES

Width: 220mm
Height: 300mm
Depth: 280mm

Also Available:
CH529/3 BLACK




CH529/3 BLACK

Metal Chandelier

- 3 x 60W ES

Width: 700mm
Height: 1200mm
Ceiling Cup: 120mm

Also Available:
WB529/1 BLACK



CH258/4 BLACK

Metal and Wood Chandelier

- 4 x 60W ES

Length: 903mm
Height: 380mm



CH259/4 BLACK

Metal Chandelier

- 4 x 60W ES

Length: 740mm
Height: 490mm

METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON

CH238/3 BLACK

Matt Black Metal with Pulley Cord


- 3 x 60W ES

Length: 890mm

Width: 220mm

Height: 1370mm

Ceiling Cup: 400mm



CH514/3 BLACK

Metal Chandelier

Adjustable Height

- 3 x 60W (11W) ES (Not Included)

Width: 800mm

Height: 180mm

Centre Rods: 2 x 500mm

Ceiling Cup: 120mm

CH531/3 BLACK

Metal Chandelier

- 3 x 60W ES

Length: 900mm

Width: 260mm

Height: 130mm (excluding cord)

Cord: 1000mm

Ceiling Cup: 360mm x 80mm



METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON



CH081/3 BK/GD

Metal Chandelier

- 3 x 60W (11W) SES

Width: 430mm
Height: 490mm
Chain: 1000mm
Ceiling Cup: 155mm



CH082/4 BK/GD

Metal Chandelier with Clear Glass

- 4 x 60W (11W) ES

Width: 510mm
Height: 390mm
Rods: 3 x 410mm
Ceiling Cup: 120mm



CH3063/6 BK/GOLD

Metal Chandelier

- 6 x 60W SES

Width: 640mm
Height: 600mm
Chain: 1000mm
Ceiling Cup: 95mm

METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON

CH342/5 BLACK

Metal Chandelier

- 5 x 60W (11W) ES

Width: 580mm

Height: 580mm

Chain: 1100mm

Ceiling Cup: 93mm



CH513/6 BLACK

Metal Chandelier

- 6 x 40W G9 (Not Included)

Width: 560mm

Height: 1080mm

Ceiling Cup: 120mm

CH246/4 BLACK

Polished Chrome Chandelier
with Metal and Smoke Colour Glass

- 4 x 60W ES

Width: 540mm


Height: 1190mm

Ceiling Cup: 150mm



Chandeliers

METAL, RESIN, WROUGHT IRON



CH507/4 BK/AB

Metal Chandelier
Colour: Black and Antique Brass

- 4 x 40W ES

Length: 740mm
Height: 270mm
Ceiling Cup: 100mm



CH509/8 BK/GD

Metal Chandelier with White Glass
Colour: Black and Gold

- 8 x 40W ES

Width: 830mm
Height: 420mm
Ceiling Cup: 100mm

Also Available:
CH510/8 SATIN



CH264/5 BLACK

Metal and Smoke Glass
Adjustable Height

- 5 x 40W (11W) ES

Width: 850mm
Height: 610mm (Max.)
Length: 990mm



CH265/5 GOLD

Metal and Champagne Colour Glass
Adjustable Height

- 5 x 40W (11W) ES

Width: 850mm
Height: 610mm (Max.)
Length: 990mm

METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

METAL, RESIN, WROUGHT IRON

CH537/3 BK/AB

Metal Chandelier with Clear Glass
Colour: Black and Antique Brass

- 3 x 40W ES

Width: 520mm
Height: 360mm
Ceiling Cup: 100mm

Also Available:
CH537/3 SATIN



CH537/5 BK/AB

Metal Chandelier with Clear Glass
Colour: Black and Antique Brass

- 5 x 40W ES

Width: 640mm
Height: 360mm
Ceiling Cup: 100mm

Also Available:
CH537/5 SATIN



CH100/10 BLACK

Matt Black Metal
with Champagne Colour Glass

- 10 x 40W ES

Width: 1070mm
Height: 820mm
Ceiling Cup: 150mm



CH254/12 BLACK/GOLD

Black and Gold Metal Chandelier
with Clear Outer Glass and White Inner Glass
LED Centre Light

- 5W LED (Included)
- 12 x 40W G9 (Not Included)
1 x LED Transformer (Included)
1 x Remote Control (Included)

Width: 1000mm
Height: 570mm

Chandeliers

METAL, RESIN, WROUGHT IRON

CH260/12 BRASS

Satin Brass Chandelier
with Clear Outer Glass and Frosted Inner Glass

- 12 x 40W G9 (Not Included)

Width: 860mm
Height: 905mm
Ceiling Cup: 150mm

Also Available:
CH261/12 SATIN



CH534/6 GOLD

Metal and Amber Glass Chandelier
Colour: Antique Brass

- 6 x 60W ES

Width: 650mm
Height: 690mm
Ceiling Cup: 120mm



CH508/6 GD/SM

Satin Gold Chandelier
with Smoke Colour Glass

- 6 x 40W ES

Length: 1300mm
Height: 420mm
Cord: 1000mm
Ceiling Cup: 100mm



METAL, RESIN, WROUGHT IRON CHANDELIERS

Chandeliers

BEADED CHANDELIERS




CH892/3 BEAD

Metal and Wood Bead Chandelier
Colour: White Washed

- 3 x 40W SES (11W)

Width: 406mm
Height: 705mm
Chain: 1000mm
Ceiling Cup: 110mm




CH893/1 BEAD

Metal and Wood Bead Chandelier
Colour: White Washed

- 1 x 60W ES (11W)

Width: 280mm
Height: 562mm
Chain: 1000mm
Ceiling Cup: 110mm



CH895/3 BEAD

Metal and Wood Bead Chandelier
Colour: White Washed

- 3 x 40W SES (11W)

Width: 420mm
Height: 705mm
Chain: 1000mm
Ceiling Cup: 110mm




CH894/3 BEAD

Metal, Rope and Wood Bead Chandelier
Colour: Natural Brown

- 3 x 40W SES (11W)

Width: 410mm
Height: 705mm
Chain: 1000mm
Ceiling Cup: 110mm



CH896/3 BEAD

Metal and Wood Bead Chandelier
Colour: White Washed

- 3 x 40W SES (11W)

Width: 400mm
Height: 350mm
Centre Rods: 3 x 305mm, 1 x 150mm
Ceiling Cup: 110mm

Chandeliers

BEADED CHANDELIERS



CH890/3 WHITE
Metal and Wood Bead Chandelier

- 3 x 11W ES

Width: 480mm
Height: 690mm
Chain: 600mm
Ceiling Cup: 115mm



CH891/8 WHITE
Metal and Wood Bead Chandelier

- 8 x 11W ES


Width: 640mm
Height: 920mm
Chain: 400mm
Ceiling Cup: 115mm

DOWNLIGHTERS



Downlighters

GU10 BRACKET AND LAMPHOLDER



DL GU10 BRACKET

Down Lighter Converter

Converts from a 12V Down Light to a 220V - 240V Down Light

Height of Bracket: 80mm

Length of Cord: 140mm



DL GU10 LAMPHOLDER

GU10 Ceramic Lampholder Including Wire

Length of Cord: 190mm

POLYCARBONATE DOWNLIGHTERS



LED Panel Light
with Colour Changing Switch on the back of the Downlight
IP54

Material: Polycarbonate

Colour Temp: 3 CCT: 3000K, 4000K, 6500K

CRI: >80

PF: 0.5

DL617 WHITE

- 5W LED (Included)
Lumen: 400

Cut Out: 75mm
Diameter: 95mm

DL618 WHITE

- 9W LED (Included)
Lumen: 700

Cut Out: 95mm
Diameter: 120mm

DL619 WHITE

- 12W LED (Included)
Lumen: 960

Cut Out: 120mm
Diameter: 145mm

DL620 WHITE

- 18W LED (Included)
Lumen: 1440

Cut Out: 145mm
Diameter: 170mm

DL621 WHITE

- 24W LED (Included)
Lumen: 1900

Cut Out: 195mm
Diameter: 220mm

Downlighters

POLYCARBONATE DOWNLIGHTERS



DL118

Surface Mount Polycarbonate with Antiglare Ring, Straight

- GU10 LED Bulb / 7W Without Lampholder

Width: 96mm
Height: 100mm

Colours Available:
Black, White



DL119

Surface Mount Polycarbonate, Straight

- GU10 LED Bulb / 7W Without Lampholder

Width: 65mm
Height: 85mm

Colours Available:
Black, White



DL120

Surface Mount Polycarbonate with Antiglare Ring, Tilt

- GU10 LED Bulb / 7W without lampholder

Width: 96mm
Height: 100mm

Colours Available:
Black, White



DL121

Surface Mount Polycarbonate with Fluted Centre Ring, Tilt

- GU10 LED Bulb / 7W without lampholder

Width: 96mm
Height: 100mm

Colours Available:
Black, White



DL122

Round Recessed Polycarbonate, Tilt

- GU10 LED Bulb / 7W without lampholder

Cut Out: 75mm
Diameter: 90mm

Colours Available:
Black, White



DL123

Round Recessed Polycarbonate with Antiglare Ring, Tilt

- GU10 LED Bulb / 7W without lampholder

Cut Out: 75mm
Diameter: 90mm

Colours Available:
Black, White



DL124

Square Recessed Polycarbonate with Antiglare Ring, Straight

- GU10 LED Bulb / 7W without lampholder

Cut Out: 75mm
Diameter: 93mm

Colours Available:
Black, White



DL125

Square Recessed Polycarbonate with Antiglare Ring, Tilt

- GU10 LED Bulb / 7W without lampholder

Cut Out: 75mm
Diameter: 93mm

Colours Available:
Black, White

Use to convert to 220V - 240V



DL GU10 BRACKET

Recommended bulb to use



GU10 LED

Downlighters

POLYCARBONATE DOWNLIGHTERS



DL132

Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W
without Lampholder

Cut Out: 80mm
Diameter: 94mm

Colours Available:
Black, White



DL135

Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W
without Lampholder

Cut Out: 80mm
Diameter: 94mm

Colours Available:
Black, White



DL133

Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W
without Lampholder

Cut Out: 80mm
Diameter: 94mm

Colours Available:
Black, White



DL134

Polycarbonate Anti Glare, Tilt

- GU10 LED Bulb / 7W
without Lampholder

Cut Out: 80mm
Diameter: 94mm

Colours Available:
Black, White




DL130

Polycarbonate Down Light
with Bayonet Lock, Straight
without lampholder

- GU10 LED Bulb

Cut Out: 70mm
Diameter: 90mm

Colours Available:
Black, White



DL131

Polycarbonate Down Light
with Bayonet Lock, Straight
without lampholder

- GU10 LED Bulb

Cut Out: 70mm
Diameter: 90mm

Colours Available:
Black, White



DL062

Polycarbonate Clip in
Straight
without lampholder

Cut Out: 70mm
Diameter: 89mm

Colours Available:
Black, White



DL063

Polycarbonate Clip in
Straight
without lampholder

Cut Out: 70mm
Diameter: 89mm

Colours Available:
Black, White



DL064

Polycarbonate Clip in
Straight
without lampholder

Cut Out: 60mm
Diameter: 80mm

Colours Available:
Black, White

Use to convert to 220V - 240V



DL GU10 BRACKET

Recommended bulb to use



GU10 LED

POLYCARBONATE DOWNLIGHTERS

Downlighters

BLISTER PACKS



DL997 SATIN CHROME

DL997 SATIN CHROME DL999 WHITE

Blister Pack
with Straight Metal Down Light
Complete with Bracket
and GU10 LED Lamp
220V – 240V

- 5W LED Bulb (Included)
Lumen: 400

COOL: 4000K
WARM: 3000K

Cut Out: 55mm
Diameter: 80mm



DL999 WHITE



Blister Pack with Aluminium Tilt LED Down Light and Bulb

- 5W LED (Included)
1 x LED Driver (Included)
Lumen: 400
RA > 80

DL030:
Colour Temp: 2700K

DL031:
Colour Temp: 4000K

Down Lighter size:
Cut Out: 75mm
Diameter: 85mm

Colours Available:
Black, Chrome, Satin Chrome, White

Packaging:
190mm x 140mm

Also Available:
PART 608
PART 609



PART608
5W LED Bulb for **DL031**
Colour Temp: 4000K

PART609
5W LED Bulb for **DL030**
Colour Temp: 2700K



- 5W LED Bulb
Lumen: 400
Width: 52mm
Height: 37mm

Downlighters

THREE LIGHT PACK

ONE LIGHT SINGLE PACK



DL033/3 WHITE

Triple Pack LED Polycarbonate Down Lights

3 x 6W LED (Included)
Colour Temp: 4000K
Lumen: 360
CRI: >70
PF: >0.8

Cut Out: 72mm
Diameter: 97mm
Height: 24mm

Also Available:
DL035 WHITE



DL034 WHITE

Colour Temp: 3000K

DL035 WHITE

Colour Temp: 4000K

DL036 WHITE

Colour Temp: 6000K

Polycarbonate Down Light
- 6W LED (Included)
Lumen: 360
CRI: >70
PF: >0.8

Cut Out: 72mm
Diameter: 97mm
Height: 24mm

Also Available:
DL033/3 WHITE



DL143/3 WHITE

Triple Pack LED Down Lights
Metal with Polycarbonate Cover, Tilt

3 x 5W LED (Included)
Colour Temp: 4000K
Lumen: 400
CRI: >70
PF: >0.8

Cut Out: 70mm
Diameter: 88mm

Also Available:
DL140 WHITE
DL141 WHITE
DL142 WHITE



DL140 WHITE

Colour Temp: 3000K

DL141 WHITE

Colour Temp: 4000K

DL142 WHITE

Colour Temp: 6000K

Metal with Polycarbonate Cover, Tilt

- 5W LED (Included)

Lumen: 400
CRI: >70
PF: >0.8

Cut Out: 70mm
Diameter: 88mm

Also Available:
DL143/3 WHITE

Downlighters

12V OR 220V - 240V ALUMINIUM



DL251 ALUMINIUM

12V / 50W
Tilt

Cut Out: 70mm
Diameter: 83mm

Also Available:
DL261 ALUMINIUM



DL261 ALUMINIUM

12V / 50W
Straight

Cut Out: 60mm
Diameter: 78mm

Also Available:
DL251 ALUMINIUM



DL254 ALUMINIUM

12V / 50W
Tilt

Cut Out: 70mm
Diameter: 83mm

Also Available:
DL264 ALUMINIUM



DL264 ALUMINIUM

12V / 50W
Straight

Cut Out: 60mm
Diameter: 78mm

Also Available:
DL254 ALUMINIUM



DL255 ALUMINIUM

12V / 50W
Tilt

Cut Out: 79mm
Diameter: 93mm

Also Available:
DL265 ALUMINIUM



DL265 ALUMINIUM

12V / 50W
Straight

Cut Out: 79mm
Diameter: 93mm

Also Available:
DL255 ALUMINIUM




DL271 ALUMINIUM

- 12V/50W MR16 (Not Included)
Tilt

MR16 Lampholder

Cut Out: 80mm
Diameter: 92mm



DL262 ALUMINIUM

12V / 50W
Straight

Cut Out: 60mm
Diameter: 78mm

12V OR 220V - 240V ALUMINIUM

Recommended bulb to use



GU10



GU10 LED

Use to convert to 220V - 240V



DL GU10 BRACKET

Downlighters

12V OR 220V - 240V ALUMINIUM



DL086 ALUMINIUM

Straight, Bevelled Edge,
Without Lampholder
12V / 50W

Cut Out: 60mm
Diameter: 78mm

Also Available:
DL087 ALUMINIUM




DL087 ALUMINIUM

Tilt, Bevelled Edge,
Without Lampholder
12V / 50W

Cut Out: 70mm
Diameter: 83mm

Also Available:
DL086 ALUMINIUM



DL088 ALUMINIUM

Straight, Without Lampholder
12V / 50W

Cut Out: 60mm
Diameter: 78mm

Also Available:
DL089 ALUMINIUM



DL089 ALUMINIUM

Tilt, Without Lampholder
12V / 50W

Cut Out: 70mm
Diameter: 83mm

Also Available:
DL088 ALUMINIUM



DL090 MATT WHITE

Straight, Bevelled Edge,
Without Lampholder
12V / 50W

Cut Out: 60mm
Diameter: 78mm

Also Available:
DL091 MATT WHITE



DL091 MATT WHITE

Tilt, Bevelled Edge,
Without Lampholder
12V / 50W

Cut Out: 70mm
Diameter: 83mm

Also Available:
DL090 MATT WHITE



DL266 ALUMINIUM

Straight, Bevelled Edge,
Without Lampholder
12V / 50W

Cut Out: 60mm
Diameter: 78mm

Also Available:
DL256 ALUMINIUM



DL256 ALUMINIUM

Tilt, Bevelled Edge,
Without Lampholder
12V / 50W

Cut Out: 70mm
Diameter: 83mm

Also Available:
DL266 ALUMINIUM

Use to convert to 220V - 240V



DL GU10 BRACKET

Recommended bulb to use



GU10 LED



GU10

12V OR 220V - 240V ALUMINIUM

Downlighters

12V OR 220V - 240V ALUMINIUM




DL233

- 12V / 50W
Tilt
Bayonet Lock

Cut Out: 79mm
Diameter: 93mm

Colours Available:
Gold Satin, Satin Chrome, White



DL244

- 12V / 50W
Straight
Bayonet Lock

Cut Out: 68mm
Diameter: 77mm

Colours Available:
Gold Satin, Satin Chrome, White




DL008

- 12V / 50W
Tilt

Cut Out: 73mm
Diameter: 83mm

Colours Available:
Gun Metal, Satin Chrome, White



DL018

- 12V / 50W
Straight

Cut Out: 57mm
Diameter: 77mm

Colours Available:
Gun Metal, Satin Chrome, White



DL107 WHITE

Die Cast Aluminium, Straight,
Without Lampholder

Cut Out: 70mm
Diameter: 82mm



DL108 WHITE

Die Cast Aluminium, Straight,
Without Lampholder

Cut Out: 70mm
Diameter: 82mm



DL028 WHITE

- 12V / 50W
Straight

Cut Out: 63mm
Diameter: 74mm



DL050

Aluminium, Down Facing, Tilt
220V - 240V

- 1 x 50W GU10 (Not Included)

Width: 80mm
Height: 115mm

Colours Available:
Aluminium, Matt Black, White

Use to convert to 220V - 240V



DL GU10 BRACKET

Recommended bulb to use



GU10 LED

GU10

Downlighters

12V OR 220V - 240V PRESSED METAL



DL001

- 12V / 50W
Straight

Cut Out: 55mm
Diameter: 80mm

Colours Available:
Brass, Satin Chrome, White



DL003

- 12V / 50W
Straight
Bevelled Edge

Cut Out: 55mm
Diameter: 86mm

Colours Available:
Satin Chrome, White



DL066

Pressed Metal, Straight
Without Lampholder

Cut Out: 51mm
Diameter: 82mm

Colours Available:
Black, Chrome, Gold Satin, Satin Chrome, White

Also Available:
DL067



DL067

Tilt, Without lampholder

Cut Out: 65mm
Diameter: 85mm

Colours Available:
Chrome, Gold Satin, Satin Chrome, White

Also Available:
DL066



DL009

220V - 240V / 50W
Straight

Cut Out: 55mm
Diameter: 80mm

Colours Available:
Gun Metal, Satin Chrome, White



DL019

220V - 240V / 50W
Tilt

Cut Out: 70mm
Diameter: 88mm


Colours Available:
Gun Metal, Satin Chrome, White



DL039 WHITE

220V - 240V / 50W
Tilt

Square
Cut Out: 70mm
Diameter: 83mm




DL081 SATIN

220V - 240V/50W
Pressed Steel, Straight

- 1 x 50W GU10

Cut Out: 82mm
Diameter: 90mm
Depth: 110mm



DL082 SATIN

220V - 240V/50W
Pressed Steel, Straight

- 2 x 50W GU10

Cut Out: 82mm
Length: 165mm
Width: 90mm

12V OR 220V - 240V PRESSED METAL

Downlighters

SPLASHPROOF WITH GLASS



DL023

220V - 240V / 50W
Straight
Bevelled Edge
Clear Splash Glass

Cut Out: 64mm
Diameter: 86mm

Colours Available:
Satin Chrome, White



DL032

Die Cast Aluminium, Straight, Splashproof with Glass
With MR16 Lampholder

Cut Out: 60mm
Diameter: 83mm

Colours Available:
Aluminium, White

LED DECK LIGHTING



DL070 STAINLESS

White LED Outdoor Deck Lighting
Stainless Steel and Polycarbonate
12V DC
IP67

- 6 x 0.6W White LED (Included)
1 x Electronic LED Power Supply (Included)
Colour Temp: 3000K

Each Light:
Width: 30mm
Height: 18.5mm
Cable Length: 5000mm
6 x 1000mm Cable for each LED attachment



Downlighters

ADJUSTABLE LED RECESSED DOWNLIGHTERS



Aluminium with Polycarbonate Cover
 220V - 240V
 1 x Electronic LED Driver (Included)
 Adjustable Clips to fit variable cut out sizes
 Not Dimmable

BACK WITH ADJUSTABLE CLIPS

- 6W LED (Included)
 Lumen: 360

- 8W LED (Included)
 Lumen: 550

- 15W LED (Included)
 Lumen: 1150

Cut Out: 45mm - 80mm
 Diameter: 100mm

Cut Out: 45m - 95mm
 Diameter: 120mm

Cut Out: 45m - 140mm
 Diameter: 170mm

DL550 WARM
 Colour Temp: 3000K

DL552 WARM
 Colour Temp: 3000K

DL554 WARM
 Colour Temp: 3000K

DL551 COOL
 Colour Temp: 4000K

DL553 COOL
 Colour Temp: 4000K

DL555 COOL
 Colour Temp: 4000K



BACK:
 Adjustable Clips to fit variable cut out sizes

Polycarbonate LED Panel Light
 220V – 240V
 1 x Electronic LED Driver (Included)
 Adjustable Clips to fit variable cut out sizes
 Not Dimmable
 Material: Aluminium, PC and PS
 Colour Temp: 4000K

DL556 COOL
 - 9W LED (Included)
 Lumen: 900
 Cut Out: 40mm – 70mm
 Diameter: 100mm

DL557 COOL
 - 18W LED (Included)
 Lumen: 1800
 Cut Out: 40mm – 90mm
 Diameter: 120mm

DL558 COOL
 - 24W LED (Included)
 Lumen: 2400
 Cut Out: 45mm – 135mm
 Diameter: 168mm

Downlighters

LED RECESSED DOWNLIGHTERS

NOT DIMMABLE



Die Cast Aluminium
with Polycarbonate Cover
220V – 240V
1 x Electronic LED Driver
Colour Temp: 4000K

Not Dimmable
PF > 0.5
CRI > 70

DL499 WHITE

- 3W LED (Included)
Lumen: 210
Cut Out: 65mm
Diameter: 85mm

DL501 WHITE

- 6W LED (Included)
Lumen: 420
Cut Out: 105mm
Diameter: 120mm

DL502 WHITE

- 12W LED (Included)
Lumen: 840
Cut Out: 150mm
Diameter: 170mm

DL503 WHITE

- 15W LED (Included)
Lumen: 1000
Cut Out: 170mm
Diameter: 190mm

DL504 WHITE

- 18W LED (Included)
Lumen: 1200
Cut Out: 200mm
Diameter: 220mm

DIMMABLE



Die Cast Aluminium
with Polycarbonate Cover
220V – 240V
Dimmable

1 x Dimmable Electronic LED Driver (Included)
Colour Temp: CCT
CRI: >80

DL712 WHITE

- 6W LED (included)
Lumen: 55-65 LM/W
Cut Out: 100mm
Diameter: 120mm

DL713 WHITE

- 12W LED (included)
Lumen: 80-85 LM/W
Cut Out: 155mm
Diameter: 170mm

DL714 WHITE

- 15W LED (included)
Lumen: 80-85 LM/W
Cut Out: 170mm
Diameter: 190mm

DL715 WHITE

- 18W LED (included)
Lumen: 85-90 LM/W
Cut Out: 200mm
Diameter: 220mm



Die Cast Aluminium
with Polycarbonate Cover
220V – 240V
Dimmable

1 x Dimmable Electronic LED Driver (Included)
Colour Temp: CCT
CRI: >80

DL701

- 3W LED (included)
Colour Temp: 4000K
Lumen: 190
Cut Out: 70mm
Diameter: 82mm
Colours Available:
Satin Chrome, White

DL702 WHITE

- 6W LED (included)
Lumen: 55-65 LM/W
Cut Out: 110mm
Diameter: 120mm

DL703 WHITE

- 12W LED (included)
Lumen: 80-85 LM/W
Cut Out: 156mm
Diameter: 170mm

DL704 WHITE

- 15W LED (included)
Lumen: 80-85 LM/W
Cut Out: 170mm
Diameter: 190mm

DL705 WHITE

- 18W LED (included)
Lumen: 85-90 LM/W
Cut Out: 200mm
Diameter: 220mm




DL101 WHITE

- 30W LED (Included)
1 x Isolated Driver
Colour Temp: 4000K
Lumen: 210

Rectangular Adjustable Downlight
90 Degree Tilt
Aluminium and Glass, IP54
PF > 0.9, CRI > 80 120°

Cut Out: 220mm
Length: 243mm
Width: 150mm
Depth: 90mm



DL102 WHITE

- 40W LED (Included)
1 x Isolated Driver
Colour Temp: 4000K
Lumen: 2800

Downlighters

LED RECESSED DOWNLIGHTERS

DL054 WHITE

Metal with Opal Polycarbonate Cover
 - 5W LED (Included)
 1 x LED Driver
 Temp: 4000K
 Lumen: 350



Cut Out: 75mm
 Diameter: 98mm
 Height: 40mm

DL056 WHITE

Metal with Opal Polycarbonate Cover
 - 12W LED (Included)
 1 x LED Driver
 Temp: 4000K
 Lumen: 960



Cut Out: 120mm
 Diameter: 147mm
 Height: 50mm

DL055 SATIN

Metal with Opal Polycarbonate Cover
 - 5W LED (Included)
 1 x LED Driver
 Temp: 4000K
 Lumen: 350



Cut Out: 75mm
 Diameter: 98mm
 Height: 40mm

DL057 SATIN

Metal with Opal Polycarbonate Cover
 - 12W LED (Included)
 1 x LED Driver
 Temp: 4000K
 Lumen: 960



Cut Out: 120mm
 Diameter: 147mm
 Height: 50mm

DL058 SATIN

Tilt
 - 6W LED (Included)
 1 x LED Driver



Temp: 4000K
 Lumen: 480
 Cut Out: 70mm
 Diameter: 80mm

DL059 SATIN

Tilt
 - 12W LED (Included)
 1 x LED Driver



Temp: 4000K
 Lumen: 960
 Cut Out: 95mm
 Diameter: 110mm

DL037 WHITE

Aluminium Down Light, Straight

- 5W LED Bulb (Included)
 1 x LED Driver
 Colour Temp: 4000K
 Lumen: 300



Cut Out: 70mm
 Diameter: 100mm

Aluminium Down Light, Straight
 1 x LED Driver
 Colour Temp: 4000K

DL004 WHITE

- 7W LED Bulb (Included)
 Lumen: 420
 Cut Out: 65mm
 Diameter: 100mm

DL005 WHITE

- 9W LED Bulb (Included)
 Lumen: 540
 Cut Out: 75mm
 Diameter: 115mm

DL006 WHITE

- 12W LED Bulb (Included)
 Lumen: 720
 Cut Out: 85mm
 Diameter: 120mm



DL046

Round Starlight,
 Aluminium Alloy

- 3W LED (Included)
 1 x LED Driver
 Temp: 4000K
 Lumen: 210

Diameter: 45mm
 Depth: 30mm
 Cut Out: 36mm

Colours Available:
 Satin Chrome, White



DL047

Square Starlight,
 Aluminium Alloy

- 3W LED (Included)
 1 x LED Driver
 Temp: 4000K
 Lumen: 210

Diameter: 45mm
 Depth: 30mm
 Cut Out: 36mm

Colours Available:
 Satin Chrome, White

Downlighters

LED SURFACE DOWNLIGHTERS



LED Surface Die Cast Aluminium with PC Cover

DL506 WHITE

- 6W LED (Included)

Colour Temp: 4000K
Lumen: 420mm

Diameter: 115mm
Height: 28mm

DL507 WHITE

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 840mm

Diameter: 165mm
Height: 28mm

DL510 WHITE

- 18W LED (Included)

Colour Temp: 4000K
Lumen: 1200mm

Diameter: 210mm
Height: 28mm

DL512 WHITE

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920mm


Diameter: 288mm
Height: 28mm

DL511 WHITE

Die Cast Aluminium Ceiling Fitting
with Polycarbonate Cover
220V – 240V

- 18W LED (Included)
1 x Electronic LED Driver (Included)
PF > 70.5
Temp: 4000K
Lumen: 1200

Diameter: 220mm
Height: 32mm



DL114 BLACK DL115 WHITE

Material: Metal and Plastic

- 5W LED (Included)

Colour Temp: 4000K
Lumen: 400
Beam Angle: 45 Degrees
PF: >0.5

Diameter: 74mm
Height: 18mm



DL116 BLACK DL117 WHITE

Material: Metal and Plastic

- 10W LED (Included)

Colour Temp: 4000K
Lumen: 850
Beam Angle: 45 Degrees
PF: >0.5

Diameter: 104mm
Height: 20mm



DL072 WHITE


Die Cast Aluminium
with Polycarbonate Cover
Includes Clips

- 8W LED (Included)
1 x LED Driver (Included)
Temp: 4000K
Lumen: 640

Cut Out: 75mm
Diameter: 95mm
Height: 25mm

Downlighters

LED SURFACE DOWNLIGHTERS



DL518 BLACK **DL519 WHITE**

Surface Mounted Panel Light, IP20
Material: Metal and PC
CCT - Switch on the fitting

- 18W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K

Lumen: 1800

CRI: >80



PF: 0.5

Beam Angle: 120 Degrees

Length: 620mm

Width: 150mm

Height: 34mm



DL520 BLACK **DL521 WHITE**

Material: Metal and PC
Surface Mounted Panel Light, IP20
CCT - Switch on the fitting

- 32W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K

Lumen: 3200

CRI: >80

PF: 0.5

Beam Angle: 120 Degrees

Length: 1240mm


Width: 150mm

Height: 34mm



Downlighters

LED PANEL LIGHTS



DL513 WHITE

Hospital Grade, Flicker Free
2 Year Guarantee
Colour Temp: 6500K

Also Available:
DL516 FRAME
DL500 SUSPENSION PARTS

White Aluminium Base with Polycarbonate Cover, IP20
Fits into a dropped 600mm x 600mm Ceiling
Can be Flush Mounted against a Ceiling using DL516 FRAME
Can be suspended by using DL500 SUSPENSION PARTS

- 40W LED (Included)
1 x Electronic Driver (Included)
Lumen: 4000
Diameter: 595mm
Depth: 25mm

DL515 WHITE

White Aluminium Base with Polycarbonate Cover, IP20
Fits into a dropped 600mm x 600mm Ceiling

Can be Flush Mounted against a Ceiling using DL516 FRAME
Can be suspended by using DL500 SUSPENSION PARTS

- 40W LED (Included)
1 x Electronic Driver (Included)
Colour Temp: 4000K
Lumen: 2800

Diameter: 595mm
Depth: 30mm

Also Available:
DL516 FRAME
DL500 SUSPENSION PARTS



DL516 FRAME

White Aluminium Frame
to Convert a 600mm x 600mm Panel
to be Flush Mounted against a Ceiling

Diameter: 600mm

Also Available:
DL508 WHITE
DL513 WHITE
DL515 WHITE
DL500 SUSPENSION PARTS



Downlighters

LED PANEL LIGHTS



White Aluminium Base with Polycarbonate Cover, IP20
Fits into a dropped 600mm x 1200mm Ceiling
Can be Flush Mounted against a Ceiling using DL517 FRAME
Can be suspended by using DL500 SUSPENSION PARTS

- 60W LED (Included)
1 x Electronic Driver (Included)
Colour Temp: 6500K
Lumen: 6000

Diameter: 595mm x 1195mm
Depth: 30mm

DL514 WHITE

Hospital Grade, Flicker Free
2 Year Guarantee

Also Available:

DL517 FRAME
DL500 SUSPENSION PARTS



DL517 FRAME

White Aluminium Frame to Convert a 600mm x 1200mm Panel to be Flush Mounted against a Ceiling

Diameter: 600mm x 1200mm

Also Available:

DL509 WHITE
DL514 WHITE
DL500 SUSPENSION PARTS



DL500 SUSPENSION PARTS

Suspension Parts to convert a Flush Mount Ceiling Fitting to a Suspended Fitting
Cable Length: 1000mm

FANS



RECHARGEABLE FANS



FAN019 WHITE
White with White Blades

FAN020 BLACK
Black with Black Blades

3 Speed Rechargeable clip on Table Fan
with USB Cable, Portable
Fan Power: 7W
Lithium Battery: 1800mAh
Material: Plastic

Width: 116mm
Height: 150mm

Charging Time: 3 Hours
Discharging Time: 2 - 4 Hours

FAN024 BLACK

12" Rechargeable Oscillating Table Fan
Material: Plastic

Features:

3 Speed Setting, Low Noise, Adjustable Vertical Tilt
LED Light, 5V USB output, On/Off Switch
Fan Power: 5W
Battery: 6V 4.5Ah Lead Acid Rechargeable
Voltage: AC220V/DC6V
Frequency: 50/60Hz
Charging Time: 5-12 Hours
Discharging Time: 5-10 Hours

Includes:

1 x 3V 9W Solar Panel (230mm x 140mm) and 2800mm Cord
2 x Rechargeable Bulbs with 2700mm Cord
On/Off Switches and Hooks
1 x 2 Pin Plug with 1000mm Cord

Width: 345mm
Height: 415mm
Base: 200mm



When the LED gets dim, please recharge the product
Charge at least once in every 3 months
for 8 Hours even when the appliance is not in use.
Keep the Fan Switch in OFF position when not in use

RECHARGEABLE FANS



FAN016

12" Rechargeable Table Fan
 Fan Power: 12W
 Battery: 2600mAh
 Voltage: AC220V/DC12V
 Material: Metal with Metal Blades
 Colour: Black

Width: 400mm
 Height: 370mm

Charging Time: 3 Hours
 Discharging Time: 3 - 5 Hours



FAN018 PANEL

Solar Panel for Rechargeable Fans
 with 5 Meter Cable
 Voltage: 18V
 Peak Power: 20W

Width: 350mm
 Height: 450mm

Solar Panel for:
 FAN015
 FAN016
 FAN017
 FAN021



FAN015

12" Rechargeable Oscillating Floor Fan
 Fan Power: 10W
 Battery: 2600mAh
 Voltage: AC220V/DC12V
 Material: Plastic
 Colour: White

Width: 350mm
 Height: 1000mm
 Base: 340mm

Charging Time: 3 Hours
 Discharging Time: 3 - 5 Hours



FAN017

16" Rechargeable Oscillating Floor Fan
 3 Speed
 Fan Power: 15W
 Battery: 2600mAh
 Voltage: AC220V/DC12V
 Material: Plastic
 Colour: White and Black

Width: 430mm
 Height: 1200mm
 Base: 370mm

Charging Time: 3 Hours
 Discharging Time: 2.5 - 5 Hours



FAN021 BLACK

16" Rechargeable Oscillating Floor Fan
 3 Speed
 Fan Power: 15W
 Battery: 2500mAh
 Voltage: AC220V/DC12V
 Material: Plastic
 Colour: Black

Charging Time: 3 Hours
 Discharging Time: 3 - 5 Hours

Width: 430mm
 Height: 1200mm
 Base: 360mm

FLOOR AND TABLE FANS

FAN012

Can be used as either a Table Fan or Clip on Fan

6" (15cm) Plastic Fan
Power: 15W
2 Speed Control

Fan Grid: 200mm
Base: 170mm
Width: 200mm
Height: 320mm

Colours Available:
Black, White



FRONT



SIDE



FAN010 CHROME

12" (30.5cm) Table Fan
High Velocity, 3 Speed
Power: 40W

High Protective Metal Grill
Adjustable Tilt Head
Whisper Quiet Operation

Stable Metal Base with Rubber Scuff Pads
Easy to Carry

Width: 370mm
Height: 380mm



FAN013 BLACK

16" (40.6cm) Plastic Table Fan
Power: 65W
3 Speed Control

Width: 470mm
Height: 500mm

FLOOR AND TABLE FANS

3 STYLE FANS IN ONE BOX

3 Different Fan Configurations:

Floor Fan (PVC Base)

Table Fan (Metal Frame)


Wall Fan (Brackets and Pull Switch)



WALL FAN



TABLE FAN



FLOOR FAN

FAN008/3 IN ONE

3 Speed

Power: 85W

Height Adjustable, Tilting Head

Whisper Quiet Operation

Easy to Assemble

Fan Grid: 500mm

Floor Fan:

Base: 500mm

Height: 1060mm (Min.) 1300mm (Max.)

Table Fan:

Frame: 280mm x 450mm

Wall Fan:

Depth: 400mm

Fans

FLOOR AND TABLE FANS

3 STYLE FANS IN ONE BOX

3 Different Fan Configurations:

Floor Fan (PVC Base)

Table Fan (Metal Frame)


Wall Fan (Brackets and Pull Switch)



WALL FAN



TABLE FAN



FLOOR FAN

FAN014/3 IN ONE

3 Different Fan Configurations:
Floor Fan, Table Fan, Wall Fan

16" (40cm) 3 Speed Control
Power: 65W

Height Adjustable
Tilting Head
Easy to Assemble
Fan Grid: 420mm

Floor Fan:
Base: 500mm
Height: 1275mm

Table and Wall Fan:
Frame: 300mm x 480mm

FLOOR AND TABLE FANS

Fans



FCF018 LED

Space Saving LED Ceiling Fan
with Remote Control
AC Motor
3 Speed Fan
Material: PC, LED and Acrylic
Dimmable

- 36W LED (Included)
Colour Temp: Changeable 3000K - 6000K
Lumen: 1730

Diameter: 550mm
Height: 200mm



FCF019 WHITE

Ceiling Fan with Remote Control
Material: Plastic
15W DC Copper Coil Motor
Dimmable

- 30W LED (Included)
Colour Temp: 3 CCT 3000K – 6000K
Lumen: 2900
CRI: >80
PF: 0.9

Width: 490mm
Height: 170mm



FCF020 BLACK

Ceiling Fan with Remote Control
Material: Plastic
15W DC Copper Coil Motor
Dimmable

- 38W LED (Included)
Colour Temp: 3 CCT 3000K – 6000K
Lumen: 3400
CRI: >80
PF: 0.9

Width: 480mm
Height: 165mm



FCF021 WHITE

Ceiling Fan with Remote Control
Material: Plastic
20W DC Copper Coil Motor
Dimmable

- 38W LED (Included)
Colour Temp: 3 CCT 3000K – 6000K
Lumen: 2290
CRI: >80
PF: 0.9

Width: 490mm
Height: 200mm

CF191 WHITE



Fits into an ES (E27) Ceiling Socket

FCF090 WHITE

Mini Plastic Ceiling Fan with Light
Includes Remote Control
Fits into an ES (E27) Ceiling Socket
6 Blade, 20.5" (52cm)

- 18W LED (Included)
ES Lampholder
Colour Temp: CCT 3000K, 4000K, 6500K

CF192 BLACK



FCF104 BLACK

Functions:
3 Speed wind – soft, medium, strong
Timing Function, Memory Function
Dimmable, Adjustable Brightness
Sudden Stop Protection

Width: 520mm
Height: 185mm

Fans



WHITE



SATIN CHROME

FCF004

5 Blade, 52" (132cm)
3 Speed Reversible AC Motor
Pole or Flush Mount
Pull Switch for Fan and Light

- 2 x 60W ES

Width: 1320mm
Height: 380mm

Colours Available:
Black with Black Blades
Satin Chrome with Silver Blades
White with White Blades



BLACK

FCF007 SATIN

5 Blade, 52" (132cm)
3 Speed Reversible AC Motor
Pole Mount
Remote Control for Fan and Light

- 1 x 60W ES

Width: 1320mm
Height: 355mm



FCF041 SATIN

Satin Chrome, Steel and Glass
30W Copper Coil DC Motor
3 ABS Blades, 48" (122cm)
Remote Control with 6 Speed Control,
Time Setting
Pole or Flush Mount
Balancing Kit Included

- 2 x 60W E27 (Not Included)

Width: 1220mm
Height: 400mm

Also Available:
FCF040 WHITE



FCF040 WHITE

Steel and Glass
30W Copper Coil DC Motor
3 ABS Blades, 48" (122cm)
Remote Control with 6 Speed Control,
Time Setting
Pole or Flush Mount
Balancing Kit Included

- 2 x 60W E27 (Not Included)

Width: 1220mm
Height: 400mm

Also Available:
FCF041 SATIN



FCF031 SATIN

Satin Nickel with Silver Blades and White Glass
48W Copper Coil AC Motor
3 Blade, 48" (122cm)
3 Speed Reversible Motor
Pole or Flush Mount, Wall Control

- 1 x 40W ES

Width: 1220mm
Height: 400mm



Wall Control



Fans



FCF049 WOOD

Steel, Wood Finish, No Light
30W Copper Coil DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control,
Time Setting
Pole Mount Only
Balancing Kit Included

Width: 1320mm
Height: 380mm

FCF048 WOOD
Steel and Acrylic, Wood Finish
30W Copper Coil DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control,
Time Setting
Pole Mount Only
Balancing Kit Included

- 18W LED (Included)
Colour Temp: 4000K
Lumen: 1620
Width: 1320mm
Height: 380mm



FCF051 WHITE

Steel, No Light
30W Copper Coil DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control,
Time Setting
Pole Mount Only
Balancing Kit Included

Width: 1320mm
Height: 380mm

FCF050 WHITE
Steel and Acrylic
30W Copper Coil DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control,
Time Setting
Pole Mount Only
Balancing Kit Included

- 18W LED (Included)
Colour Temp: 4000K
Lumen: 1620

Width: 1620mm
Height: 380mm

Fans

FCF037 WHITE

Metal, No Light
60W Copper Coil AC Motor
4 Blade, 48" (122cm)
3 Speed Reversible Motor
Pole Mount, Wall Control

Width: 1220mm
Height: 355mm



Wall Control



FCF038 WHITE

3 ABS Blades, 52" (132cm) with Remote Control
38W 6 Speed Reversible DC Motor
Pole Mount

- 1 x 40W ES (11W)

Width: 1320mm
Height: 400mm



FCF054 WHITE

Metal, No Light
32W Copper Coil DC Motor
5 ABS Blades, 53" (135cm)
Remote Control with 6 Speed Control
Time Setting

Width: 1350mm
Height: 330mm



Fans



FCF013 WHITE

Steel and Glass
 30W Copper Coil Reversible DC Motor
 3 Reversible Plywood/White Blades, 52" (132cm)
 Remote Control with 6 Speed Control, Time Setting
 Flush Mount Only
 Balancing Kit Included

- 2 x 60W ES (Not Included)

Width: 1320mm
 Height: 320mm



FCF059 SATIN

Satin Nickel and ABS
 40W Copper Coil DC Motor
 4 Silver ABS Blades, 52" (132cm)

- 15W LED (Included)

Colour Temp: Changeable 3000K – 6000K
 Lumen: 1400

Remote Control:
 6 Speed Control, Light Control, Time Setting
 Balancing Kit Included

Width: 1320mm
 Height: 365mm

Can be Extended with:

PART 642 (600mm extension rod)
 must be used with
 PART 647(extension wire for DC fan)

PART 645 (1200mm extension rod)
 must be used with
 PART 647 x 2 (extension wire for DC fan)



SIDE

FAN025 BLACK

16" Wall Fan with Pull Switches
 3 Speed Setting
 Material: Plastic

Fan Power: 45W
 Voltage: AC220V
 Frequency: 50/60Hz

Height: 320mm
 Grid Width: 430mm
 Base: 260mm x 125mm



FRONT



Can be Extended with:
PART 640 (600mm extension rod)
must be used with
PART 647 (extension wire for DC fan)

PART 643 (1200mm extension rod)
must be used with
PART 647 x 2 (extension wire for DC fan)



FCF045 BK/WOOD

Metal and Wood, No Light
40W Copper Coil Reversible DC Motor
3 Wood Blades, 52" (132cm)
Remote Control with 6 Speed Control, Time Setting
Balancing Kit Included

Width: 1320mm
Height: 360mm



FCF044 BK/WOOD

Metal and Wood
40W Copper Coil Reversible DC Motor
3 Wood Blades, 52" (132cm)
Remote Control with 6 Speed Control, Time Setting
Balancing Kit Included



- 15W LED (included)
Colour Temp: Changeable 3000K – 6000K
Lumen: 1400

Width: 1320mm
Height: 375mm



FCF047 WHITE

Metal and ABS, No Light
40W Copper Coil Reversible DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control, Time Setting
Balancing Kit Included

Width: 1320mm
Height: 350mm



FCF046 WHITE

Metal and ABS
40W Copper Coil Reversible DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control, Time Setting
Balancing Kit Included

- 15W LED (Included)
Colour Temp: Changeable 3000K – 6000K
Lumen: 1400

Width: 1320mm
Height: 365mm

Can be Extended with:
PART 641 (600mm extension rod)
must be used with
PART 647 (extension wire for DC fan)

PART 644 (1200mm extension rod)
must be used with
PART 647 x 7 (extension wire for DC fan)



Fans

FCF063 BLACK

Metal and ABS, No Light
32W Copper Coil Reversible DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control,
Time Setting
Balancing Kit Included

Width: 1320mm
Height: 350mm



FCF064 BLACK

Metal and ABS
32W Copper Coil Reversible DC Motor
3 ABS Blades, 52" (132cm)
Remote Control with 6 Speed Control,
Time Setting
Balancing Kit Included

- 18W LED (included)
Colour Temp: Changeable 3000K – 6000K
Lumen: 1200

Width: 1320mm
Height: 365mm



FCF072 WHITE

Industrial Metal Fan with Metal Blades
No Light
70W Copper Coil AC Motor
3 Metal Blades, 56" (142 cm)
5 Speed Wall Control
Pole Mount
Balancing Kit Included

Width: 1400mm
Height: 500mm

Also Available:
FCF073 STAINLESS



FCF073 STAINLESS

Industrial Stainless Steel Fan with Metal Blades
No Light
80W Copper Coil AC Motor
3 Stainless Steel Blades, 56" (142 cm)
5 Speed Wall Control
Pole or Flush Mount
Balancing Kit Included

Width: 1400mm
Height: 500mm

Also Available:
FCF072 WHITE

Fans



FCF074 MATT BLACK

Metal with Solid Wood Blades (Natural)
No Light

40W Copper Coil Reversible DC Motor
3 Solid Wood Blades, 60" (152cm)

Remote Control with 6 Speed Control, Time Setting
Balancing Kit Included

Width: 1520mm
Height: 400mm



Can be Extended with:
PART 640 (600mm extension rod)
must be used with
PART 647 (extension wire for AC fan)
PART 643 (1200mm extension rod)
must be used with
PART 647 x 2 (extension wire for AC fan)



FCF075 SATIN

Satin Nickel Finish with Solid Wood Blades (Walnut)
No Light

65W Copper Coil AC Motor
3 Solid Wood Blades, 52" (132cm)

Remote Control with 3 Speed Control, Time Setting
Balancing Kit Included

Width: 1320mm
Height: 230mm



FCF076 MATT WHITE

Metal with Solid Wood Blades
No Light

65W Copper Coil AC Motor
3 Solid Wood Blades, 52" (132cm)

Remote Control with 3 Speed Control, Time Setting
Balancing Kit Included

Width: 1320mm
Height: 230mm

FCF079 SATIN

Satin Nickel Finish with Solid Wood Blades (Walnut)
No Light

65W Copper Coil AC Motor
3 Solid Wood Blades, 52" (132cm)

Remote Control with 3 Speed Control, Time Setting
Balancing Kit Included

Width: 1320mm
Height: 360mm



Can be Extended with:
PART 642 (600mm extension rod)
must be used with
PART 646 (extension wire for AC fan)

PART 645 (1200mm extension rod)
must be used with
PART 646 x 2 (extension wire for AC fan)



FCF077 MATT BLACK

Metal with Solid Wood Blades (Walnut)
65W Copper Coil AC Motor
3 Solid Wood Blades, 52" (132cm)
Remote Control with 3 Speed Control, Time Setting
Balancing Kit Included

- 15W LED (Included)
Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 1400

Width: 1320mm
Height: 375mm



FCF080 MATT BLACK

Metal with ABS Blades
65W Copper Coil AC Motor
3 ABS Blades, 44" (112cm)
Remote Control with 3 Speed Control, Time Setting
Balancing Kit Included

- 15W LED (Included)
Colour Temp: CCT 3000K - 6000K
Lumen: 1400

Width: 1120mm
Height: 375mm



FCF081 MATT BLACK

Metal with ABS Blades
No Light
65W Copper Coil AC Motor
2 ABS Blades, 52" (132cm)
Remote Control with 3 Speed Control, Time Setting
Balancing Kit Included

Width: 1320mm
Height: 320mm



FCF082 MATT BLACK


Metal with ABS Blades
65W Copper Coil AC Motor
2 ABS Blades, 52" (132cm)
Remote Control with 3 Speed Control, Time Setting
Balancing Kit Included

- 15W LED (Included)
Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 1400

Width: 1320mm
Height: 365mm

FCF080, FCF081, FCF082
Can be Extended with:
PART 642 (600mm extension rod)
must be used with
PART 646 (extension wire for AC fan)
PART 645 (1200mm extension rod)
must be used with
PART 646 x 2 (extension wire for AC fan)

Fans



FCF083 WHITE
6 White Blades, 30" (76.2cm)



FCF084 BLACK
6 Dark Wood Blades, 30" (76.2cm)

Metal Ceiling Fan with Opal Glass
60W Copper Coil Reversible AC Motor
Pull Chain with 3 Speed Control

- 1 x 60W ES (Not Included)

Width: 760mm
Height: 410mm



FCF085 WHITE
Reversible White Blades



FCF085 WHITE
Reversible Wood Grain Blades

FCF085 WHITE FCF091 BLACK

Metal Ceiling Fan
with 3 MDF Reversible Blades, 50" (127cm)
35W Copper Coil DC Motor
Remote Control with 6 Speed Control,
Forward and Reverse Setting, Time Setting
Balancing Kit Included

CRI: >70
PF: >0.6

- 12W LED (Included)

Colour Temp: 6500K
Lumen: 800

Width: 1270mm
Height: 270mm



FCF091 BLACK

Fans



FCF086 WHITE

FCF086 WHITE FCF087 BLACK

3 ABS Blades, 60" (152cm)
29W Copper Coil DC Motor
Pole or Flush Mount

- 18W LED (Included)

Colour Temp: 4000K
Lumen: 1400
Remote Control with 6 Speed Control
Time Setting
Balancing Kit Included

Width: 1520mm
Height: 395mm



FCF087 BLACK



FCF088 WHITE

Metal Fan with 3 ABS Blades, 35" (89cm), No Light
32W Copper Coil DC Motor
Remote Control with 6 Speed Control
Time Setting
Balancing Kit Included

Width: 890mm
Height: 290mm

FCF089 WHITE

Metal Fan with 3 ABS Blades, 48" (122cm)
30W Copper Coil DC Motor

- 24W LED (Included)
Colour Temp: CCT 3000K – 6000K
Lumen: 1600
CRI: >80
PF: >0.8

Remote Control with 6 Speed Control,
Dimmable, Time Setting
Balancing Kit Included

Width: 1220mm
Height: 323mm



RETRACTABLE BLADE CEILING FAN



EXTENDED



RETRACTED



FCF055 WHITE

Metal with 4 Retractable ABS Blades
 32W Copper Coil DC Motor
 42" (106cm)
 Remote Control with 6 Speed Control
 Light Control, Time Setting
 Blades Extend and Retract
 Balancing Kit Included

- 30W LED (Included)
 Colour Temp: Changeable 3000K - 6000K
 Lumen: 2300

Width: 1070mm
 Height: 365mm



EXTENDED



RETRACTED



FCF062 WHITE

Metal Ceiling Fan with 4 Retractable ABS Blades
 and Blue Tooth Speaker
 60W Copper Coil AC Motor
 42" (106cm)

- 36W LED (Included)
 Colour Temp: Changeable 3000K – 6000K
 Lumen: 2300

Remote Control:
 3 Speed Control, Light Control, Time Setting
 Blades Extend and Retract
 Balancing Kit Included

Width: 1070mm
 Height: 430mm

RETRACTABLE BLADE CEILING FAN



FCF043 SATIN

Satin Chrome, Steel and Acrylic
 30W Copper Coil DC Motor
 4 ABS Blades, 42" (106cm)
 Remote Control with 6 Speed Control,
 Time Setting
 Blades Extend and Retract
 Balancing Kit Included

EXTENDED



RETRACTED

- 32W LED (Included)
 Colour Temp: 4000K
 Lumen: 2500

Width: 1060mm
 Height: 430mm



FCF061 SATIN NICKEL

Metal Ceiling Fan with 4 Retractable ABS Blades
 and Blue Tooth Speaker
 60W Copper Coil AC Motor
 42" (106cm)

EXTENDED



RETRACTED

- 36W LED (Included)
 Colour Temp: Changeable 3000K – 6000K
 Lumen: 2300

Remote Control:
 3 Speed Control, Light Control, Time Setting
 Blades Extend and Retract
 Balancing Kit Included

Width: 1070mm
 Height: 415mm

A modern kitchen interior featuring dark, minimalist cabinetry and a white countertop. A linear light fixture is mounted on the ceiling, casting a soft glow. The kitchen includes a sink with a chrome faucet, a window with a vase of dried flowers, and a coffee machine on the counter. The floor is made of light-colored wood.

LINEAR LIGHTING

Linear Lighting

T5 AND T8 TUBES



T5 LED TUBE
Not Dimmable, 220V – 240V
Beam Angle: 240 degrees
PF: > 0.6

- 8W LED
Lumen: 720
Length: 550mm
Diameter: 16mm


- 16W LED
Lumen: 1440
Length: 1150mm
Diameter: 16mm

- 18W LED
Lumen: 1620
Length: 1449mm
Diameter: 16mm

BULB LED 201
Colour Temp: 6000K
BULB LED 202
Colour Temp: 3000K

BULB LED 203
Colour Temp: 6000K
BULB LED 204
Colour Temp: 3000K

BULB LED 220
Colour Temp: 6000K



T8 LED TUBE
Not Dimmable, 220V – 240V
Beam Angle: 240 degrees
PF: >0.6

- 9W T8 LED Tube
Length: 600mm
Lumen: 900


- 18W T8 LED Tube
Length: 1200mm
Lumen: 1800

- 22W T8 LED Tube
Length: 1500mm
Lumen: 2200

BULB LED 176
Colour Temp: 3000K
BULB LED 177
Colour Temp: 6000K

BULB LED 178
Colour Temp: 3000K
BULB LED 179
Colour Temp: 6000K

BULB LED 180
Colour Temp: 3000K
BULB LED 181
Colour Temp: 6000K



T8 LED Rechargeable Tube
Not Dimmable
Built-in Non-Isolated Battery
Material: Aluminium Lampbody
with PC Cover
Colour Temp: 6000K
PF: >0.9
Beam Angle: 180 degrees
Emergency Wattage: 3-4W
Emergency Time: 2.5 - 3 Hours

BULB LED 290
- 9W LED
Lumen: 810
Length: 590mm
Width: 26mm

BULB LED 291
- 13W LED
Lumen: 1170
Length: 895mm
Width: 26mm

BULB LED 292
- 18W LED
Lumen: 1620
Length: 1200mm
Width: 26mm

BULB LED 293
- 22W LED
Lumen: 1980
Length: 1500mm
Width: 26mm

Also Available:
FTL015 WHITE

FLUORESCENTS



T5 FLUORESCENT TUBE

- 14W Length: 550mm
- 24W Length: 550mm
- 28W Length: 1105mm
- 55W Length: 1105mm



FTL622 CHROME
- 2 x 14W T5 Fluorescent Tubes
(Included)

Width: 140mm
Length: 610mm

Silver Plastic with Glass Cover
1 x Electronic Ballast
Colour Temp: 4000K

Also Available:
ML020, ML021


FTL623 CHROME
- 2 x 28W T5 Fluorescent Tubes
(Included)

Width: 140mm
Length: 1201mm

Linear Lighting

T8 LED PVC OPEN CHANNEL FITTING

NO LED STARTER OR ELECTRONIC BALLAST REQUIRED FOR FITTING
FITTINGS SOLD PER BOX (20 PIECES)
Wired for LED Tubes




FTL054 WHITE IP20 - 1 x 9W T8 LED Tubes (Not Included) Width: 34mm Length: 610mm Height: 45mm Recommended Bulb: BULB LED 176, BULB LED 177	FTL055 WHITE IP20 - 1 x 18W T8 LED Tubes (Not Included) Width: 34mm Length: 1220mm Height: 45mm Recommended Bulb: BULB LED 178, BULB LED 179	FTL056 WHITE IP20 - 1 x 22W T8 LED Tubes (Not Included) Width: 34mm Length: 1520mm Height: 45mm Recommended Bulb: BULB LED 180, BULB LED 181
---	---	---



FTL057 WHITE IP20 - 2 x 9W T8 LED Tubes (Not Included) Width: 73mm Length: 610mm Height: 42mm Recommended Bulb: BULB LED 176, BULB LED 177	FTL058 WHITE IP20 - 2 x 18W T8 LED Tubes (Not Included) Width: 73mm Length: 1220mm Height: 42mm Recommended Bulb: BULB LED 178, BULB LED 179	FTL059 WHITE IP20 - 2 x 22W T8 LED Tubes (Not Included) Width: 73mm Length: 1520mm Height: 42mm Recommended Bulb: BULB LED 180, BULB LED 181
---	---	---


G5 T5 LED OPEN CHANNEL FITTING

NO LED STARTER OR ELECTRONIC BALLAST REQUIRED FOR FITTING
Wired for LED Tubes



LIVE LED, G5 T5 PC Lamp holder, Metal Base, 2 Side Power NEUTRAL

FTL741 WHITE - 1 x 8W T5 LED Tube (Not Included) Width: 40mm Length: 580mm Height: 28mm Recommended Bulb: BULB LED 201, BULB LED 202	FTL742 WHITE - 1 x 16W T5 LED Tube (Not Included) Width: 40mm Length: 1180mm Height: 28mm Recommended Bulb: BULB LED 203, BULB LED 204	FTL743 WHITE - 1 x 18W T5 LED Tube (Not Included) Width: 40mm Length: 1480mm Height: 28mm Recommended Bulb: BULB LED 220
--	--	--



LIVE LED, 2 x G5 T5 PC Lamp holders, Metal Base, 2 Side Power NEUTRAL

FTL744 WHITE - 2 x 8W T5 LED Tube (Not Included) Width: 40mm Length: 580mm Height: 28mm Recommended Bulb: BULB LED 201, BULB LED 202	FTL745 WHITE - 2 x 16W T5 LED Tube (Not Included) Width: 40mm Length: 1180mm Height: 28mm Recommended Bulb: BULB LED 203, BULB LED 204	FTL746 WHITE - 2 x 18W T5 LED Tube (Not Included) Width: 40mm Length: 1480mm Height: 28mm Recommended Bulb: BULB LED 220
--	--	--

Linear Lighting

T8 LED OPEN CHANNEL FITTING

NO LED STARTER OR ELECTRONIC BALLAST REQUIRED FOR FITTING
Wired for LED Tubes



FTL001 WHITE

IP20

- 1 x 9W LED Tube (Not Included)

Width: 40mm
Length: 620mm
Height: 26mm

Recommended Bulb:

BULB LED 176
BULB LED 177
BULB LED 290

FTL002 WHITE

IP20

- 1 x 18W LED Tube (Not Included)

Width: 40mm
Length: 1230mm
Height: 26mm

Recommended Bulb:

BULB LED 178
BULB LED 179
BULB LED 292

FTL003 WHITE


IP20

- 1 x 22W LED Tube (Not Included)

Width: 40mm
Length: 1530mm
Height: 26mm

Recommended Bulb:

BULB LED 180
BULB LED 181
BULB LED 293



FTL004 WHITE

IP20

- 2 x 9W LED Tubes (Not Included)

Width: 81mm
Length: 620mm
Height: 35mm

Recommended Bulb:

BULB LED 176
BULB LED 177
BULB LED 290

FTL005 WHITE

IP20

- 2 x 18W LED Tubes (Not Included)

Width: 81mm
Length: 1230mm
Height: 35mm

Recommended Bulb:

BULB LED 178
BULB LED 179
BULB LED 292

FTL006 WHITE


IP20

- 2 x 22W LED Tubes (Not Included)

Width: 81mm
Length: 1530mm
Height: 35mm

Recommended Bulb:

BULB LED 180
BULB LED 181
BULB LED 293



FTL015 WHITE

3 Foot, IP20

- 2 x 13W LED Tubes (Not Included)


Width: 81mm
Length: 930mm
Height: 35mm

Recommended Bulb:

BULB LED 185
BULB LED 291

Linear Lighting

LED UNDER COUNTER LIGHTS



FTL109

T5 Emergency Linear Cabinet Light with On/Off Side Switch, IP20
Includes: 2 Clips, 2 Screws, 1 Connector, 2 Pin Power Cable
Fitting is Extendable

- 9W LED

Power Cable: 1200mm

Emergency Time: 4 Hours

Emergency Wattage: 3W

Material: Plastic
Colour Temp: 4000K

Lumen: 810

Length: 578mm


Battery: 1800mAh

Width: 23mm

Chips: SMD2835

Height: 35mm

PF: >0.5



LED, Plastic Under Counter Light with Switch, IP20
Fitting is Extendable

1 x 1200mm Power Supply Cable and 1 Set of Parts (Included)
Chips: SMD 2835
Power Factor: >0.5

FTL110 WHITE

Colour Temp: 4000K

FTL210 WARM

Colour Temp: 3000K

- 5W LED (Included)

Lumen: 400

Width: 21mm

Length: 315mm (Not Including Cable)

Depth: 34mm



Aluminium and Plastic Under Counter Light with Switch
Can be connected with Connector Cable
Not Dimmable

1 x 300mm Connector Cable and Connector Block (Included)

1 x LED Driver (Included)

Colour Temp: 4000K

FTL111 WHITE

Colour Temp: 4000K

FTL211 WARM

Colour Temp: 3000K

- 9W LED (Included)

Lumen: 720

Width: 21mm

Length: 575mm (Not Including Cable)

Depth: 34mm

FTL710 SILVER

- 6W LED (Included)

Lumen: 480

Width: 23mm

Length: 305mm (Not Including Cable)

Depth: 35mm

FTL112 WHITE

Colour Temp: 4000K

FTL212 WARM

Colour Temp: 3000K

- 14W LED (Included)

Lumen: 1120

Width: 21mm

Length: 875mm (Not Including Cable)

Depth: 34mm

FTL711 SILVER

- 9W LED (Included)

Lumen: 720

Width: 23mm

Length: 575mm (Not Including Cable)

Depth: 35mm

FTL113 WHITE

Colour Temp: 4000K

FTL213 WARM

Colour Temp: 3000K

- 18W LED (Included)

Lumen: 1440

Width: 21mm

Length: 1175mm (Not Including Cable)

Depth: 34mm

FTL712 SILVER

- 12W LED (Included)

Lumen: 1100

Width: 23mm

Length: 875mm (Not Including Cable)

Depth: 35mm

FTL713 SILVER

- 16W LED (Included)

Lumen: 1400

Width: 23mm

Length: 1173mm (Not Including Cable)

Depth: 35mm

Linear Lighting

LED UNDER COUNTER LIGHT WITH SENSOR SWITCH

SINGLE FITTING - 500MM



FTL011 UC

Blister Pack, IP20
Aluminium and PC Under Counter Light
with Sensor Switch
Fitting is Extendable

- 5.5W LED (Included)
1 x 1500mm Power Supply Cable
1 set Parts (Included)

Colour Temp: 4000K
Lumen: 403
CRI: >80

Width: 30mm
Length: 500mm

DOUBLE FITTING - 500MM



FTL013 UC

Blister Pack, IP20
Two Pack Aluminium and PC Under Counter Light
with Sensor Switch
Fitting is Extendable

- 2 x 5.5W LED (Included)
1 x 1500mm Power Supply Cable
1 set Parts (Included)

Colour Temp: 4000K
Lumen: 2 x 403
CRI: >80

Width: 30mm
Length: 500mm

SINGLE FITTING - 1000MM



FTL012 UC

Blister Pack, IP20
Aluminium and PC Under Counter Light
with Sensor Switch
Fitting is Extendable

- 10.5W LED (Included)
1 x 1500mm Power Supply Cable
1 set Parts (Included)

Colour Temp: 4000K
Lumen: 755
CRI: >80

Width: 30mm
Length: 1000mm

LED UNDER COUNTER LIGHT WITH SENSOR SWITCH

Linear Lighting

VAPOUR PROOF FOR LED TUBES



Vapour Proof Linear Light for LED Tubes, IP65
ABS Base with PC Diffuser, Single Wiring
Colour: Grey

FTL037 LED

- 1 x 9W T8 LED Tube (Not Included)

Width: 68mm
Length: 670mm
Depth: 56mm

Recommended Bulb:

BULB LED 176
BULB LED 177

FTL038 LED

- 1 x 18W T8 LED Tube (Not Included)

Width: 68mm
Length: 1270mm
Depth: 56mm

Recommended Bulb:

BULB LED 178
BULB LED 179

FTL039 LED

- 1 x 22W T8 LED Tube (Not Included)

Width: 68mm
Length: 1570mm
Depth: 56mm

Recommended Bulb:

BULB LED 180
BULB LED 181



Vapour Proof Linear Light for LED Tubes, IP65
ABS Base with PC Diffuser, Single Wiring
Colour: Grey

FTL040 LED

- 2 x 9W T8 LED Tubes (Not Included)

Width: 115mm
Length: 670mm
Depth: 50mm

Recommended Bulb:

BULB LED 176
BULB LED 177

FTL041 LED

- 2 x 18W T8 LED Tubes (Not Included)

Width: 115mm
Length: 1270mm
Depth: 50mm

Recommended Bulb:

BULB LED 178
BULB LED 179

FTL042 LED


- 2 x 22W T8 LED Tubes (Not Included)

Width: 115mm
Length: 1570mm
Depth: 50mm

Recommended Bulb:

BULB LED 180
BULB LED 181

TRI-PROOF LIGHTS



FTL715 WHITE

LED, Plastic Tri-proof Light
with Polycarbonate Diffuser, IP65

- 36W LED (Included)
Colour Temp: 4000K
Lumen: 2800

1 x 300mm Power Supply Cable
Chips: SMD 2835
Power Factor: >0.5

Width: 50mm
Length: 1200mm
Depth: 50mm



Tri-proof Light, Suitable for Outdoor Use, IP65
Material: Polycarbonate

FTL725 COOL WHITE

- 18W LED

Colour Temp: 4000K
Lumen: 1400

Width: 58mm
Length: 633mm

FTL727 COOL WHITE


- 36W LED

Colour Temp: 4000K
Lumen: 2800

Width: 58mm
Length: 1230mm

Linear Lighting

LED



FTL150 Metal and Polycarbonate Fitting

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1800

Length: 740mm
Width: 220mm
Depth: 96mm

Colours Available:
Black, Silver, White



Plastic with PC Cover, Connection Cable Included

FTL008 WHITE - 2 x 9W LED (Included)

Colour Temp: 6000K
Lumen: 1440

Width: 78mm
Length: 600mm

FTL009 WHITE - 2 x 18W LED (Included)

Colour Temp: 6000K
Lumen: 2880

Width: 78mm
Length: 1200mm



CCT - COLOUR CHANGING TEMPERATURE 3000K - 6500K CCT **INDOOR USE ONLY**

Slim Line LED Flush Mount Linear Fitting
Material: Aluminium and PC Cover
Colour Temp: 3000K - 6500K CCT
Power Factor: > 0.5

FTL735 CCT - 18W LED (Included) Lumen: 1260

Width: 54mm
Length: 600mm
Height: 45mm

FTL736 CCT - 36W LED (Included) Lumen: 2520

Width: 54mm
Length: 1200mm
Height: 45mm

FTL737 CCT - 48W LED (Included) Lumen: 3360

Width: 54mm
Length: 1500mm
Height: 45mm

Linear Lighting

LED



FTL698 BLACK **FTL700 WHITE**

Aluminium with PC Cover
- 20W LED (Included)
1 x LED Driver (Included)
Colour Temp: 6500K
Lumen: 1800

Width: 75mm
Length: 600mm
Height: 25mm

FTL699 BLACK **FTL701 WHITE**

Aluminium with PC Cover
- 40W LED (Included)
1 x LED Driver (Included)
Colour Temp: 6500K
Lumen: 3600

Width: 75mm
Length: 1200mm
Height: 25mm



FTL702 SILVER

Aluminium and Plastic with Silver Edge
- 24W LED (Included)
1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 1900

Width: 110mm
Length: 600mm
Depth: 35mm

FTL703 SILVER

Aluminium and Plastic with Silver Edge
- 48W LED (Included)
1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 3800

Width: 110mm
Length: 1200mm
Depth: 35mm



FTL704 WHITE

Metal with PC Cover, IP20
- 18W LED (Included)
1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 1260

Width: 145mm
Length: 580mm
Height: 50mm

FTL705 WHITE

Metal with PC Cover, IP20
- 36W LED (Included)
1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 2520

Width: 145mm
Length: 1180mm
Height: 50mm



FTL708 WHITE

Metal with PC Cover, IP20
- 18W LED (Included)
1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 1260

Width: 120mm
Length: 585mm
Height: 50mm

FTL709 WHITE

Metal with PC Cover, IP20
- 36W LED (Included)
1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 2520

Width: 120mm
Length: 1185mm
Height: 50mm

Linear Lighting

LED



FTL719 WHITE

Aluminium and PC Cover

- 26W LED (Included)
1 x LED Driver (Included)

Lumen: 2080
Length: 615mm

IP40

Colour Temp: 6400K
Width: 75mm
Depth: 25mm

Features:

Chips: SMD: 2835
Power Factor: >0.5

FTL720 WHITE

Aluminium and PC Cover

- 60W LED (Included)
1 x LED Driver (Included)

Lumen: 4800
Length: 1515mm



FTL721 WHITE

Metal with PC Cover

- 18W LED (Included)

Colour Temp: 4000K
Lumen: 1400

Width: 54mm
Length: 623mm
Depth: 34mm


FTL722 WHITE

Metal with PC Cover

- 36W LED (Included)

Colour Temp: 4000K
Lumen: 2800

Width: 54mm
Length: 1230mm
Depth: 34mm



FTL723 WHITE

FTL748 BLACK

Metal with PC Cover
2 Foot

- 18W LED (Included)

Colour Temp: 6500K
Lumen: 1400

Width: 75mm
Length: 600mm
Depth: 22mm

FTL724 WHITE

FTL749 BLACK

Metal with PC Cover
4 Foot

- 36W LED (Included)

Colour Temp: 6500K
Lumen: 2800

Width: 75mm
Length: 1200mm
Depth: 22mm

FTL747 WHITE

FTL750 BLACK

Metal with PC Cover
5 Foot

- 45W LED (Included)

Colour Temp: 6500K
Lumen: 3150

Width: 75mm
Length: 1500mm
Depth: 22mm

FTL733 WHITE

Metal with Silver Trim
and PC Cover
8 Foot

- 65W LED (Included)

Colour Temp: 6500K
Lumen: 5000

Width: 75mm
Length: 2400mm
Depth: 25mm

Linear Lighting

WIRED FOR LED TUBES



LED, Flush Mount, Slim Line, Metal with Plastic Cover

FTL018 BLACK **FTL020 WHITE**

- 2 x 9W T8 LED Tubes (Not Included)

Width: 150mm
Length: 630mm

Recommended Bulb:

BULB LED 176
BULB LED 177

FTL019 BLACK **FTL021 WHITE**

- 2 x 18W T8 LED Tubes (Not Included)

Width: 150mm
Length: 1240mm

Recommended Bulb:

BULB LED 178
BULB LED 179



LED, Flush Mount, Slim Line Fitting with Grid

FTL022 WHITE

- 2 x 9W T8 LED Tubes (Not Included)

Width: 150mm
Length: 637mm

Recommended Bulb:

BULB LED 176
BULB LED 177

FTL023 WHITE

- 2 x 18W T8 LED Tubes (Not Included)

Width: 150mm
Length: 1250mm

Recommended Bulb:

BULB LED 178
BULB LED 179



LED, Flush Mount, Slim Line Fitting with Plastic Cover

FTL024 WHITE

- 2 x 9W T8 LED Tubes (Not Included)

Width: 130mm
Length: 640mm

Recommended Bulb:

BULB LED 176
BULB LED 177

FTL025 WHITE

- 2 x 18W T8 LED Tubes (Not Included)

Width: 130mm
Length: 1250mm

Recommended Bulb:

BULB LED 178
BULB LED 179

Linear Lighting

WIRED FOR LED TUBES



FTL601
Satin Chrome Fitting

- 2 x 8W T5 LED Tubes (Not Included)

Width: 100mm
Length: 650mm

Recommended Bulb:
BULB LED 201
BULB LED 202

FTL602
Satin Chrome Fitting

- 2 x 16W LED Tubes (Not Included)

Width: 100mm
Length: 1250mm

Recommended Bulb:
BULB LED 203
BULB LED 204



FTL046 SATIN

- 2 x 9W T8 LED Tubes (Not Included)

Width: 205mm
Length: 680mm

Recommended Bulb:
BULB LED 176
BULB LED 177

FTL047 SATIN

- 2 x 18W T8 LED Tubes (Not Included)

Width: 205mm
Length: 1285mm

Recommended Bulb:
BULB LED 178
BULB LED 179



FTL043 SATIN

- 2 x 9W T8 LED Tubes (Not Included)

Width: 125mm
Length: 760mm

Recommended Bulb:
BULB LED 176
BULB LED 177

FTL044 SATIN

- 2 x 18W T8 LED Tubes (Not Included)

Width: 125mm
Length: 1370mm

Recommended Bulb:
BULB LED 178
BULB LED 179

FTL045 SATIN

- 2 x 22W T8 LED Tubes (Not Included)

Width: 125mm
Length: 1670mm

Recommended Bulb:
BULB LED 180
BULB LED 181



FTL048 WHITE

- 2 x 9W T8 LED Tubes (Not Included)

Width: 125mm
Length: 760mm

Recommended Bulb:
BULB LED 176
BULB LED 177

FTL049 WHITE

- 2 x 18W T8 LED Tubes (Not Included)

Width: 125mm
Length: 1370mm

Recommended Bulb:
BULB LED 178
BULB LED 179

FTL050 WHITE

- 2 x 22W T8 LED Tubes (Not Included)

Width: 125mm
Length: 1670mm

Recommended Bulb:
BULB LED 180
BULB LED 181

Linear Lighting

LED STRIP LIGHTS - 24V DC - IP20 SOLD PER METRE



ON

HVS455 WARM

Colour Temp: 3000K

HVS456 COOL

Colour Temp: 4000K

HVS457 DAY

Colour Temp: 6000K

LED Strip Light, IP20

Voltage: DC24V

Power: 10W/Meter

LED Source: SMD 2835

Lumen Flux: 1000 LM/Meter

Lumen Efficiency: 100 LM/Watt

LED Quantity: 120 LED/Meter



OFF

CRI: >80

Strip Dimensions: W: 8mm, H: 3mm

Cutting Unit: 50mm per cutting

Reel: 50 Meters



ON

HVS546 WARM

Colour Temp: 3000K

HVS547 COOL

Colour Temp: 4000K

HVS548 DAY

Colour Temp: 6000K



OFF

LED COB Technology Strip Light, IP20

Voltage: DC24V


Power: 14W/Meter

LED Source: SMD 2835

Lumen: 90 LM/Watt

LED Quantity: 480 LED/Meter

Lumen Flux: 1260 LM/Meter



HVS549 BLUE

CRI: >80

Strip Dimensions: W: 8mm, H: 3mm

Cutting Unit: 50mm

Reel: 50 Meters

PARTS FOR HVS455, HVS456, HVS457, HVS546, HVS547, HVS548, HVS549



HVS420 SURF 2M

Surface Aluminium Profile with PC Cover

Includes:

2 End Caps and 4 Installation Clips

Width: 20mm

Height: 10mm

Length: 2000mm

Thickness: 0.8mm



HVS421 RECESS 2M

Surface Aluminium Profile with PC Cover

Includes:

2 End Caps and 4 Installation Clips

Width: 20mm

Height: 10mm

Length: 2000mm

Thickness: 0.8mm



HVS422 CORN 2M

Corner Aluminium Profile with PC Cover

Includes:

2 End Caps and 4 Installation Clips

Width: 15.8mm

Height: 15.8mm

Length: 2000mm

Thickness: 0.6mm



HVS470 POWER

Power Connector with Wire, IP20




HVS471 STRAIGHT

Straight Connector, IP20



HVS472 L CONNECT

L Connector, IP20



LED Driver, IP20

Power: 60W

Output: DC24V

HVS480

Power: 60W

Input: 85 - 265V

Width: 35mm

Length: 120mm

HVS481

Power: 100W

Input: 85 - 265V

Width: 49mm

Length: 146mm

HVS482

Power: 150W

Input: 85 - 265V

Width: 49mm

Length: 179mm

HVS483

Power: 200W

Input: 85 - 265V

Width: 49mm

Length: 200mm

HVS484

Power: 300W

Input: 175 - 265V

Width: 49mm

Length: 237mm

Linear Lighting

LED STRIP LIGHTS - 24V DC - IP65

SOLD PER METRE



HVS463 WARM
Colour Temp: 3000K

HVS464 COOL
Colour Temp: 4000K

HVS465 DAY
Colour Temp: 6000K

ON

LED Strip Light, IP65
Voltage: DC24V
Power: 10W/Meter
LED Source: SMD 2835
Lumen Flux: 1000 LM/Meter
Lumen Efficiency: 100 LM/Watt
LED Quantity: 120 LED/Meter



CRI: >80

OFF

Strip Dimensions: W: 10mm, H: 4mm
Cutting Unit: 50mm per cutting
Reel: 50 Meters



ON


HVS580 WARM
Colour Temp: 3000K

HVS581 COOL
Colour Temp: 4000K

HVS582 DAY
Colour Temp: 6000K

LED COB Technology Strip Light, IP65
Voltage: DC24V
Power: 14W/Meter
LED Source: SMD 2835
Lumen: 90 LM/Watt
LED Quantity: 480 LED/Meter
Lumen Flux: 1260 LM/Meter

OFF



ON

HVS583 BLUE

CRI: >80
Strip Dimensions: W: 10mm, H: 4mm
Cutting Unit: 50mm
Reel: 50 Meters



OFF

PARTS FOR HVS463, HVS464, HVS465, HVS580, HVS581, HVS582, HVS583



HVS422 CORN 2M

Corner Aluminium Profile with PC Cover
Includes:
2 End Caps and 4 Installation Clips

Width: 15.8mm
Height: 15.8mm
Length: 2000mm
Thickness: 0.6mm



HVS423 SURFACE

Surface Aluminium Profile with PC Cover
Includes:
2 End Caps and 4 Installation Clips

Width: 17.4mm
Height: 12.1mm
Length: 2000mm
Thickness: 0.7mm



HVS424 RECESS

Recessed Aluminium Profile with PC Cover
Includes:
2 End Caps and 4 Installation Clips

Width: 24.5mm
Height: 12.2mm
Length: 2000mm
Thickness: 0.6mm



HVS564 POWER

Power Connector with Wire, IP65



HVS565 STRAIGHT

Straight Connector, IP65



HVS566 L CONNECT

L Connector, IP65



HVS567 END CAP

End Cap, IP65



HVS495

Power: 100W
Width: 52mm
Length: 155mm

HVS496

Power: 200W
Width: 52mm
Length: 195mm

LED Driver, IP65
Input: 180 - 265V
Output: DC24V

Linear Lighting

LED STRIP LIGHTS - 220V - IP65



5M White LED Blister Pack Strip Light, IP65
220V – No Transformer Required

Power Consumption: 6W/Meter
LED Quantity: 120 LED/Meter
Total Wattage: 30W
LED Source: SMD 2835
Strip Dimension: W: 11mm x H: 7mm
Cutting Unit: 1 Meter
Max. Running: 5 Meters
CRI: 80



HVS400 DAYLIGHT
Colour Temp: 6000K



HVS401 COOL
Colour Temp: 4000K



HVS402 WARM
Colour Temp: 3000K

Linear Lighting

LED STRIP LIGHTS - 220V - IP65



5M LED Blister Pack Strip Light, IP65
220V – No Transformer Required


Power Consumption: 6W/Meter
LED Quantity: 120 LED/Meter
Total Wattage: 30W
LED Source: SMD 2835
Strip Dimension: W: 11mm x H: 7mm
Cutting Unit: 1 Meter
Max. Running: 5 Meters
CRI: 80



HVS403 GREEN



HVS404 BLUE



HVS405 RED

Linear Lighting

LED STRIP LIGHTS - 220V - IP65

SOLD PER METRE



HVS001: COOL WHITE
Colour Temp: 6000K



HVS002: WARM WHITE
Colour Temp: 3000K

HVS001 and HVS002
White LED Strip Light, Sold per Meter, IP65

Power Consumption: 6W/Meter
LED Source: SMD 2835
Lumen Flux: 300 LM/Meter
Lumen Efficiency: 50 LM/Watt
LED Quantity: 120 LED/Meter

Strip Dimension: W: 13mm x H: 7mm
Cutting Unit: 1 Meter
Max. Running: 50 Meters



HVS003: GREEN



HVS005: RED



HVS004: BLUE

HVS003, HVS004, HVS005
LED Strip Light, Sold per Meter, IP65

Power Consumption: 4-6W/Meter
LED Source: SMD 2835
Lumen Flux: 100 LM/Meter
Lumen Efficiency: 16 LM/Watt
LED Quantity: 120 LED/Meter

Strip Dimension: W: 13mm x H: 6.5mm
Cutting Unit: 1 Meter
Max. Running: 50 Meters

PARTS FOR HVS001, HVS002, HVS003, HVS004, HVS005



HVS006 IP44
2 Pin Power Feed, Non Waterproof, IP44
Length: 435mm



HVS007 IP65
2 Pin Power Feed, Waterproof, IP65
Length: 520mm



HVS008 CLIP
Plastic Mounting Clip
Length: 32mm



HVS009 CONNECT
Plastic Straight Connector
Length: 30mm



HVS010 END
Plastic End Cap
Width: 16mm



HVS011 T CONNECT
Plastic T Connector
Width: 50mm
Length: 68mm



HVS012 L CONNECT
Plastic L Connector
Width: 45mm

Linear Lighting

RGB LED STRIP LIGHTS - 220V - IP65

SOLD PER METRE



HVS120 RGB

RGB LED Strip Light, Sold per Meter, IP65

Power Consumption: 10W/Meter
LED Source: SMD 5050 RGB
Lumen Flux: 100 LM/Meter
Lumen Efficiency: 16 LM/Watt
LED Quantity: 60 LED/Meter

Strip Dimension: W: 13mm x H: 8mm
Cutting Unit: 1 Meter
Max. Running: 50 Meters

PARTS FOR HVS120 RGB



HVS121 CONTROL

2 Pin RGB Controller
Power: 720W Max
Length: 45mm

Includes RGB Remote Control
Remote Distance: Max. 10 Meters



HVS122 CLIP

Plastic Mounting Clip for LED Strip Light
Length: 37mm



HVS124 CONNECT

Plastic Straight Connector
Length: 27mm



HVS123 END

Plastic End Cap
Width: 20mm

Linear Lighting

LED STRIP LIGHTS - 220V - IP65

SOLD PER METRE



HVS231: COOL WHITE
Colour Temp: 4000K



HVS232: WARM WHITE
Colour Temp: 3000K



HVS233: GREEN



HVS234: BLUE



HVS235: RED

HVS231, HVS232, HVS233, HVS234, HVS235
LED Strip Light, Sold per Meter, IP65

Power Consumption: 7W/Meter
LED Source: SMD 2835
Lumen Flux: 120 LM/Meter
Lumen Efficiency: 17 LM/Watt
LED Quantity: 96 LED/Meter

Strip Dimension: W: 10mm x H: 20mm
Cutting Unit: 1 Meter
Max. Running: 50 Meters

PARTS FOR HVS231, HVS232, HVS233, HVS234, HVS235



HVS236 IP44
2 Pin Power Feed, Non Waterproof
IP44
Length: 470mm



HVS237 IP65
2 Pin Power Feed, Waterproof
IP65
Length: 470mm



HVS240 CONNECT
2 Pin Plastic Straight Connector
Length: 60mm



HVS122 CLIP
Plastic Mounting Clip for LED Strip Light
Length: 37mm



HVS238 CLIP
Aluminium Mounting Clip
Length: 50mm



HVS239 END
Plastic End Cap
Width: 25mm

Linear Lighting

RGB LED STRIP LIGHTS - 220V - IP65

SOLD PER METRE



HVS350 RGB

RGB LED Strip Light, Sold per Meter, IP65

Power Consumption: 13W/Meter
LED Source: SMD 5050 RGB
Lumen Flux: 120 LM/Meter
Lumen Efficiency: 17 LM/Watt
LED Quantity: 96 LED/Meter

Strip Dimension: W: 10mm x H: 20mm
Cutting Unit: 1 Meter
Max. Running: 50 Meters

PARTS FOR HVS350 RGB



HVS122 CLIP

Plastic Mounting Clip for LED Strip Light
Length: 37mm



HVS238 CLIP

Aluminium Mounting Clip
Length: 50mm



HVS239 END

Plastic End Cap
Width: 25mm



HVS351 CONTROL

4 Pin RGB Controller
Power: 720W Max
Length: 50mm

Includes RGB Remote Control
Remote Distance: Max. 10 Meters




HVS352 CONNECT

4 Pin Plastic Straight Connector
Length: 60mm

Linear Lighting

LED STRIP LIGHTS - 220V - IP20 - IP65




BULB LED 900

5 Meter Flexible LED Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (5cm apart)
Lumen: 3-4W/LED
12V DC
IP20
SMD: 3528 60 LED

Colour: White
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 8mm
LED per Meter: 60 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

1 x 5000mm Flexible Strip Light
1 x 18W Wall Mounted Driver



BULB LED 901

5 Meter Flexible Silicon Gel Insulated LED Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (5cm apart)
Lumen: 3-4W/LED
12V DC
IP65
SMD: 3528 60 LED

Colour: White
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 8mm
LED per Meter: 60 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

1 x 5000mm Flexible Strip Light
1 x 18W Wall Mounted Driver

Linear Lighting

RGB LED STRIP LIGHTS - 220V - IP20 - IP65



BULB LED 902

5 Meter Flexible LED RGB Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (10cm apart)
12V DC

IP20
SMD: 5050 30 LED

Colour: RGB
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 10mm
LED per Meter: 30 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

- 1 x 5000mm Flexible Strip Light
- 1 x RGB Remote Control
- 1 x RGB Control Box
- 1 x 36W Wall Mounted Driver
- 1 X AC/DC Adapter



BULB LED 903

5 Meter Flexible Silicon Gel Insulated LED RGB Strip Light
with self adhesive backing
Min. cutting length every 3rd LED (10cm apart)
12V DC

IP65
SMD: 5050 30 LED

Colour: RGB
Colour Temp: 4000K
Length of Strip: 5000mm
Width of Strip: 10mm
LED per Meter: 30 pieces
Beam Angle: 270 degrees
10 000 Hours

Includes:

- 1 x 5000mm Flexible Strip Light
- 1 x RGB Remote Control
- 1 x RGB Control Box
- 1 x 36W Wall Mounted Driver
- 1 X AC/DC Adapter



BATHROOM LIGHTING



Bathroom Lighting



WB800 CHROME
Polished Chrome Mirror
Wall Light with Switch
One Side Normal and One Side 3 x Magnifier

- 36 LED 2W

Width: 260mm
Height: 350mm
Arm: 300mm
Base: 120mm

Also Available:
TL800 CHROME



TOILET LIGHT WITH MOTION SENSOR

BULB LED 916

LED Toilet Light with Motion and Light Sensor
Fits any Toilet

- 0.1W LED (Included)

Lightbowl only works in the dark when it detects movement
It will turn on and stay on for 2 minutes after last movement
The lightbowl will work best if facing the door
8 Colours in One Device.

One button control to set single colour or colour rotation

3 x AAA batteries (Not Included)

Width: 65mm
Height: 100mm

Bathroom Lighting

EXTRACTOR FANS



FAN EXT 02 WHITE
Bathroom Extractor Fan and Light
Material: Aluminium and Polycarbonate

- 11W LED
Lumen: 900
Temp: 4000K

Fan Power: 20W

Cut Out: 125mm
Diameter: 320mm
Height: 155mm



FAN EXT 03

Fan Size: 4" (100mm)
Bathroom Extractor Fan
Full ABS Plastic
Fan Power: 12W

Width: 159mm
Cut Out: 102mm



FAN EXT 04

Fan Size: 6" (150mm)
Bathroom Extractor Fan
Full ABS Plastic
Fan Power: 20W

Width: 210mm
Cut Out: 152mm



FAN EXT 05

Fan Size: 8" (200mm)
Bathroom Extractor Fan
Full ABS Plastic
Fan Power: 22W

Diameter: 310mm
Cut Out: 240mm
Depth: 125mm



FAN EXT 06

Fan Size: 10" (250mm)
Bathroom Extractor Fan
Full ABS Plastic
Fan Power: 33W

Diameter: 350mm
Cut Out: 295mm
Depth: 125mm



FAN EXT 07

Fan Size: 8" (200mm)
Bathroom Extractor Fan with light

- 18W LED
Colour Temp: 6000K
Lumen: 2000
Material: ABS
Motor Type: AC Motor
Motor Power: 30W
RS: 1250 R/min
Air Delivery: 200m³/H

Cut Out: 200mm
Width: 245mm
Depth: 185mm



Bathroom Extractor Fan
Material: ABS

FAN EXT 08

Fan Size: 4" (100mm)
Motor Power: 15W
RS: 2300 R/min
Air Delivery: 100m³/H

Cut Out: 100mm
Width: 152mm
Depth: 123mm

FAN EXT 09

Fan Size: 6" (152mm)
Motor Power: 20W
RS: 1650 R/min
Air Delivery: 180m³/H

Cut Out: 150mm
Width: 200mm
Depth: 135mm

FAN EXT 10

Fan Size: 4" (100mm)
Motor Power: 15W
RS: 2300 R/min
Air Delivery: 100m³/H

Cut Out: 100mm
Width: 160mm
Depth: 115mm

FAN EXT 11

Fan Size: 6" (152mm)
Motor Power: 20W
RS: 1650 R/min
Air Delivery: 180m³/H

Cut Out: 150mm
Width: 210mm
Depth: 100mm



Bathroom Extractor Fan
Material: ABS

Bathroom Lighting

SPLASHPROOF DOWNLIGHTERS



DL023

220V - 240V / 50W
Straight
Bevelled Edge
Clear Splash Glass

Cut Out: 64mm
Diameter: 86mm

Colours Available:
Satin Chrome, White



DL032

Die Cast Aluminium, Straight, Splashproof with Glass
With MR16 Lampholder

Cut Out: 60mm
Diameter: 83mm

Colours Available:
Aluminium, White

Bathroom Lighting

MIRROR LIGHTS



ML045 LED

Steel and Glass LED Infinity Mirror

- 30W LED (Included)
Colour Temp: 4000K
Lumen: 1500

Diameter: 700mm
Depth: 65mm



ML057 LED

Steel and Glass Rectangular LED Infinity Mirror

- 20W LED (Included)
Colour Temp: 3000K
Lumen: 120

Width: 500mm
Height: 700mm
Depth: 60mm



ML044 LED

Polished Chrome and Crystal Mirror
with On / Off Switch

- 36W LED (Included)
1 x Power Supply
Colour Temp: 4000K
Lumen: 2100

Width: 500mm
Height: 500mm
Depth: 60mm



ML047 BATTERY MIRROR

Steel and Glass Mirror

- 20 x 0.06W LED (Included)
- 3 x AA Battery (Not Included)
IP44

Width: 450mm
Height: 600mm
Depth: 30mm

Bathroom Lighting

MIRROR LIGHTS



ML066 LED
Hollywood Mirror with Touch Switch
- 8W LED (Included)

Colour Temp: CCT

Width: 700mm
Height: 570mm
Depth: 130mm



ML064 BLACK
Metal and Plastic Mirror with On/Off Switch
Dimmable, IP44

- 36W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 1500

Diameter: 600mm
Depth: 100mm



ML065 LED
- 32W LED (Included)
- 36W Driver (Included)

Colour Temp: 3500
Lumen: 1200

Length: 1150mm
Height: 1000mm
Depth: 40mm



Bathroom Lighting

MIRROR LIGHTS



ML062 BLACK
Colour: Matt Black

Rectangular Mirror with Metal Frame
LED and Touch Switch
Dimmable, IP44

- 18W LED (Included)

Colour Temp: CCT 3500K, 4000K, 5000K
Lumen: 320
CRI: >70
PF: >0.55

Width: 700mm
Height: 800mm




ML063 BRASS
Colour: Antique Brass



ML058
Circular Mirror
with Black Leather Strap
IP44

On/Off Mirror Touch Switch
- 22W LED (Included)
Dimmable
Colour Temp: CCT 3500K – 5000K

Diameter: 600mm



ML061 LED
Circular Mirror, IP44
On / Off Mirror Touch Switch
Dimmable

- 32W LED (Included)
Colour Temp: CCT 3500K – 5000K
Lumen: 1200

Diameter: 800mm

Bathroom Lighting

MIRROR LIGHTS




ML036 LED

Rectangle Mirror with On / Off Mirror Switch

- 22W LED (Included)
1 x Power Supply
Colour Temp: 4000K
Lumen: 1980
PF>0.6

Height: 700mm
Width: 500mm
Depth: 35mm



ML053 LED

Rectangular Mirror
On/Off Mirror Touch Switch
IP44

- 21.5W LED (Included)
Colour Temp: 4000K
Lumen: 1925
CRI: >80
PF: >0.5

Width: 450mm
Height: 750mm
Depth: 30mm



ML055 LED

Rectangular Mirror
with Attached Polycarbonate Mirror Light
IP44

- 6W LED (Included)
Colour Temp: 4000K
Lumen: 540
CRI: >80
PF: >0.5

Width: 450mm
Mirror Height: 750mm
(778mm including PC Mirror Light)
Depth: 115mm
(Including PC Mirror Light)




ML056 LED

Rectangular Mirror
IP44

- 8W LED (Included)
Colour Temp: 4000K
Lumen: 720
CRI: >80
PF: >0.5

Width: 500mm
Height: 700mm
Depth: 30mm



ML060 LED

Rectangular Mirror
IP44
On / Off Mirror Touch
Switch
Dimmable

- 15W LED (Included)
Colour Temp:
CCT 3500K – 5000K
Lumen: 600

Width: 500mm
Height: 700mm

Bathroom Lighting

MIRROR LIGHTS




ML051 LED

Rectangular Mirror
On/Off Mirror Touch Switch and X 3 Magnifier
Dimmable

- 22W LED (Included)
1 x Power Supply (Included)
Colour Temp: 4000K
Lumen: 1980
PF: >0.5

Length: 800mm
Height: 600mm
Depth: 35mm



ML052 LED

Rectangular Mirror
On/Off Mirror Touch Switch and 3 x Magnifier
Dimmable, Anti-fog

- 72W LED (24W for Anti-fog pad)
1 x Power Supply (Included)
Colour Temp: 4000K
Lumen: 4320
PF: >0.7

Length: 1400mm
Height: 800mm
Depth: 35mm

Bathroom Lighting

MIRROR LIGHTS



ML027 LED
Rectangular Mirror
with On / Off Mirror Switch
Dimmable

- 48W LED (Included)
1 x Power Supply (Included)

Colour Temp: 3000K
Lumen: 4320

Length: 1400mm
Height: 800mm
Depth: 35mm

ML054 LED
Rectangular Mirror
On/Off Mirror Touch Switch, IP44

- 24W LED (Included)
Colour Temp: 4000K
Lumen: 2145
CRI: >80
PF: >0.5

Length: 800mm
Height: 600mm
Depth: 30mm



ML059 LED
Rectangular Mirror with Black Frame, IP44
On / Off Mirror Touch Switch
Dimmable

- 24W LED (Included)

Colour Temp: CCT 3500K – 5000K
Lumen: 900

Length: 800mm
Height: 600mm

Bathroom Lighting



ML020 CHROME

Polished Chrome with Glass Cover
- 1 x 14W T5 Fluorescent Tube (Included)
1 x Electronic Ballast (Included)
Colour Temp: 4000K

Width: 60mm
Length: 610mm

Also Available:
FTL622, FTL623

ML021 CHROME

Polished Chrome with Glass Cover
- 1 x 21W T5 Fluorescent Tube (Included)
1 x Electronic Ballast (Included)
Colour Temp: 4000K

Width: 60mm
Length: 910mm

Also Available:
FTL622, FTL623



WB273 SATIN

LED, 201 Stainless Steel Bathroom Mirror Light
or Picture Light with PC Diffuser IP20

- 9W LED (Included)
Colour Temp: 4000K
Lumen: 540
Beam Angle: 120 degrees

Length: 420mm
Base: 162mm x 57mm
Depth: 210mm



WB274 CHROME

LED, 201 Stainless Steel Bathroom Mirror Light
or Picture Light with PC Diffuser
IP20

- 7W LED (Included)
Colour Temp: 4000K
Lumen: 420
Beam Angle: 120 degrees

Length: 420mm
Depth: 200mm

WB272 BLACK


LED, 201 Stainless Steel Bathroom Mirror Light
or Picture Light with PC Diffuser
IP20

- 9W LED (Included)
Colour Temp: 4000K
Lumen: 540
Beam Angle: 120 degrees

Length: 405mm
Depth: 110mm



Bathroom Lighting



WB186 CHROME

Polished Aluminium and Polycarbonate Mirror Light, IP44

- 12W LED (Included)
 Colour Temp: 4000K
 Lumen: 960
 CRI: >80
 PF: >0.5

Length: 600mm
 Depth: 112mm



WB187 CHROME

Polished Aluminium Mirror Light, IP44

- 6W LED (Included)
 Colour Temp: 4000K
 Lumen: 540
 CRI: >80
 PF: >0.5

Length: 400mm
 Depth: 116mm



WB188 CHROME

Aluminium and Polycarbonate, IP44

- 15W LED (Included)
 Colour Temp: 4000K
 Lumen: 1200
 CRI: >80
 PF: >0.5

Length: 780mm
 Depth: 134mm



ML005 SATIN

Satin Chrome Wall Bracket with White Glass, IP44

- 1 x 40W SES

Width: 90mm
 Length: 300mm
 Depth: 95mm




ML030 CHR

Polished Chrome Wall Bracket with White Glass, IP44

- 1 x 60W SES

Base: 70mm
 Height: 230mm



ML009 SATIN


Satin Chrome Wall Bracket with White Glass, IP44

- 2 x 40W G9 (Included)

Width: 50mm
 Length: 360mm
 Depth: 80mm
 Base: 80mm

Bathroom Lighting

STARLIGHT PATTERNED POLYCARBONATE COVERS



LED Hexagonal Polycarbonate Fitting with Starlight Patterned Polycarbonate Cover
Bayonet Lock, 1 x LED Driver (Included)
IP20

CF255 COOL
- 12W LED (Included)
Colour Temp: 4000K
Lumen: 800

Diameter: 260mm
Height: 60mm

CF256 COOL
- 18W LED (Included)
Colour Temp: 4000K
Lumen: 1200

Diameter: 360mm
Height: 70mm

CF257 COOL
Colour Temp: 4000K
- 24W LED (Included)
Lumen: 1700

Diameter: 395mm
Height: 72mm



LED Polycarbonate Fitting
with Starlight Patterned Polycarbonate Cover
Bayonet Lock
IP20

1 x Electronic Driver (Included)

Colour Temp: 6000K

CF012 - 12W LED (Included)
Lumen: 800mm
Diameter: 260mm

CF013 - 18W LED (Included)
Lumen: 1200mm
Diameter: 330mm

CF014 - 24W LED (Included)
Lumen: 1700mm
Diameter: 385mm



LED Aluminium Fitting
with Starlight Patterned Polycarbonate Cover
1 x Electronic Driver (Included)
Bayonet Lock

Colour Temp: 6000K

CF053 ALUMINIUM
- 12W LED (Included)
Lumen: 1260

Diameter: 215mm
Height: 60mm

CF054 ALUMINIUM
- 18W LED (Included)
Lumen: 1890

Diameter: 262mm
Height: 60mm

CF055 ALUMINIUM
- 24W LED (Included)
Lumen: 2520

Diameter: 320mm
Height: 60mm

Bathroom Lighting



Easy Installation Ceiling Fitting
 1 x Electronic Driver (Included)
 Colour Temp: 4000K
 CRI >70, PF >0.5

CF046/9 - 9W LED (Included) Lumen: 810 Diameter: 95mm Height: 40mm	CF047/13 - 13W LED (Included) Lumen: 1170 Diameter: 120mm Height: 40mm	CF048/18 - 18W LED (Included) Lumen: 1620 Diameter: 150mm Height: 40mm	CF049/24 - 24W LED (Included) Lumen: 2160 Diameter: 180mm Height: 40mm	CF050/36 - 36W LED (Included) Lumen: 3240 Diameter: 230mm Height: 40mm
---	---	---	---	---



SIDE VIEW

LED, Metal Base with Polycarbonate Cover
 Bayonet Lock, 1 x LED Driver (Included)
 IP20

CF249 COOL - 12W LED (Included) Colour Temp: 4000K Lumen: 800 Diameter: 260mm Height: 58mm	CF250 COOL - 18W LED (Included) Colour Temp: 4000K Lumen: 1200 Diameter: 330mm Height: 60mm	CF251 COOL - 24W LED (Included) Colour Temp: 4000K Lumen: 1700 Diameter: 380mm Height: 60mm
--	---	---

Bathroom Lighting



LED Surface Die Cast Aluminium
with PC Cover

DL506 WHITE

- 6W LED (Included)

Colour Temp: 4000K
Lumen: 420mm

Diameter: 115mm
Height: 28mm

DL507 WHITE

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 840mm

Diameter: 165mm
Height: 28mm

DL510 WHITE

- 18W LED (Included)

Colour Temp: 4000K
Lumen: 1200mm


Diameter: 220mm
Height: 28mm

DL512 WHITE

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920mm

Diameter: 288mm
Height: 28mm



DL511 WHITE

Die Cast Aluminium Ceiling Fitting
with Polycarbonate Cover

- 18W LED (Included)
1 x Electronic LED Driver (Included)
Colour Temp: 4000K

Width: 240mm
Height: 35mm



LED Brushed Aluminium and Polycarbonate Fitting
Includes LED Power Supply
Colour Temp: 6300K

CF673

- 11W LED (Included)
Lumen: 565

Width: 270mm
Height: 75mm

CF674

- 22W LED (Included)
Lumen: 1400

Width: 370mm
Height: 75mm

Bathroom Lighting



Aluminium, Iron and Acrylic Ceiling Fitting
Bayonet Lock

CF0663 ALUMINIUM

- 1 x 60W ES (E27) LED or Energy Saver Only

Diameter: 215mm
Height: 82mm

CF0664 ALUMINIUM

- 1 x 60W ES (E27) LED or Energy Saver Only

Diameter: 260mm
Height: 90mm

CF0665 ALUMINIUM

- 2 x 60W ES (E27) LED or Energy Saver Only

Diameter: 325mm
Height: 105mm



LED Polycarbonate Fitting
Includes LED Power Supply
Colour Temp: 6300K

CF367

- 16W LED (Included)
Lumen: 1200
Diameter: 350mm

CF368

- 22W LED (Included)
Lumen: 1650
Diameter: 390mm



Metal with PC Cover
Colour Temp: 6300K

CF728

- 24W LED (Included)
Lumen: 900

Width: 320mm
Height: 50mm

CF729

- 36W LED (Included)
Lumen: 1600

Width: 375mm
Height: 50mm



LED, Polycarbonate Fitting
Colour Temp: 6300K

CF375

- 12W LED (Included)
Lumen: 840
Diameter: 292mm

CF376

- 18W LED (Included)
Lumen: 1080
Diameter: 350mm

CF377

- 24W LED (Included)
Lumen: 1440
Diameter: 410mm

Bathroom Lighting



LED Polycarbonate Fitting
Bayonet Lock
IP20
1 x Electronic Driver (Included)

Colour Temp: 6000K

CF364

- 12W LED (Included)
Lumen: 800
Diameter: 260mm

CF365

- 18W LED (Included)
Lumen: 1200
Diameter: 330mm

CF366

- 24W LED (Included)
Lumen: 1700
Diameter: 385mm

Also Available:

CF270, CF271, CF272 LED
EMERGENCY BATTERY BACKUP



Polycarbonate Fitting
Bayonet Lock
IP20

CF121 ES

- 1 x ES (E27) LED Only
Diameter: 260mm
Height: 85mm

CF122 ES

- 2 x ES (E27) LED Only
Diameter: 325mm
Height: 105mm

CF123 ES

- 2 x ES (E27) LED Only
Diameter: 375mm
Height: 105mm



CF372 CCT LED
LED, Metal Base with PVC Cover,
with CCT Switch on Driver
Bayonet Lock

- 48W LED (Included)
- 1 x LED Driver (Included)
Colour Temp: 3000K, 4000K, 6000K
Lumen: 3120

Diameter: 480mm
Height: 50mm



LED, ABS Ceiling Fitting
IP33
1 x Electronic Driver (Included)

Material: ABS
Colour Temp: 4000K
CRI: 70
PF: >0.5

CF564 MATT BLACK

- 38W LED (Included)
Lumen: 3240

Diameter: 400mm
Height: 25mm

CF566 MATT BLACK

- 48W LED (Included)
Lumen: 4320

Diameter: 500mm
Height: 25mm



LED, ABS Ceiling Fitting
IP33
1 x Electronic Driver (Included)

Material: ABS
Colour Temp: 4000K
CRI: 70
PF: >0.5

CF565 MATT WHITE

- 38W LED (Included)
Lumen: 3240

Diameter: 400mm
Height: 25mm

CF567 MATT WHITE

- 48W LED (Included)
Lumen: 4320

Diameter: 500mm
Height: 25mm

Bathroom Lighting



CF344 LED



CF346 LED



CF345 LED



CF347 LED

LED, Opal PVC Fitting
IP20

- 24W LED (Included)

Colour Temp: 6000K
Lumen: 1700
CRI: >80
PF: >0.5
Beam Angle: 120 degrees

Diameter: 380mm
Height: 50mm

SOLD PER BOX OF 10 PIECES



CF335 LED



CF337 LED

LED, Metal Base with Opal PVC Fitting
IP20

- 12W LED (Included)

Colour Temp: 6000K
Lumen: 780
CRI: >70
PF: >0.5
Beam Angle: 120 degrees

Diameter: 260mm
Height: 90mm



CF336 LED



CF338 LED

Diameter: 260mm
Height: 55mm

Bathroom Lighting



Polycarbonate Ceiling Fitting
Bayonet Lock
IP54

Colour Temp: 4000K
CRI: >80
PF: >0.85

CF124 WHITE

- 15W LED
Lumen: 1800
Diameter: 160mm
Height: 60mm

CF127 WHITE

- 20W LED
Lumen: 2400
Diameter: 220mm
Height: 65mm



Polycarbonate Ceiling Fitting
Bayonet Lock
IP54

Colour Temp: 4000K
CRI: >80
PF: >0.85

CF125 LIGHT WOOD

- 15W LED
Lumen: 1800
Diameter: 160mm
Height: 60mm

CF128 LIGHT WOOD

- 20W LED
Lumen: 2400
Diameter: 220mm
Height: 65mm



Polycarbonate Ceiling Fitting
Bayonet Lock
IP54

Colour Temp: 4000K
CRI: >80
PF: >0.85

CF126 WOOD

- 15W LED
Lumen: 1800
Diameter: 160mm
Height: 60mm

CF130 WOOD

- 20W LED
Lumen: 2400
Diameter: 220mm
Height: 65mm



CF017 WHITE

LED, Metal Ceiling Fitting
with Polycarbonate Cover
Bayonet Lock

1 x LED Power Supply (Included)

Colour Temp: 6000K

Large: - 24W LED
Lumen: 1600
Diameter: 370mm

Small: - 18W LED
Lumen: 1200
Diameter: 320mm



CF370

LED, Polycarbonate Fitting

- 24W LED (Included)

Colour Temp: 6300K
Lumen: 1800

Diameter: 340mm



CF099

Polycarbonate Colour Base
with Opal Polycarbonate Cover

- 1 x 15W ES CFL

Width: 270mm

Colours Available:
Black, Silver, White

Bathroom Lighting

CHEESE FITTINGS GLASS



CF3040 STONE

Stone Finish Base with Alabaster Glass

- Large:** - 300mm
- 2 x 60W ES
Small: - 230mm
- 1 x 60W ES



CF380

Satin Chrome with Alabaster Glass,
Bayonet Lock

- Large:** - 300mm
- 2 x 60W ES
Small: - 230mm
- 1 x 60W ES



CH001

Metal Base with White Glass

- Large:** - 230mm
- 1 x 60W ES
Small: - 180mm
- 1 x 60W ES

POLYCARBONATE

LED, Metal base
with Polycarbonate Cover



CH002 SMALL COOL

Colour Temp: 4000K

CH006 SMALL WARM

Colour Temp: 2700K

- 12W LED
Lumen: 750

Diameter: 260mm
Height: 70mm

CH002 LARGE COOL

- 18W LED
Colour Temp: 4000K
Lumen: 1100

Diameter: 340mm
Height: 75mm



CH003

Polycarbonate Cheese Fitting
Energy Saver or LED Bulb Only
Bayonet Lock
IP20

- Large:** - 250mm
- 2 x 11W ES
Small: - 200mm
- 1 x 11W ES



CH004

Metal Base with Alabaster Polycarbonate Cover
Bayonet Lock

- Large:** - 250mm
- 1 x 60W ES
Small: - 200mm
- 1 x 60W ES



CH005

Metal Base with Alabaster Polycarbonate Cover
Energy Saver or LED Bulb only
IP20


- Large:** 250mm
- 2 x 11W ES CFL
Small: 190mm
- 1 x 11W ES CFL

The image is a vertical advertisement for outdoor lighting. At the top, there are green, leafy branches of a tree or shrub against a light sky. Below this, the text "OUTDOOR LIGHTING" is centered in a large, bold, black, sans-serif font. The background of the lower half of the image is a modern garden or courtyard. It features a low, rust-colored metal wall. In the foreground, three black cylindrical outdoor lights are placed on a bed of grey gravel. Each light has a white, glowing top section. To the left of the lights is a green agave-like plant, and to the right is a dark, bushy shrub. The overall aesthetic is clean and contemporary.

OUTDOOR LIGHTING

Outdoor Lighting

MOSQUITO LAMPS



ML200
- 2 x 8W

Length: 340mm
Width: 75mm
Height: 265mm

UVA Mosquito Killer Lamp
Material: Aluminium
Electric Shock Network High Voltage 1400V
Input voltage: 220-240V 50/60Hz
Indoor use only



ML201
- 2 x 20W

Length: 643mm
Width: 75mm
Height: 265mm

LED DECK LIGHTING



DL070 STAINLESS

White LED Outdoor Deck Lighting
Stainless Steel and Polycarbonate
12V DC
IP67

- 6 x 0.6W White LED (Included)
1 x Electronic LED Power Supply (Included)

Each Light:
Width: 30mm
Height: 18.5mm
Cable Length: 5000mm
6 x 1000mm Cable for each LED attachment

Outdoor Lighting

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.
THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



BULB LED 298

Portable, Emergency Solar Bulb
Diamond Pattern PC with Aluminium Hook
USB Cable
IP44
Battery Indicator Light,
Moisture proof and Anticorrosive

- 5W LED

Battery: 1200mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450
CRI: >80
Solar Charging Time: 24 Hours
USB Charging Time: 2 Hours
Emergency Duration: 2-4 Hours

Width: 100mm
Height: 150mm
USB Cable: 300mm



LS010 EMERGENCY

Portable Emergency Bulb with Aluminium Hook and Solar Panel
Remote Control and USB Cord
Moisture proof and Anticorrosive

- 5W LED (Included)

Battery: 3600mAh Lithium Ion
Material: ABS
Colour Temp: 6500K
Lumen: 450

Solar Panel: IP65
Width: 135mm
Height: 220mm

Bulb: IP44
Width: 100mm
Height: 150mm

USB Cable: 300mm

Solar Charging Time: 24 Hours
USB Charging Time: 5 Hours
Emergency Duration: 4-6 Hours

Features:

Time Switch
Intelligent Light Control
15 Meters Distance Wireless Remote Control

LS033 SOLAR

Outdoor Solar Kit with Solar Panel
LED Bulbs and Remote Control
3.7-12V DC Driver
Input: DC 6V
Output: DC 12V
Lithium Battery: 3.7V 4800mAh

- 4 x 3W 12V DC LED Bulbs (Included)

On/Off Switch on the ES Lamp Holders
Remote Control with On/Off, Auto,
Dimmer function and Time setting
Colour Temp: 6500K
Lumen: 4 x 100

Charging Time: 8-12 Hours in Full Sunlight
Discharging Time: 8 Hours

Solar Panel:
Polysilicon 6V 4W
Width: 135mm
Height: 220mm
Cable: 5 Metres



Outdoor Lighting

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.

THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



LS032 BLACK

Up and Down Facing Outdoor Solar Panel Light
IP65

Solar Panel: 5.5V 275mA

Battery: 3.7V 1500mAh

Material: ABS

- 4 x 1W LED (Included)

Colour Temp: 2700K

Lumen: 200

Charging Time: 8 Hours

Working Time: 8-12 Hours when fully charged

Width: 100mm

Length: 155mm

Depth: 60mm



FL080 BLACK

Solar LED Floodlight with Sensor
IP54

Material: Plastic with Tempered Glass Lens

- 16W LED Floodlight

- 5.5V/2W Panel

Colour Temp: 6000K

Lumen: 1600 / 100 Lumen Black Light

The Light Lumen stays at 100 Lumen.

Detecting Movement Increases Lumen to 1600 for 30 seconds

Battery: 18650 3000mAh

Detention Distance: 4-6 Meters

Detecting Time: 30 Seconds

Charging Time: 12-13 Hours

Discharging Time: 2-13 Hours

Discharged Current: 2A

Trigger Times: 150 times

Floodlight Width: 115mm

Floodlight Height: 75mm

Solar Panel Width: 145mm

Solar Panel Height: 90mm

LS018 SOLAR

Portable Solar Charging Light
5V USB Port for charging Mobile Phones
Lithium Battery Capacity: 3.7V/4500mAh

Color temperature: 6000K

Solar Panel, Polysilicon 3.5W/6V, size: 215mm x 130mm

Output: 5.0V/2.0A USB discharge

: 5V/2.1A Lighting

Function: 3 Levels of Brightness / Flashing Light

Height: 240mm

Width: 140mm

Depth: 25mm



Outdoor Lighting

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.
THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



Solar Panel:
3.7V 2000mAh
Battery Running Time: 1.5 hours
Width: 180mm
Height: 150mm (Excluding Bracket)
Cable: 5 meters



FL076 BLACK

Die Cast Aluminium Floodlight
with Tempered Glass Lens
and PIR Motion Sensor

Repairable
IP54
- 10W LED Floodlight
- 3W Solar Panel

Floodlight:
Width: 115mm
Height: 155mm (Excluding Bracket)
Depth: 110mm

Features:
Colour Temp: 6000K
Lumen: 600
Power Factor: > 0.9
Beam Angle: 120 degrees
Detected Distance Maximum: 5M
Time Delay: 5 Seconds – 5 Minutes (Adjustable)

FL077 SOLAR

50W LED Aluminium Floodlight with Tempered Glass Lens and Solar Panel
IP65
Includes Remote Control



Flood Light:
- 50W LED (Included)
Colour Temp: 6000K
Lumen: 500
Beam Angle: 90 degrees

Width: 177mm
Height: 211mm
Depth: 50mm

Solar Panel:
5V 8W Solar Panel
Battery: 3.2V 6000mAh
Charging Time: 4-6 Hours

Width: 350mm
Height: 230mm
Depth: 17mm
Cable: 1.8 Metres

Brightness Levels:
Constant Light for 12 hours
100% Brightness in the first 4 Hours
70-80% Brightness in the next 3 Hours
40-50% Brightness in the following 3 Hours
30% Brightness in the last 2 Hours
Timing Function: 3H, 5H, 8H

Fixing Instructions:

The light fixture should be installed on a flat and stable surface.
Avoid installing the light near an air conditioner, heater, or high voltage system.
The solar charger board should be set in a sunny area where maximum sunlight can be collected.
The solar board requires at least 3 hours per day or 5 hours per day if behind glass.
Charge the light for 24 hours before first use. Charging time afterwards is 4-6 hours.
Use a soft wet cloth to periodically (at least once a year) clean the charger board to avoid the reduction of power output due to accumulated dust.

Outdoor Lighting

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.

THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



LS020 MATT BLACK


Die Cast Aluminium
Outdoor LED Solar Light with Sensor
IP65

- 2W LED (Included)

Colour Temp: 6000K
Lumen: 200
CRI: >70
PF: >0.5

Width: 140mm
Height: 290mm

Also Available:
LS021 MATT BLACK



LS021 MATT BLACK


Die Cast Aluminium Pillar
Outdoor LED Solar Light
with Sensor and Spike
IP65

- 2W LED (Included)

Colour Temp: 6000K
Lumen: 200
CRI: >70
PF: >0.5

Width: 140mm
Height: 500mm
Spike: 208mm

Also Available:
LS020 MATT BLACK



LS025 MATT BLACK

Outdoor LED Solar Light with Sensor
Stainless Steel and PC
IP44

- 3.3W LED (Included)
Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K
Lumen: 400
Sensor Angle: 110 degrees
Sensor Range: Max. 8 meters

3 Mode Sensor Functions using the button on the PIR sensor:

Press button (Mode A)

Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

Press button (Mode B)

The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

Press button (Mode C)

The PIR is switched off and the lamp shines at 50 Lumen

Width: 145mm
Height: 840mm

Also Available:
LS024 MATT BLACK



LS024 MATT BLACK

Stainless Steel and PC
IP44

- 3.3W LED (Included)
Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K
Lumen: 400
Sensor Angle: 110 degrees
Sensor Range: Max. 8 meters

3 Mode Sensor Functions using the button on the PIR sensor:

Press button (Mode A)

Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

Press button (Mode B)

The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

Press button (Mode C)

The PIR is switched off and the lamp shines at 50 Lumen


Width: 145mm
Height: 300mm
Depth: 172mm

Also Available:
LS025 MATT BLACK

Outdoor Lighting

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.
THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



LS023 MATT BLACK

Outdoor LED Solar Light with Sensor
Plastic
IP44

- 3.3W LED (Included)
Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K
Lumen: 400
Sensor Angle: 110 degrees
Sensor Range: Max. 8 meters

3 Mode Sensor Function using the button on the PIR sensor:

Press button (Mode A)

Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

Press button (Mode B)

The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

Press button (Mode C)

The PIR is switched off and the lamp shines at 50 Lumen

Width: 160mm
Height: 100mm
Depth: 205mm



LS026 MATT BLACK

Outdoor Solar LED Solar Light with Sensor
Plastic
IP44

- 3.3W LED (Included)
Battery: 3.2 V Lithium (Included)

Colour Temp: 3000K
Lumen: 400
Sensor Angle: 110 degrees
Sensor Range: Max. 8 meters

3 Mode Sensor Functions using the button on the PIR sensor:

Press button (Mode A)

Upon movement the lamp lights up with 400 Lumen and switches off 10 seconds after the last movement

Press button (Mode B)

The lamp shines at a dimmed level with 20 Lumen, upon movement the lamp shines with 300 Lumen and then goes back to 20 Lumen, 10 seconds after the last movement

Press button (Mode C)

The PIR is switched off and the lamp shines at 50 Lumen

Width: 150mm
Height: 100mm
Depth: 200mm

Outdoor Lighting

SOLAR LIGHTING

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.
THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.

LS030 BLACK

Outdoor LED Solar Light with Sensor
Plastic
IP54

- 3.3W LED (Included)
Battery: DC 3.2 V (Included)

Colour Temp: 3000K, 4000K, 6000K

Push ON/OFF button in daytime
The red light is ON which means
the lamp has been turned ON

Width: 190mm
Height: 245mm
Depth: 210mm



LS031 BLACK

Outdoor LED Solar Light with Motion Sensor
ABS Housing
IP54

- 1W LED (Included)
Battery: DC 3.2 V (Included)

Colour Temp: 4000K
Sensor Beam Angle: 120 degrees
Sensor Range: straight line distance 4 meters,
transverse distance 3-4 meters
Installation Distance between Lamps: 3 meters

FUNCTIONS:

Push ON/OFF button in daytime.

The red light is ON which means the lamp has been turned ON
Wall Lamp will be auto 15% lighting ON when dusk comes for first 5 hours
Thereafter it changes to 100% lighting when motion is detected

Width: 86mm
Height: 235mm



LS022 MATT BLACK

PC Outdoor LED Solar Light with Sensor
IP65

- 1.5W LED (Included)


Colour Temp: 6000K
Lumen: 220
CRI: >70
PF: >0.5

Length: 181mm
Width: 110mm
Height: 30mm

Outdoor Lighting

SOLAR LIGHTING - STRING LIGHTS

SOLAR LAMPS MUST BE INSTALLED OUTDOORS IN DIRECT SUNLIGHT.
THE DURATION OF THE LIGHT DEPENDS HEAVILY ON THE INTENSITY AND DURATION OF SUNLIGHT DURING THE DAY.



WSC009 SOLAR

Solar Outdoor String Lights, IP65
12V

Material: Plastic, Copper and Aluminium

- 10 x 2W ES LED (Included)

Sockets: 10 sockets 1M apart
Cord Length: 10M
Charging Time: 4-5 Hours
Discharge Time: 8 Hours

Includes:

Solar Panel:
Width: 100mm
Height: 1100mm
Spike

Battery: 1200mAh Built in High Capacity

Features:

4 Brightness Adjustments
4 Step Timing Adjustments

Intergrated Day/Night Sensor built into the Solar Panel
2 Installation methods: Can either be Ground or Wall Mounted

Also Available:

BULB LED 299 (replacement bulb)

BULB LED 299

Replacement bulb for WSC009
(Solar String Light)
12V

- 2W ES LED
Colour Temp: 3000K
Lumen: 1800
CRI: >80

Beam Angle: 270 degrees

Width: 45mm
Height: 85mm



WSC010 MULTICOLOUR

Solar Outdoor String Lights, IP65
12V

- 10 x .03W ES LED (Included)

Material: Plastic, Copper and Aluminium

Sockets: 10 sockets 1M apart
Cord Length: 10M
Charging Time: 8 Hours
Discharge Time: 8-12 Hours

Includes:

10 Bulbs: 2 x Blue, 2 x Green, 2 x Red, 2 x White, 2 x Yellow

Solar Panel:

Width: 100mm
Height: 1100mm

Spike

Battery: 1200mAh Built in High Capacity

Features:

4 Brightness Adjustments
4 Step Timing Adjustments

Intergrated Day / Night Sensor built into the Solar Panel
2 Installation methods: Can either be Ground or Wall Mounted

Outdoor Lighting

STRING LIGHTS



WSC008 BLACK

Outdoor String Lights, IP65

Built in Connectors to allow for additional sets to be joined together for additional length

- 10 x ES LED Only (Not Included)

Material: Plastic, Copper and Aluminium

Sockets: 10 sockets 500mm apart

Plug: 3 prong

Cord Length: 5.5M



WSC011 MULTI

Outdoor String Lights, IP65

Built in Connectors to allow for additional sets to be joined together for additional length

- 10 x G45 Colour bulbs (Included)

Material: Plastic, Copper and Aluminium

Sockets: 10 sockets 500mm apart

Plug: 3 prong

Cord Length: 5.5M



WSC012 CLEAR

Outdoor String Lights, IP65

Built in Connectors to allow for additional sets to be joined together for additional length

- 10 x 1W ST14 Filament bulbs (Included)

Material: Plastic, Copper and Aluminium

Colour Temp: 3000K

Sockets: 10 sockets 500mm apart

Plug: 3 prong

Cord Length: 5.5M



Outdoor Lighting

STAINLESS STEEL LANTERNS

NOT FOR COASTAL USE



L603 STAINLESS

Stainless Steel
with Clear Polycarbonate Cover
IP44

- 1 x 11W ES Compact Fluorescent

Width: 180mm
Height: 300mm
Depth: 230mm



L604 STAINLESS

Stainless Steel
with Clear Polycarbonate Cover
IP44

- 1 x 11W ES Compact Fluorescent

Width: 175mm
Height: 325mm
Depth: 201mm



L616 STAINLESS

Stainless Steel
with Clear Polycarbonate Cover
IP44

- 1 x 15W ES Compact Fluorescent

Width: 240mm
Height: 300mm
Depth: 320mm



L090 STAINLESS

Stainless Steel with
White Perspex Cover
IP44

- 1 x 14W Compact Fluorescent

Width: 230mm
Height: 320mm



L083 STAINLESS

Stainless Steel with
White Perspex Cover
IP44

- 1 x 11W Compact Fluorescent

Width: 120mm
Height: 370mm

Also Available:
L058 STAINLESS
L059 STAINLESS



L093 STAINLESS

Stainless Steel with
White Perspex Cover
IP44

- 1 x 14W Compact Fluorescent

Width: 350mm
Height: 400mm



L612 STAINLESS

Stainless Steel with
Clear Polycarbonate Cover
IP44

- 1 x 15W ES Compact Fluorescent

Width: 115mm
Height: 335mm
Depth: 150mm

Also Available:
L613 STAINLESS

Outdoor Lighting

STAINLESS STEEL - HALF LANTERNS

NOT FOR COASTAL USE



L601 STAINLESS

Stainless Steel
with White Polycarbonate Cover
IP44

- 1 x 11W ES Compact Fluorescent

Width: 170mm
Height: 360mm
Depth: 130mm



L081 STAINLESS

Stainless Steel
with Opal Polycarbonate
IP44

- 1 x 11W ES

Width: 92mm
Height: 475mm
Depth: 110mm



L611 STAINLESS

Stainless Steel
with Clear Polycarbonate Cover
IP44

- 1 x 15W ES Compact Fluorescent

Width: 195mm
Height: 240mm
Depth: 110mm



L079 STAINLESS

Stainless Steel
with Opal Polycarbonate
IP44

- 1 x 11W ES

Width: 100mm
Height: 340mm
Depth: 110mm



L610 STAINLESS

Stainless Steel
with Frosted Glass
IP44

- 1 x 15W ES Compact Fluorescent

Width: 80mm
Height: 255mm
Depth: 100mm



L607 STAINLESS

Stainless Steel
with White Polycarbonate Cover
IP44

- 1 x 11W ES Compact Fluorescent

Width: 68mm
Height: 203mm
Depth: 70mm

STAINLESS STEEL - HALF LANTERNS

Outdoor Lighting

STAINLESS STEEL WALL BRACKETS NOT FOR COASTAL USE



L037 STAINLESS
Stainless Steel
with White Polycarbonate Cover
IP44

- 1 x 11W ES CFL

Width: 230mm
Height: 260mm
Depth: 95mm



L038 STAINLESS
Stainless Steel
with White Polycarbonate Cover
IP44

- 1 x 11W ES CFL

Width: 230mm
Height: 260mm
Depth: 95mm



L039 STAINLESS
Stainless Steel w
ith White Polycarbonate Cover
IP44

- 1 x 11W ES CFL

Width: 230mm
Height: 260mm
Depth: 95mm



L040 STAINLESS
Stainless Steel
with White Polycarbonate Cover
IP44

- 1 x 11W ES CFL

Width: 230mm
Height: 260mm
Depth: 95mm



L046 STAINLESS
Stainless Steel with White Polycarbonate Cover
IP44

- 1 x 11W ES CFL

Width: 315mm
Height: 97mm
Depth: 90mm



L047 STAINLESS
Stainless Steel with White Polycarbonate Cover
IP44

- 1 x 11W ES CFL

Width: 315mm
Height: 97mm
Depth: 90mm




L048 STAINLESS
Stainless Steel with White Polycarbonate Cover
IP44

- 1 x 11W ES CFL

Width: 315mm
Height: 97mm
Depth: 90mm

Outdoor Lighting

STAINLESS STEEL BOLLARDS NOT FOR COASTAL USE



L606 STAINLESS

Stainless Steel Bollard
with Clear Polycarbonate Cover
IP44

- 1 x 23W ES Compact Fluorescent

Width: 105mm
Height: 650mm

Also Available:
L605 STAINLESS



L605 STAINLESS

Stainless Steel Bollard
with Clear Polycarbonate Cover
IP44

- 1 x 23W ES Compact Fluorescent

Width: 105mm
Height: 1000mm

Also Available:
L606 STAINLESS



L613 STAINLESS

Stainless Steel Bollard
with Clear Polycarbonate Cover
IP44

- 1 x 15W ES Compact Fluorescent

Width: 100mm
Height: 500mm

Also Available:
L612 STAINLESS



L059 STAINLESS

Stainless Steel with
White Perspex Cover
IP44

- 1 x 11W Compact Fluorescent

Width: 125mm
Height: 1050mm

Also Available:
L058 STAINLESS
L083 STAINLESS



L058 STAINLESS

Stainless Steel with
White Perspex Cover
IP44

- 1 x 11W Compact Fluorescent

Width: 125mm
Height: 450mm

Also Available:
L059 STAINLESS
L083 STAINLESS

Outdoor Lighting

DIE CAST ALUMINIUM - HALF LANTERNS



L149 BLACK

Die Cast Aluminium
with Clear Glass
IP44

- 1 x 60W ES

Width: 200mm
Height: 240mm
Depth: 118mm



L240 BLACK

Die Cast Aluminium
with Clear Perspex Cover
IP44

- 1 x 11W Compact Fluorescent

Width: 183mm
Height: 260mm
Depth: 102mm



L523 BLACK

Metal and Clear Speckled Glass
IP54

Colour: Black and Gold

- 1 x 60W (11W) ES

Width: 120mm
Height: 350mm
Depth: 120mm



L524 BLACK

Metal and Clear Speckled Glass
IP54

Colour: Black and Gold

- 1 x 60W (11W) ES

Width: 120mm
Height: 330mm
Depth: 100mm



L542 BLACK

Aluminium and Metal
with Clear Glass
IP54

Colour: Texture Black

- 2 x 60W ES (11W)

Width: 300mm
Height: 385mm
Depth: 125mm



L579 BK/GD

Metal Half Lantern
with Clear Speckled Glass
IP44

Inner Gold Reflector

- 1 x 60W ES (11W)

Width: 192mm
Height: 283mm
Depth: 125mm

Also Available:
L580 BK/GD



L580 BK/GD

Metal Half Lantern
with Clear Speckled Glass
IP44

Inner Gold Reflector

- 3 x 60W ES (11W)

Width: 270mm
Height: 447mm
Depth: 145mm

Also Available:
L579 BK/GD

Outdoor Lighting

DIE CAST ALUMINIUM - HALF LANTERNS



L512 BLACK
Aluminium Wall Bracket
with Frosted Glass
IP54

- 2 x 60W (2 x 11W) ES

Width: 175mm
Height: 450mm
Depth: 120mm



L236 BLACK
Die Cast Aluminium
with White Perspex Cover
IP44

- 1 x 18W Compact Fluorescent

Width: 120mm
Height: 350mm
Depth: 120mm



L4998 BLACK
3 Panel, Half Lantern
Die Cast Aluminium
with Clear Glass
IP44

- 1 x 60W ES

Width: 205mm
Height: 390mm



L4999
3 Panel, Half Lantern,
Die Cast Aluminium
with Clear Glass
IP44

- 1 x 60W ES

Width: 176mm
Height: 360mm

Colours Available:
Black, White



L5001 BLACK
3 Panel, Half Lantern
Die Cast Aluminium
with Clear Glass
IP44

- 1 x 60W ES

Width: 165mm
Height: 350mm
Depth: 95mm



L5002
5 Panel, Half Lantern
Die Cast Aluminium
with Clear Glass
IP44

- 2 x 60W ES

Width: 220mm
Height: 382mm
Depth: 125mm

Colours Available:
Black, White



L5051 BLACK/GOLD
3 Panel, Large Half Lantern
Die Cast Aluminium
with Clear Glass
IP44

- 1 x 60W ES

Width: 240mm
Height: 435mm

DIE CAST ALUMINIUM - HALF LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - UP FACING LANTERNS



L369 MATT BLACK
Up Facing Aluminium Lantern
with Clear Glass
IP44

- 1 x 60W ES (Energy Saver or LED only)

Width: 110mm
Height: 235mm
Depth: 145mm

Also Available:
L374 MATT BLACK
LFL027 MATT BLACK



L174 BLACK
Die Cast Aluminium
Wall Mount
IP44

- 2 x 14W ES Energy Saving Lamps

Width: 270mm
Height: 280mm
Depth: 150mm

Also Available:
L175 BLACK



L231 BLACK
Die Cast Aluminium
with Frosted Glass
IP44

- 1 x 11W Compact Fluorescent

Width: 110mm
Height: 230mm
Depth: 150mm

DIE CAST ALUMINIUM - UP FACING LANTERNS



L255 BLACK
Die Cast Aluminium
with Frosted Glass
IP44

- 1 x 60W ES

Width: 150mm
Height: 255mm
Depth: 160mm

Also Available:
L256



L256 BLACK
Die Cast Aluminium
with Frosted Glass
IP44

- 2 x 40W ES

Width: 145mm
Height: 400mm
Depth: 170mm

Also Available:
L255



L543 BLACK
Metal and Aluminium
with Patterned Frosted Glass
IP54

Colour: Texture Black

- 2 x 60W (11W) ES (Not Included)

Width: 180mm
Height: 670mm
Depth: 220mm

Outdoor Lighting

DIE CAST ALUMINIUM - UP FACING LANTERNS



L360 BLACK

4 Panel, Upfacing, Die Cast Aluminium and Clear Polycarbonate
IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 170mm
Height: 225mm
Depth: 220mm

Also Available:
L361 BLACK
L362 BLACK
L363 BLACK



L051 BLACK

4 Panel, Die Cast Aluminium with Clear Polycarbonate
IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 230mm
Height: 308mm
Depth: 292mm

Also Available:
L052 BLACK
LFL014/1 BLACK
LFL015/3 BLACK



L371 MATT BLACK

Up Facing Aluminium Lantern with Clear Speckled Glass
IP44

- 1 x 11W ES (Energy Saver or LED only)

Width: 150mm
Height: 280mm
Depth: 185mm

Also Available:
L373 MATT BLACK



L370 MATT BLACK

Up Facing Aluminium Lantern with Clear Glass
IP44

- 1 x 11W ES
(Energy Saver or LED only)

Width: 120mm
Height: 270mm
Depth: 145mm



L380 SAND BLACK

Die Cast Aluminium with Clear Glass
IP65

- 1 x 60W ES

Width: 105mm
Height: 180mm
Depth: 110mm



L522 BLACK

Metal and Clear Speckled Glass
IP54
Colour: Black and Gold

- 1 x 60W (11W) ES

Width: 145mm
Height: 380mm
Depth: 172mm



L545 BLACK

Aluminium Fitting with Smoke Colour Plastic Cover
IP44

- 1 x ES LED (Not Included)

Width: 104mm
Height: 250mm
Depth: 110mm

DIE CAST ALUMINIUM - UP FACING LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - UP FACING LANTERNS

L202

4 Panel, Up Facing,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 145mm
Height: 345mm

Colours Available:
Black, White

Also Available:
L203
L204



L212

6 Panel, Up Facing,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 200mm
Height: 370mm

Colours Available:
Black, Black/Gold, White

Also Available:
L213
L214



L222

6 Panel, Up Facing,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 165mm
Height: 365mm

Colours Available:
Black, White

Also available:
L223
L224



L8082

Curved, Bevelled Glass,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 170mm
Height: 460mm

Colours Available:
Black, Black/Gold



L004 BLACK

Rounded Belly Head,
Bevelled Glass,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 270mm
Height: 650mm

Also Available:
L005
LFL004/1
LFL005/3
LFL006/1



L4000 BLACK

Large Rounded Belly
Head, Bevelled Glass,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 290mm
Height: 750mm



Outdoor Lighting

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L203
4 Panel, Down Facing,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 145mm
Height: 345mm

Colours Available:
Black, White

Also Available:
L202
L204



L213

6 Panel, Down Facing,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 200mm
Height: 340mm

Colours Available:
Black, Black/Gold, White

Also Available:
L212
L214



L223

6 Panel, Down Facing,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 165mm
Height: 360mm

Colours Available:
Black, White

Also Available:
L222
L224



L361 BLACK

4 Panel, Downfacing
Die Cast Aluminium
with Clear Polycarbonate Cover
IP44

- 1 x 11W ES
(Energy Saver or LED only)

Width: 170mm
Height: 225mm
Depth: 220mm

Also Available:
L360
L362
L363



L159 BLACK

Aluminium
with Clear Polycarbonate Cover
IP44

- 1 x 60W ES

Width: 259mm
Height: 400mm
Depth: 355mm

Also Available:
LFL017 BLACK
LFL018 BLACK
LFL019 BLACK



L163 BLACK

Metal with Clear Glass
IP44

- 1 x 60W ES

Width: 250mm
Height: 250mm
Depth: 360mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L106 BLACK

6 Panel, Down Facing
Die Cast Aluminium with Clear Glass
Open at Base
IP44

- 3 x 60W SES

Width: 200mm
Height: 400mm



L514 BLACK

Down Facing
Die Cast Aluminium with Frosted Glass
IP54

- 1 x 60W (11W) ES

Width: 175mm
Height: 355mm
Depth: 225mm



L519 BLACK

Down Facing
Aluminium with Frosted Glass
IP54

- 1 x 60W (11W) ES

Width: 235mm
Height: 600mm
Depth: 360mm



L518 BLACK

Down Facing
Aluminium with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 225mm
Height: 330mm
Depth: 250mm



L520 BLACK

Down Facing
Aluminium with Clear Glass
IP54

- 3 x 40W (3 x 9W) E14

Width: 305mm
Height: 780mm
Depth: 390mm

Outdoor Lighting

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L525 BLACK

Metal with Clear Speckled Glass
IP54

- 1 x 60W (11W) ES

Width: 158mm
Height: 355mm
Depth: 220mm



L526 BLACK

Metal with Clear Speckled Glass
IP54

- 1 x 60W (11W) ES

Width: 150mm
Height: 265mm
Depth: 190mm



L528 BLACK

Metal with Clear Speckled Glass
IP54

- 1 x 60W (11W) ES

Width: 140mm
Height: 275mm
Depth: 165mm



L532 BLACK

Metal with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 170mm
Height: 360mm
Depth: 230mm



L571 BLACK

Aluminium and Clear Glass
IP44

- 1 x 60W ES (Not Included)

Width: 170mm
Height: 312mm
Depth: 190mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L533 BLACK
Metal with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 140mm
Height: 235mm
Depth: 180mm



L535 BLACK
Metal with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 165mm
Height: 320mm
Depth: 195mm



L534 BLACK
Metal with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 160mm
Height: 300mm
Depth: 194mm



L536 BLACK
Metal with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 165mm
Height: 275mm
Depth: 195mm



L576 BLACK
Aluminium and Clear Glass
IP44

- 1 x 60W ES (Not Included)

Width: 155mm
Height: 255mm
Depth: 175mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L513 BLACK
Down Facing Aluminium Lantern
with Clear Glass
IP54

- 2 x 40W (2 x 9W) E14

Width: 205mm
Height: 400mm
Depth: 235mm



L516 BLACK
Down Facing Aluminium Lantern
with Opaque Glass
IP54

- 1 x 60W (11W) ES

Width: 175mm
Height: 270mm
Depth: 200mm



L517 BLACK
Down Facing Metal Lantern
with Textured Clear Glass
IP44

- 1 x 60W (11W) ES


Width: 230mm
Height: 410mm
Depth: 220mm



L509 BLACK
Down Facing Metal Lantern
with Clear Glass
IP44

- 1 x 60W (11W) ES

Width: 150mm
Height: 400mm
Depth: 190mm



L510 COFFEE
Down Facing Coffee Colour
Metal Lantern with Amber
Glass
IP44

- 1 x 60W (11W) ES

Width: 120mm
Height: 460mm
Depth: 160mm



L574 BLACK
Aluminium and Clear Glass
Wall Mount, IP44
- 1 x 60W ES (Not Included)

Width: 186mm
Height: 422mm
Depth: 232mm

DIE CAST ALUMINIUM - DOWN FACING LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - DOWN FACING LANTERNS



L350 BLACK
Iron and Clear Speckled Glass
IP44

- 1 x 60W ES

Width: 225mm
Height: 350mm
Depth: 195mm



L351 BLACK
Iron and Clear Speckled Glass
IP44

- 1 x 60W ES

Width: 180mm
Height: 360mm
Depth: 290mm



L258 BLACK
Die Cast Aluminium
with Clear Glass
IP44

- 1 x 60W ES

Width: 210mm
Height: 370mm



L352 BLACK
Iron and Clear Speckled Glass
IP44

- 1 x 60W ES

Width: 210mm
Height: 380mm
Depth: 310mm



L353 BLACK
Iron and Clear Glass
IP44

- 1 x 60W ES

Width: 120mm
Height: 425mm
Depth: 150mm



L544 BLACK
Aluminium Fitting
with Fluted Clear Glass
IP44

- 1 x 60W ES (Not Included)

Width: 125mm
Height: 345mm
Depth: 127mm

Outdoor Lighting

DIE CAST ALUMINIUM - HANGING LANTERNS



L363 BLACK
4 Panel, Hanging
Die Cast Aluminium
with Clear Polycarbonate Cover
IP44

- 1 x 11W ES
(Energy Saver or LED only)

Width: 170mm
Height: 170mm
Chain: 500mm
Ceiling Cup: 110mm

Colours Available:
Black, White

Also Available:
L360
L361
L362



L573 BLACK
Aluminium and Clear Glass
Hanging
IP44

- 1 x 60W ES (Not Included)

Width: 170mm
Height: 314mm
Chain: 800mm
Ceiling Cup: 110mm



L575 BLACK
Aluminium and Clear Glass, Hanging
IP44

- 1 x 60W ES (Not Included)

Width: 135mm
Height: 283mm
Chain: 800mm
Ceiling Cup: 110mm

Outdoor Lighting

DIE CAST ALUMINIUM - PILLAR, POLE LANTERNS



L204

4 Panel, Pillar,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 145mm
Height: 395mm
Pillar diameter: 145mm

Colours Available:
Black, White

Also Available:
L202
L203



L214

6 Panel, Pillar,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 200mm
Height: 385mm
Pillar diameter: 200mm

Colours Available:
Black, Black/Gold, White

Also Available:
L212
L213



L8083

Rounded Belly Head,
Bevelled Glass,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 180mm
Height: 520mm
Pillar Diameter: 160mm

Colours Available:
Black, Black/Gold

Also Available:
L8082



L572 BLACK

Aluminium and Clear Glass Pillar
IP44

- 1 x 60W ES (Not Included)

Width: 170mm
Height: 431mm



L224

6 Panel, Pillar,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 165mm
Height: 420mm
Pillar diameter: 145mm

Colours Available:
Black, White

Also Available:
L222
L223



L005 BLACK

Rounded Belly Head,
Bevelled Glass,
Die Cast Aluminium
IP44

- 1 x 60W ES

Width: 270mm
Height: 650mm
Pillar Diameter: 175mm

Also Available:
L004
LFL004/1
LFL005/3
LFL006/1

Outdoor Lighting

DIE CAST ALUMINIUM - PILLAR, POLE LANTERNS



L362 BLACK
4 Panel, Pillar
Die Cast Aluminium
with Clear Polycarbonate
IP44

- 1 x 11W ES
(Energy Saver or LED
only)

Width: 170mm
Height: 280mm

Also Available:
L360 BLACK
L361 BLACK
L363 BLACK



L052 BLACK
4 Panel, Pillar
Die Cast Aluminium
with Clear Polycarbonate
IP44

- 1 x 60W ES

Width: 230mm
Height: 370mm

Also Available:
L051 BLACK
LFL014/1 BLACK
LFL015/3 BLACK



L373 MATT BLACK
Aluminium Pillar Lantern
with Clear Speckled Glass
IP44

- 1 x ES
(Energy Saver or LED only)

Width: 150mm
Height: 370mm

Also Available:
L371 MATT BLACK



L374 MATT BLACK
Aluminium Pillar Lantern
with Clear Glass
IP44

- 1 x ES
(Energy Saver or LED only)

Width: 125mm
Height: 355mm

Also Available:
L369 MATT BLACK
LFL027 MATT BLACK



L511 BLACK
Aluminium Pole Lantern
with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 180mm
Height: 365mm
Depth: 180mm



L577 BLACK
Aluminium Pillar with Clear Glass
IP44

- 1 x 60W ES (Not Included)

Width: 155mm
Height: 357mm

DIE CAST ALUMINIUM - PILLAR, POLE LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - STANDING LANTERNS



L515 BLACK

Aluminium Standing Lantern
with Clear Glass
IP54

- 1 x 60W (11W) ES

Width: 205mm
Height: 1120mm




LFL027 MATT BLACK

Aluminium Standing Lantern
with Clear Glass
IP44

- 1 x ES (Energy Saver or LED only)

Width: 125mm
Height: 500mm

Also Available:
L369 MATT BLACK
L374 MATT BLACK



L175 BLACK

Die Cast Aluminium, Floor Mount
IP44

- 2 x 14W ES Energy Saving Lamps

Width: 330mm
Height: 735mm

Also Available:
L174 BLACK



LFL039 BLACK

Aluminium and Clear Glass
IP44

- 1 x 60W ES (Not Included)

Width: 230mm
Height: 2230mm



LFL038 BLACK

Aluminium and Clear Glass
IP44

- 1 x 60W ES (Not Included)

Width: 230mm
Height: 1200mm

Outdoor Lighting

DIE CAST ALUMINIUM - STANDING LANTERNS



LFL004/1 BLACK

Rounded Belly Head
Die Cast Aluminium
with Bevelled Glass
IP44

- 1 x 60W ES

Width: 200mm
Height: 1245mm

Also Available:

L004
L005
LFL005/3
LFL006/1



LFL006/1 BLACK

Rounded Belly Head
Die Cast Aluminium
with Bevelled Glass
IP44

- 1 x 60W ES

Width: 270mm
Height: 2260mm

Also Available:

L004
L005
LFL004/1
LFL005/3



LFL005/3 BLACK

Rounded Belly Head
Die Cast Aluminium
with Bevelled Glass
IP44

- 3 x 60W ES

Width: 800mm
Height: 2400mm

Also Available:

L004
L005
LFL004/1
LFL006/1

DIE CAST ALUMINIUM - STANDING LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - STANDING LANTERNS



LFL014/1 BLACK
4 Panel, Die Cast Aluminium
with Clear Polycarbonate
IP44

- 1 x 60W ES

Width: 230mm
Height: 1350mm

Also Available:
L051 BLACK
L052 BLACK
LFL015/3 BLACK



LFL015/3 BLACK
4 Panel, Die Cast Aluminium
with Clear Polycarbonate
IP44

- 3 x 60W ES
Width: 600mm
Height: 2300mm

Also Available:
L051 BLACK
L052 BLACK
LFL014/1 BLACK



LFL007/1 BLACK
6 Panel, Die Cast Aluminium
with Tapered Glass
IP44

- 1 x 60W ES

Width: 300mm
Height: 2300mm

Also Available:
LFL008/3



LFL008/3 BLACK
6 Panel, Die Cast Aluminium
with Tapered Glass
IP44

- 3 x 60W ES

Width: 700mm
Height: 2300mm

Also Available:
LFL007/1

Outdoor Lighting

DIE CAST ALUMINIUM - STANDING LANTERNS



LFL017 BLACK
Aluminium with Clear
Polycarbonate Cover
IP44

- 1 x 60W ES

Width: 259mm
Height: 1190mm
Depth: 385mm

Also Available:
L159 BLACK
LFL018 BLACK
LFL019 BLACK



LFL018 BLACK
Aluminium with Clear
Polycarbonate Cover
IP44

- 1 x 60W ES

Width: 259mm
Height: 2065mm
Depth: 455mm
Base: 250mm

Also Available:
L159 BLACK
LFL017 BLACK
LFL019 BLACK



LFL019 BLACK
Aluminium with Clear
Polycarbonate Cover
IP44

- 3 x 60W ES

Width: 670mm
Height: 2065mm
Base: 250mm

Also Available:
L159 BLACK
LFL017 BLACK
LFL018 BLACK

DIE CAST ALUMINIUM - STANDING LANTERNS

Outdoor Lighting

DIE CAST ALUMINIUM - BULKHEADS



BH050

Die Cast Aluminium with Frosted Glass
IP54

- 1 x 60W ES

Dimensions: 270mm

Colours Available:
Black, Silver



BH051

Die Cast Aluminium with Frosted Glass
IP54

- 1 x 60W ES

Dimensions: 270mm

Colours Available:
Black, Silver



BH052

Die Cast Aluminium with Frosted Glass
IP54

- 1 x 60W ES

Dimensions: 270mm

Colours Available:
Black, Silver



BH057/2 BLACK

Die Cast Aluminium with Frosted Glass
IP44

- 2 x 60W ES

Width: 400mm
Height: 120mm

Also Available:
BH058/1



BH058/1 BLACK

Die Cast Aluminium with Frosted Glass
IP44

- 1 x 60W ES

Width: 300mm
Height: 120mm

Also Available:
BH057/2



BH013

Die Cast Aluminium with Frosted Glass
IP54

- 1 x 60W ES

Dimensions:
215mm x 150mm

Colours Available:
Black, White

Outdoor Lighting

DIE CAST ALUMINIUM - BULKHEADS



BH060 BLACK
Die Cast Aluminium
with White Polycarbonate Cover
IP44

- 1 x 60W ES

Width: 180mm
Height: 320mm
Depth: 80mm



BH062 BLACK
Die Cast Aluminium
with White Polycarbonate Cover
IP44

- 1 x 60W ES

Width: 240mm x 240mm
Depth: 100mm



BH408 BLACK
Die Cast Aluminium Bulkhead
with White Polycarbonate Cover
IP54

- 2 x 20W ES Compact Fluorescents

Height: 180mm
Length: 290mm



BH061 BLACK
Die Cast Aluminium
with White Polycarbonate Cover
IP44

- 1 x 60W ES

Width: 180mm
Height: 320mm
Depth: 80mm



BH090 BLACK
Die Cast Aluminium
with Opal Polycarbonate Cover
IP44

- 1 x 11W ES Compact Fluorescent

Length: 217mm
Width: 133mm
Depth: 70mm



BH091 BLACK
Die Cast Aluminium
with Opal Polycarbonate Cover
IP44

- 1 x 11W ES Compact Fluorescent

Length: 217mm
Width: 133mm
Depth: 70mm

Outdoor Lighting

DIE CAST ALUMINIUM - BULKHEADS



BH074 BLACK

Die Cast Aluminium
with White Polycarbonate Cover
IP44

- 1 x 15W ES Compact Fluorescent

Length: 220mm
Width: 135mm
Depth: 65mm



BH075 BLACK

Die Cast Aluminium
with White Polycarbonate Cover
IP44

- 1 x 15W ES Compact Fluorescent

Length: 220mm
Width: 135mm
Depth: 65mm



BH076 BLACK

Die Cast Aluminium
with White Polycarbonate Cover
IP44

- 1 x 15W ES Compact Fluorescent

Length: 220mm
Width: 135mm
Depth: 65mm



BH082 BLACK

Die Cast Aluminium Bulkhead with Frosted Glass
IP54

- 1 x 18W ES Compact Fluorescent

Length: 173mm
Width: 70mm
Depth: 115mm



BH083 BLACK

Aluminium and Glass Bulkhead
Up and Down Facing
IP54

- 1 x 7W ES Tubular LED (Included)

Colour Temp: 4000K
Lumen: 600

Length: 172mm
Height: 71mm
Depth: 114mm



BH2081 BLACK

Metal with Clear Glass
IP44

- 2 x 60W (11W) ES

Width: 350mm
Height: 155mm



BH2080 BLACK

Die Cast Aluminium with Frosted Glass
IP44

- 1 x 60W ES

Dimensions:
290mm x 210mm

Outdoor Lighting

PVC - BULKHEADS



BH021
PVC Bulkhead with Clear Glass
IP54

- 1 x 40W ES (11W ES CFL)

Diameter: 185mm

Colours Available:
Black, White



BH022
PVC Bulkhead, Round
with Grid Clear Glass
IP44

- 1 x 40W ES (11W ES CFL)

Diameter: 185mm

Colours Available:
Black, White



BH023
PVC Bulkhead Round
with Grid Clear Glass
IP44

- 1 x 40W ES (11W ES CFL)

Diameter: 185mm

Colours Available:
Black, White



BH026
PVC Oval Bulkhead
with Grid Clear Glass
IP54

- 1 x 40W ES (11W ES CFL)

Width: 111mm
Length: 200mm

Colours Available:
Black, White



BH027
PVC Bulkhead with Clear Glass
IP54

- 1 x 40W ES (11W ES CFL)

Width: 111mm
Length: 200mm

Colours Available:
Black, White



BH028
PVC Oval Bulkhead
with Grid Clear Glass
IP54

- 1 x 40W ES (11W ES CFL)

Width: 111mm
Length: 200mm

Colours Available:
Black, White



BH110 BLACK
ABS Plastic
with Clear Polycarbonate Cover
IP44

- 1 x 60W ES (11W ES CFL)

Length: 245mm
Width: 125mm
Depth: 114mm



BH112 BLACK
ABS Plastic
with Opal Polycarbonate Cover
IP44

- 1 x 60W ES (11W ES CFL)

Length: 248mm
Width: 110mm
Depth: 106mm



BH113 BLACK
ABS Plastic
with Opal Polycarbonate Cover
IP44

- 1 x 60W ES (11W CFL)

Length: 270mm
Width: 152mm
Depth: 102mm

Outdoor Lighting

PVC - BULKHEADS



BH064
Polycarbonate Fitting
IP44

- 1 x 15W ES CFL

Width: 230mm
Height: 90mm

Colours Available:
Black, White



BH066
Polycarbonate Fitting
with Clear Polycarbonate Cover
IP54

- 1 x 15W ES CFL

Width: 270mm
Height: 100mm

Colours Available:
Black, White



BH067
Polycarbonate Fitting
with Frosted Polycarbonate Cover
IP54

- 1 x 15W ES CFL

Width: 270mm
Height: 100mm

Colours Available:
Black, White



BH114
ABS Plastic
with Opal Polycarbonate Cover
IP54

- 1 x 60W ES (11W CFL)

Length: 272mm
Width: 92mm

Colours Available:
Black, White



BH120
ABS Plastic with Polycarbonate Cover
IP44

- 1 x 40W ES (11W CFL)

Width: 280mm
Depth: 90mm

Colours Available:
Black, Grey



BH121
ABS Plastic with Polycarbonate Cover
IP44

- 1 x 40W ES (11W CFL)

Width: 280mm
Depth: 90mm

Colours Available:
Black, Grey

Outdoor Lighting

PVC - LED BULKHEADS



LED, Oval PP Bulkhead
IP54
CRI>70, PF>0.6

BH132 BLACK

Colour Temp: 3000K

BH134

Colour Temp: 3000K

BH133

Colour Temp: 4000K

BH135

Colour Temp: 4000K

- 9W LED (Included)
Lumen: 630

- 18W LED (Included)
Lumen: 1260

Width: 70mm
Length: 168mm
Depth: 46mm

Width: 100mm
Length: 208mm
Depth: 52mm

Colours Available:
Black, White



LED, Round PP Bulkhead
IP54
CRI>70, PF>0.6

BH137

Colour Temp: 4000K

- 9W LED (Included)
Lumen: 630

Diameter: 140mm
Depth: 57mm

BH138

Colour Temp: 3000K

BH139

Colour Temp: 4000K

- 18W LED (Included)
Lumen: 1260

Diameter: 170mm
Depth: 57mm

Colours Available:
Black, White



BH033 BLACK

LED, ABS and PC
with PC Cover, IP65

- 1 x ES
(Max. 18W LED
or Energy Saver
Only)

Length: 320mm
Width: 130mm
Depth: 129mm



LED, PC Bulkhead
with Polycarbonate Cover
Bayonet Lock
IP54

Colour Temp: 4000K
CRI: >80
PF: >0.85



BH128 BLACK

- 15W LED

Lumen: 1800
Diameter: 160mm
Height: 60mm

BH129 BLACK

- 20W LED

Lumen: 2400
Diameter: 220mm
Height: 65mm

BH130 WHITE

- 15W LED

Lumen: 1800
Diameter: 160mm
Height: 60mm

BH131 WHITE

- 20W LED

Lumen: 2400
Diameter: 220mm
Height: 65mm



BH124

Oval PVC Bulkhead
IP54

- 8W LED (Included)

Colour Temp: 4000K
Lumen: 640

Beam Angle: 120 degrees

Length: 178mm
Width: 86mm
Depth: 57mm

Colours Available:
Black, White



BH068

LED, Polypropylene Bulkhead
IP44

- 7W LED (Included)

Colour Temp: 4000K
Lumen: 560

Diameter: 230mm
Height: 90mm

Colours Available:
Black, White

Outdoor Lighting

PVC LANTERNS



L559 BLACK

Plastic Base with Opal PC Cover
IP54

- 18W LED (Included)
Colour Temp: 3000K
Lumen: 1260
CRI: >80
PD: 0.5

Width: 125mm
Height: 260mm
Depth: 100mm



L326 BLACK

LED, ABS Base
with PC Diffuser
IP54

- 6W LED
Colour Temp: 4000K
Lumen: 320

Width: 100mm
Length: 230mm
Depth: 65mm



L566 BLACK


LED, Up and Down Facing Fitting
with White PC Cover
IP65

Material: ABS and PC

- 12W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 700

Length: 230mm
Height: 90mm
Depth: 100mm



L129 BLACK

Down Facing PC Fitting
IP65

- 1 x 7W GU10 LED (Not Included)
Beam Angle: 120 Degrees

Width: 110mm
Height: 110mm
Depth: 85mm



L567 BLACK

Plastic Base with Clear PC Cover
IP54

- 1 x GU10 LED Max. 7W
(Not Included)

Width: 118mm
Height: 92mm
Depth: 152mm



L244

LED, Up and Down Facing
PVC with Clear PC Cover
IP65

- 2 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 110
CRI: >80
PF: > 0.5

Width: 110mm
Height: 178mm
Depth: 65mm

Colours Available:
Black, White



L560 BLACK

**L560 BLACK
L561 BLACK**
LED, Plastic with Opal PC Cover
IP54

- 20W LED (Included)

Colour Temp: 3000K
Lumen: 1400
CRI: >80
PF: >0.5

Width: 160mm
Height: 200mm
Depth: 50mm



L561 BLACK

Outdoor Lighting

PVC LANTERNS



L333 BLACK
PVC with Clear PVC Cover
IP44

- 1 x 18W ES
(Energy Saver or LED Only)

Width: 218mm
Height: 408mm
Depth: 327mm



L568 BLACK
6 Panel, Up Facing,
Polypropylene Base with Clear PC
IP44
Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 176mm
Height: 411mm
Depth: 238mm
Base: 190mm x 120mm



L9009 BLACK
Plastic Half Lantern
3 Clear Polycarbonate Panels
IP44

- 1 x 11W ES
(Energy Saver or LED Only)

Width: 195mm
Height: 322mm



L9007 BLACK
PVC Half Lantern
3 Clear Polycarbonate Panels
IP44

- 1 x 15W ES (Energy Saver only)

Width: 180mm
Height: 360mm
Depth: 100mm



L570 BLACK
4 Panel, Down Facing
Polypropylene with Clear PC
IP44
Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 170mm
Height: 310mm
Depth: 233mm



L9008 BLACK
PVC Half Lantern
3 Clear Polycarbonate Panels
IP44

- 1 x 15W ES (Energy Saver only)

Width: 225mm
Height: 370mm
Depth: 130mm

Outdoor Lighting

PVC LANTERNS

L320

Polypropylene,
6 Panel Glass, Up Facing
IP44

- 1 x 60W ES
(11W Compact Fluorescent)

Width: 209mm
Height: 348mm
Depth: 195mm

Colours Available:
Black, White

Also Available:
L321
L322



L321

Polypropylene,
6 Panel Glass, Down Facing
IP44

- 1 x 60W ES
(11W Compact Fluorescent)

Width: 209mm
Height: 348mm
Depth: 195mm

Colours Available:
Black, White

Also Available:
L320
L322



L340 WHITE

Convertible Up or Down Facing Lantern
Polypropylene and 6 Panel Beveled Clear PC
IP44

- 1 x 11W ES
(CFL or LED only)

Width: 173mm
Height: 395mm
Depth: 208mm

Colours Available:
Black, White

Also Available:
L341



L340 BLACK

Convertible Up or Down Facing Lantern
Polypropylene and 6 Panel Beveled Clear PC
IP44

- 1 x 11W ES
(CFL or LED only)

Width: 173mm
Height: 395mm
Depth: 208mm

Colours Available:
Black, White

Also Available:
L341



Outdoor Lighting

PVC LANTERNS



L304 CLEAR
PVC Base
with Clear Oval Polycarbonate Cover
IP44

- 1 x 14W ES (Energy Saver Only)

Width: 220mm
Height: 360mm
Depth: 300mm

Also Available:
L307 CLEAR



L312 CLEAR
PVC Base
with Clear Polycarbonate Cover
IP44

- 1 x 14W ES
(Energy Saver Only)

Width: 300mm
Height: 380mm
Depth: 330mm

Also Available:
L309 CLEAR
L311 CLEAR



L313 OPAL
PVC Base
with Opal Polycarbonate Cover
IP44

- 1 x 14W ES
(Energy Saver Only)

Width: 300mm
Height: 380mm
Depth: 330mm

Also Available:
L308 OPAL
L310 OPAL
L303 OPAL



L303 OPAL
PVC Base with Opal Polycarbonate Cover
IP44

- 1 x 14W ES (Energy Saver Only)

Width: 220mm
Height: 265mm
Depth: 220mm



L377 MATT BLACK
PC LED Wall Light
IP65

- 10W LED (Included)

Colour Temp: 6000K
Lumen: 750
CRI: >70
PF: >0.5

Length: 162mm
Height: 75mm
Depth: 102mm

Outdoor Lighting

PVC PILLAR LANTERNS



L307 CLEAR

PVC Base
with Clear Polycarbonate Cover
IP44

- 1 x 14W ES (Energy Saver Only)

Width: 220mm
Height: 430mm

Also Available:
L304 CLEAR



L309 CLEAR

PVC Base
with Clear Polycarbonate Cover
IP44

- 1 x 14W ES (Energy Saver Only)

Width: 300mm
Height: 440mm

Also Available:
L311 CLEAR
L312 CLEAR



L308 OPAL

PVC Base
with Opal Polycarbonate Cover
IP44

- 1 x 14W ES (Energy Saver Only)

Width: 300mm
Height: 440mm

Also Available:
L310 OPAL
L313 OPAL



L322

Polypropylene,
6 Panel Glass, Pillar
IP44

- 1 x 60W ES (11W Compact Fluorescent)

Width: 195mm
Height: 421mm

Colours Available:
Black, White

Also Available:
L320
L321



L341

Polypropylene,
6 Panel Beveled Clear PC, Pillar
IP44

- 1 x 11W ES (CFL or LED only)

Width: 172mm
Height: 458mm
Base: 190mm

Colours Available:
Black, White

Also Available:
L340



L569 BLACK

Polypropylene Base
6 Panel Clear PC, Pillar
IP44

Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 176mm
Height: 476mm
Base: 190mm

Outdoor Lighting

PVC STANDING LANTERNS



LFL034 BLACK

6 Panel, Polypropylene Base with Clear PC
IP44
Material: PP and PC

- 3 x 11W ES (Not Included)

Width: 529mm
Height: 2210mm
Base: 225mm



LFL035 BLACK

6 Panel, Polypropylene Base with Clear PC
IP44

Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 173mm
Height: 1263mm
Base: 190mm




LFL037 BLACK

6 Panel
Polypropylene Base with Clear PC
IP44

Material: PP and PC

- 3 x 11W ES (Not Included)

Width: 533mm
Height: 2224mm
Base: 225mm



LFL036 BLACK

6 Panel
Polypropylene Base with Clear PC
IP44

Material: PP and PC

- 1 x 11W ES (Not Included)

Width: 176mm
Height: 1280mm
Base: 130mm

Outdoor Lighting

PVC STANDING LANTERNS




LFL032 BLACK

Plastic Bollard with Clear PC Cover
IP54

- 1 x GU10 LED Max. 7W
(Not Included)

Width: 251mm
Head Width: 120mm
Base: 150mm
Height: 800mm



LFL033 BLACK

Plastic Base with PC Diffuser
IP54

Material: ABS and PC

- 1 x 18W ES LED
(Not Included)

Base: 160mm
Height: 1000mm




LFL040 BLACK

Polycarbonate Base
with Clear PC Cover
IP44

- 1 x 11W ES
(Energy Saver or LED only)

Base: 155mm
Height: 600mm

Also Available:
LFL041 BLACK



LFL041 BLACK

Polycarbonate Base
with Clear PC Cover
IP44

- 1 x 11W ES
(Energy Saver or LED only)

Base: 155mm
Height: 1100mm

Also Available:
LFL040 BLACK

Outdoor Lighting

PVC STANDING LANTERNS



LFL030 BLACK
PVC Bollard
ABS Body and PC Diffuser
IP65

- 10W LED (Included)

Colour Temp: 4000K
Lumen: 350

Width: 160mm
Height: 1100mm
Base: 240mm



L310 OPAL
PVC Base
with Opal Polycarbonate Cover
IP44

- 1 x 14W ES (Energy Saver Only)

Cover: 300mm
Pole: 1070mm
Base: 165mm

Also Available:
L308 OPAL
L313 OPAL



L311 CLEAR
PVC Base
with Clear Polycarbonate Cover
IP44

- 1 x 14W ES (Energy Saver Only)

Cover: 300mm
Pole: 1070mm
Base: 165mm

Also Available:
L309 CLEAR
L312 CLEAR

Outdoor Lighting

PVC LED UP / DOWN FACING LANTERNS



L365
Down Facing
ABS and PC with Clear PC Cover
IP65

- 1 x GU10 LED Max. 5W
(Not Included)

Width: 68mm
Height: 80mm
Depth: 92mm

Colours Available:
Grey, Matt Black, White

Also Available:
L366



L366
Up and Down Facing
ABS and PC with Clear PC Cover
IP65

- 2 x GU10 LED Max. 5W
(Not Included)

Width: 68mm
Height: 155mm
Depth: 92mm

Colours Available:
Grey, Matt Black, White

Also Available:
L365



L368
Up and Down Facing
ABS and PC with Clear PC Cover
IP65

- 2 x GU10 LED Max. 5W
(Not Included)

Width: 68mm
Height: 155mm
Depth: 92mm

Colours Available:
Grey, Matt Black, White

Also Available:
L367



L367
Down Facing
ABS and PC with Clear PC Cover
IP65

- 1 x GU10 LED Max. 5W
(Not Included)

Width: 68mm
Height: 80mm
Depth: 92mm

Colours Available:
Grey, Matt Black, White

Also Available:
L368



L375 MATT BLACK
Up and Down Facing
PC LED Wall Light
IP65

- 4W LED (Included)

Colour Temp: 4000K
Lumen: 70
CRI: >70
PF: >0.5

Width: 83mm
Height: 123mm
Depth: 30mm

Also Available:
L376 MATT WHITE



L376 MATT WHITE
Up and Down Facing
PC LED Wall Light
IP65

- 4W LED (Included)

Colour Temp: 4000K
Lumen: 140
CRI: >70
PF: >0.5

Width: 83mm
Height: 123mm
Depth: 30mm

Also Available:
L375 MATT BLACK



L378 MATT BLACK
Up and Down Facing
PC LED Wall Light,
IP65

- 8W LED (Included)

Colour Temp: 4000K
Lumen: 400
CRI: >70
PF: >0.5

Length: 200mm
Height: 100mm
Depth: 40mm

Also Available:
L379 MATT WHITE



L379 MATT WHITE
Up and Down Facing
PC LED Wall Light
IP65

- 8W LED (Included)

Colour Temp: 4000K
Lumen: 600
CRI: >70
PF: >0.5

Length: 200mm
Height: 100mm
Depth: 40mm

Also Available:
L378 MATT BLACK

Outdoor Lighting

PVC LED UP / DOWN FACING LANTERNS



L342
Down Facing
ABS and PC with Clear PC Cover
IP54

- 1 x GU10 LED Max 7W
(Not Included)

Width: 76mm
Height: 148mm
Depth: 100mm

Colours Available:
Black, White

Also Available:
L344



L344
Up and Down Facing
ABS and PC with Clear PC Cover
IP54

- 2 x GU10 LED Max 7W
(Not Included)

Width: 76mm
Height: 186mm
Depth: 100mm

Colours Available:
Black, White

Also Available:
L342



L343
Down Facing
ABS and PC with Clear PC Cover
IP54

- 1 x GU10 LED Max 7W
(Not Included)

Width: 76mm
Height: 148mm
Depth: 100mm

Colours Available:
Black, White

Also Available:
L345



L345
Up and Down Facing
ABS and PC with Clear PC Cover
IP54

- 2 x GU10 LED Max 7W
(Not Included)

Width: 76mm
Height: 186mm
Depth: 100mm

Colours Available:
Black, White

Also Available:
L343



L331
PVC, Down Facing
IP44

- 1 x 7W GU10 LED
(Not Included)

Width: 80mm
Height: 119mm
Depth: 88mm

Colours Available:
Black, White

Also Available:
L332



L332
PVC, Up and Down Facing
IP44

- 2 x 7W GU10 LED
(Not Included)

Width: 80mm
Height: 160mm
Depth: 88mm

Colours Available:
Black, White

Also Available:
L331

Outdoor Lighting

ALUMINIUM LED UP / DOWN FACING LANTERNS

Aluminium LED Wall Bracket With Glass
Up and Down Facing
IP54
Colour Temp: 3000K



L245 BLACK
- 2 x 1W LED (Included)

Width: 66mm
Height: 75mm
Depth: 40mm



L246 BLACK
- 4 x 1W LED (Included)

Width: 98mm
Height: 75mm
Depth: 40mm



L248 BLACK
- 8 x 1W LED (Included)

Width: 200mm
Height: 75mm
Depth: 40mm



L247 BLACK
- 6 x 1W LED (Included)

Width: 150mm
Height: 75mm
Depth: 40mm



L249 BLACK
- 8 x 1W LED (Included)

Width: 220mm
Height: 80mm
Depth: 45mm

L564 BLACK

Die Cast Aluminium, Up and Down Facing
IP54



- 11W LED (Included)

Colour Temp: 3000K
Lumen: 880
CRI: >80
PF: >0.55

Length: 225mm
Height: 98mm
Depth: 55mm

L563 BLACK

Die Cast Aluminium, Up and Down Facing
IP54



- 9W LED (Included)

Colour Temp: 3000K
Lumen: 720
CRI: >80
PF: >0.55

Length: 170mm
Height: 90mm
Depth: 55mm



L608 LED STAINLESS
NOT FOR COASTAL USE
IP44

LED, Stainless Steel
with Clear Polycarbonate Cover
Up and Down Facing
- 2 x 12 LED Max 1.5W (Included)

Width: 85mm
Height: 200mm
Depth: 123mm

Outdoor Lighting

ALUMINIUM LED UP / DOWN FACING LANTERNS



L555 BLACK/GOLD


LED Wall Bracket, Up and Down Facing
IP54

Material: Die Cast Aluminium

- 4W LED (Included)

Colour Temp: 3000K
Lumen: 320
CRI: >80
PF: >0.55

Width: 90mm
Height: 90mm
Depth: 45mm



L556 BLACK/GOLD

LED Wall Bracket, Up and Down Facing
IP54

Material: Die Cast Aluminium

- 8W LED (Included)

Colour Temp: 3000K
Lumen: 640
CRI: >80
PF: >0.55

Length: 190mm
Height: 90mm
Depth: 45mm



L557 BLACK

Die Cast Aluminium Wall Light
IP54

Colour: Black and Gold

- 6W LED (Included)

Colour Temp: 3000K
Lumen: 480
CRI: >80
PF: 0.55

Width: 124mm
Height: 45mm



L562 BLACK/GOLD

Die Cast Aluminium, Up and Down Facing
IP54

- 10W LED (Included)

Colour Temp: 3000K
Lumen: 800
CRI: >80
PF: >0.55

Width: 100mm
Height: 200mm
Depth: 80mm



L565 BLACK/GOLD

Die Cast Aluminium, Up and Down Facing
IP54

- 6W LED (Included)

Colour Temp: 3000K
Lumen: 480
CRI: >80
PF: >0.55

Width: 100mm
Height: 280mm
Depth: 100mm

Outdoor Lighting

UP / DOWN FACING LANTERNS

L121

Die Cast Aluminium Wall Bracket
Up or Down Facing, Glass Cover
IP44

- 1 x 50W GU10

Head Length: 125mm
Head Width: 65mm
Base: 90mm x 65mm

Colours Available:
Black, Grey

Also Available:
L122



L122

Die Cast Aluminium Wall Bracket
Up and Down Facing, Glass Cover
IP44

- 2 x 50W GU10

Head Length: 150mm
Head Width: 65mm
Base: 90mm x 65mm

Colours Available:
Black, Grey

Also Available:
L121



L125 BLACK

Die Cast Aluminium Wall Bracket
Up or Down Facing, Glass Cover
IP44

- 1 x 50W GU10

Head Length: 135mm
Head Width: 65mm
Base: 90mm x 65mm

Also Available:
L126



L126 BLACK

Die Cast Aluminium Wall Bracket
Up and Down Facing, Glass Cover
IP44

- 2 x 50W GU10

Head Length: 165mm
Head Width: 65mm
Base: 90mm x 65mm

Also Available:
L125



L127 BLACK

Die Cast Aluminium Wall Bracket
Square, Down Facing
Glass Cover
IP44

- 1 x 50W GU10

Head Length: 120mm
Head Width: 75mm
Base: 90mm x 65mm

Also Available:
L128



L128

Die Cast Aluminium Wall Bracket
Square, Up and Down Facing
Glass Cover
IP44

- 2 x 50W GU10

Head Length: 185mm
Head Width: 75mm
Base: 90mm x 65mm

Colours Available:
Black, Grey

Also Available:
L127



Outdoor Lighting

UP / DOWN FACING LANTERNS



L272 BLACK
Up and Down Facing
Die Cast Aluminium
with Clear Glass Cover
Adjustable Heads
IP54

- 2 x 50W GU10
(Not Included)

Width: 90mm
Height: 235mm
Depth: 145mm



L119 BLACK
Up and Down Facing
Die Cast Aluminium
with Clear Glass Cover
IP54

- 2 x 50W GU10 (Not Included)

Width: 90mm
Height: 190mm
Depth: 110mm



L132 BLACK
Up and Down Facing
Die Cast Aluminium with Glass Cover
IP44

- 2 x 60W ES or 12W Spiral Energy Saver
(Not Included)

Width: 90mm
Height: 260mm
Depth: 155mm



L133 BLACK
Up and Down Facing
Die Cast Aluminium with Glass Cover
IP44

- 2 x 60W ES or 12W Spiral Energy Saver
(Not Included)

Width: 125mm
Height: 350mm
Depth: 180mm



L260 BLACK
Die Cast Aluminium with Clear Glass
IP44

- 2 x 12W ES Compact Fluorescent
(Not Included)

Width: 160mm
Height: 500mm
Depth: 225mm

UP / DOWN FACING LANTERNS

Outdoor Lighting


UP / DOWN FACING LANTERNS



L123 BLACK
Oval Die Cast Aluminium
Wall Bracket with Glass
Up and Down Facing
IP44

- 2 x 50W GU10

Length: 235mm
Width: 100mm



L124
Die Cast Aluminium
Wall Bracket with Glass
Up and Down Facing
IP44

- 2 x 50W GU10

Length: 235mm
Width: 110mm

Colours Available:
Black, Grey



L131 BLACK
Die Cast Aluminium
with Glass and Glass Cover
Up and Down Facing
IP44

- 2 x 50W GU10
or GU10 Energy Saver

Width: 80mm
Height: 230mm
Depth: 125mm



L130 BLACK
Die Cast Aluminium Wall Bracket
with Glass Cover
Up and Down Facing
IP44

- 2 x 40W G9 (Not Included)

Head Length: 210mm
Head Width: 65mm
Base: 90mm x 65mm



L157
Aluminium Wall Bracket
with Tempered Glass Cover
Up and Down Facing
IP44

- 2 x 35W GU10 (Not Included)

Width: 66mm
Height: 147mm
Depth: 95mm

Colours Available:
Aluminium, Black, White



L158
Aluminium Wall Bracket
with Tempered Glass Cover
Down Facing
IP44

- 1 x 35W GU10 (Not Included)

Width: 66mm
Height: 80mm
Depth: 95mm

Colours Available:
Aluminium, Black, White

Outdoor Lighting

UP / DOWN FACING LANTERNS



L080 STAINLESS

Stainless Steel with Opal Polycarbonate
Up and Down Facing
IP44

- 1 x 11W ES

Width: 265mm
Height: 123mm
Depth: 110mm



L197 STAINLESS

Stainless Steel with Glass Cover
Up and Down Facing
IP44

- 2 x 35W GU10 (Not Included)

Base: 90mm
Head Length: 165mm

Also Available:
L198 STAINLESS



L198 STAINLESS

Stainless Steel with Glass Cover
IP44

- 1 x 35W GU10 (Not Included)

Base: 85mm
Head Width: 60mm
Head Length: 95mm

Also Available:
L197 STAINLESS



L172 STAINLESS

Stainless Steel with Glass Cover
Up and Down Facing
IP44

- 2 x 11W GU10 Compact Fluorescent
(Not Included)

Head Length: 190mm
Base: 95mm
Width: 62mm



L271 ALUMINIUM

Die Cast Aluminium with Glass
Up and Down Facing
IP54

- 2 x 50W GU10 or 9W CFL

Width: 64mm
Height: 185mm
Depth: 105mm

Also Available:
L270 ALUMINIUM



L270 ALUMINIUM

Die Cast Aluminium with Glass
Up or Down Facing
IP54

- 1 x 50W GU10 or 9W CFL

Width: 64mm
Height: 120mm
Depth: 105mm

Also Available:
L271 ALUMINIUM

UP / DOWN FACING LANTERNS

Outdoor Lighting

LED LIGHTING



L553 BLACK
Aluminium and PMMA
Linear Wall Light
IP54

- 12W LED

Colour Temp: 3000K
Lumen: 840
CRI: >70
PF: >0.5

Length: 900mm
Base: 60mm
Depth: 120mm



L551 BLACK
L552 WHITE

Aluminium and PMMA
Linear Wall Light
IP54

- 9W LED

Colour Temp: 3000K
Lumen: 630
CRI: >70
PF: >0.5

Length: 600mm
Base: 60mm
Depth: 120mm



LED Wall Bracket
IP54

Material: Iron and PMMA
Colour Temp: 3000K
CRI: >70
PF: >0.5

L547 BLACK

- 10W LED (Included)
Lumen: 700

Length: 400mm
Width: 80mm
Depth: 40mm

L548 BLACK

- 25W LED (Included)
Lumen: 1750

Length: 800mm
Width: 80mm
Depth: 40mm



L549 BLACK

LED Wall Bracket
IP54

Material: Iron and PMMA

- 16W LED (Included)

Colour Temp: 3000K
Lumen: 1120
CRI: >70
PF: >0.5

Length: 570mm
Width: 50mm
Depth: 40mm

Outdoor Lighting

LED LIGHTING



L550 BLACK

LED Wall Bracket
IP54

Material: Iron and PMMA

- 10W LED (Included)

Colour Temp: 3000K

Lumen: 700

CRI: >70

PF: >0.5

Length: 400mm

Width: 80mm

Depth: 40mm



L558 BLACK

Die Cast Aluminium
Up and Down Facing
IP54

- 8W LED (Included)

Colour Temp: 3000K

Lumen: 720

CRI: >80

PF: >0.55

Length: 220mm

Height: 60mm

Depth: 55mm



L546 BLACK

Die Cast Aluminium
Up and Down Facing Lantern
IP54

- 2 x 3W LED (Included)

Colour Temp: 4000K

Lumen: 270 per LED

Beam Angle: 60 Degrees

Height: 215mm

Width: 72mm

Depth: 104mm



L070 BLACK

LED, Die Cast Aluminium
with Opal Polycarbonate
IP65

- 12W LED

Colour Temp: 4000K

Lumen: 840


Width: 85mm

Height: 260mm

Depth: 180mm

Outdoor Lighting

LED LIGHTING



L055 BLACK

LED, Die Cast Aluminium with Opal Polycarbonate
IP65

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 800

Width: 300mm
Height: 120mm
Depth: 97mm



L054 BLACK

LED, Die Cast Aluminium with Opal Polycarbonate
IP65

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 1000

Width: 210mm
Height: 115mm
Depth: 146mm

Also Available:
LFL012 BLACK



WB098 BLACK

LED, PC Wall Bracket
IP65

- 12W LED (Included)

Colour Temp: 4200K
Lumen: 580
CRI >80
PF >0.9

Width: 120mm
Length: 265mm
Depth: 81mm



L072 BLACK

Aluminium with Opal Polycarbonate
IP54

- 1 x 9W LED (Included)
Colour Temp: 4000K
Lumen: 650

Width: 315mm
Height: 85mm
Depth: 41mm

Outdoor Lighting

LED LIGHTING



L527 BLACK

Metal and Acrylic
IP54

- 9W LED (Included)

Colour Temp: 4000K
Lumen: 340
CRI: >80
PF: >0.9

Width: 130mm
Height: 310mm
Depth: 90mm



L529 BLACK

Metal and Acrylic
IP54

- 9W LED (Included)

Colour Temp: 4000K
Lumen: 600
CRI: >80
PF: >0.9

Width: 130mm
Height: 320mm
Depth: 85mm



L530 BLACK

Metal and Glass
IP54

- 9W LED (Included)

Colour Temp: 4000K
Lumen: 310
CRI: >80
PF: >0.9

Width: 140mm
Height: 280mm
Depth: 120mm



L531 BLACK

Metal and Glass
IP54

- 9W LED (Included)

Colour Temp: 4000K
Lumen: 700
CRI: >80
PF: >0.9

Width: 140mm
Height: 350mm
Depth: 145mm

Outdoor Lighting

LED LIGHTING



L540 BLACK
Metal and Clear Glass
Colour: Black and Gold
IP54

- 20W LED (Included)

Colour Temp: 3000K
Lumen: 768
CRI: >80
PF: 0.9

Width: 200mm
Height: 550mm
Depth: 130mm

Also Available:
PEN817 BLACK



L541 BLACK
Metal and Acrylic
Colour: Texture Black
IP54

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 760
CRI: >80
PF: 0.9

Width: 140mm
Height: 350mm
Depth: 100mm



L053 BLACK
LED, Die Cast Aluminium
with Opal Polycarbonate
IP65

- 9W LED (Included)

Colour Temp: 4000K
Lumen: 800

Width: 150mm
Height: 280mm
Depth: 126mm



L578 BLACK
Die Cast Aluminium with Glass
Down Facing
IP44

- 11W LED (Included)

Colour Temp: 4000K
Lumen: 1000

Width: 95mm
Height: 349mm
Depth: 120mm
Base: 120mm

Outdoor Lighting

FOOT LIGHTING




FT004 BLACK

Footlight, Die Cast Aluminium with Frosted Glass
PVC Flush Box with 20mm Knockout for Conduit
IP44

- 1 x 60W ES Compact Fluorescent (Not Included)

Width: 100mm
Length: 232mm
Depth: 80mm

LED FOOT LIGHTING



FT009 STAINLESS

304 Stainless Steel Footlight with Tempered Glass
IP44

- 12 x 0.1W LED (Included)

Width: 45mm
Length: 110mm



FT010 STAINLESS

304 Stainless Steel Footlight with Tempered Glass
IP44

- 12 x 0.1W LED (Included)

Width: 45mm
Length: 110mm



FT013 STAINLESS

304 Stainless Steel Footlight with Tempered Glass
IP44

- 9 x 0.1W LED (Included)

Width: 70mm x 70mm



FT014 STAINLESS

304 Stainless Steel Footlight with Tempered Glass
IP44

- 9 x 0.1W LED (Included)

Width: 70mm x 70mm

Outdoor Lighting

PVC LED FOOT LIGHTING



FT021
LED Footlight
ABS and PC Cover
IP65

- 3W LED (Included)

Colour Temp:
3000K - 6000K
Lumen: 190

Width: 125mm
Length: 125mm
Depth: 37mm

Colours Available:
Black, White



FT022
LED Footlight
ABS and PC Cover
IP65

- 1W LED (Included)

Colour Temp:
3000K - 6000K
Lumen: 60

Width: 125mm
Length: 125mm
Depth: 27mm

Colours Available:
Black, White




FT020
LED Footlight
ABS and PC Cover
IP65

- 3W LED (Included)

Colour Temp: 3000K - 6000K
Lumen: 180

Width: 80mm
Length: 230mm
Depth: 27mm

Colours Available:
Black, White



FT025
LED Footlight
ABS and PC Cover
IP65

- 2W LED (Included)

Colour Temp: 3000K - 6000K
Lumen: 100

Width: 80mm
Length: 230mm
Depth: 27mm

Colours Available:
Black, White



FT035 BLACK



FT036 WHITE

**FT035 BLACK
FT036 WHITE**
LED Footlight,
Fits into a 2 X 4 Surface Mount Box
ABS and PC Cover
IP65

- 2W LED (Included)

Colour Temp: 4200K
Lumen: 80
CRI >70
PF>0.5

Width: 83mm
Height: 123mm

Outdoor Lighting

PVC LED FOOT LIGHTING



FT027
LED Footlight
ABS and PC Cover
IP65

- 6W LED (Included)

Colour Temp: 3000K - 6000K
Lumen: 350

Width: 113mm
Length: 220mm
Depth: 51mm

Colours Available:
Black, White



FT030
LED Footlight
ABS and PC Cover
IP65


- 1.5W LED (Included)

Colour Temp: 3000K - 6000K
Lumen: 80

Width: 60mm
Length: 100mm
Depth: 33mm

Colours Available:
Black, Silver, White

Also Available:
FT031
FT032



FT031
LED Footlight
ABS and PC Cover
IP65

- 3W LED (Included)

Colour Temp: 3000K - 6000K
Lumen: 150

Width: 70mm
Length: 160mm
Depth: 33mm

Colours Available:
Black, Silver, White

Also Available:
FT030
FT032



FT032
LED Footlight
ABS and PC Cover
IP65

- 3.8W LED (Included)

Colour Temp: 3000K - 6000K
Lumen: 200

Width: 80mm
Length: 220mm
Depth: 36mm

Colours Available:
Black, Silver, White

Also Available:
FT030
FT031



FT038
LED Footlight
Polycarbonate with Glass Cover
IP65

- 5W LED (Included)

Colour Temp: 3000K
Lumen: 300

Width: 80mm
Length: 170mm
Depth: 53mm

Outdoor Lighting

RECESSED GROUND LIGHTING



GL6109 STAINLESS
Stainless Steel with Clear Glass
PVC Outer Cover
IP64

- 1 x 50W GU10 (Not Included)

Width: 120mm x 120mm
Height: 130mm



GL6110 STAINLESS
Stainless Steel with Clear Glass
PVC Outer Cover
IP64

- 1 x 50W GU10 (Not Included)

Width: 120mm
Height: 130mm



GL6101 BLACK
Die Cast Aluminium with Clear Glass
PVC Outer Cover
IP54

- 1 x Compact Fluorescent (Not Included)

Width: 170mm
Height: 225mm

Outdoor Lighting

GROW LIGHTING



Due to the size of these tubes, they are perfect to fit Grow Shelves.
They can also be used in conjunction with PEN014 to hang tubes between the plants.
These tubes are perfect for leafy greens and vegetables.

BULB LED 205

- 9W T8 Full Spectrum LED Grow Tube
IP65
Not Dimmable

Input Voltage: 220-240V
Material: Glass Tube

PPF: >13.5umol@0.5M
Par/W: 0.5mW@0.5M
PPE: >1.5umol/s/W
PF: >0.9
@10cm: PPFD 60

Length: 590mm
Width: 26mm

BULB LED 206

- 18W T8 Full Spectrum LED Grow Tube
IP65
Not Dimmable

Input Voltage: 220-240V
Material: Glass Tube

PPF: >35umol@0.5M
Par/W: 0.5mW@0.5M
PPE: >1.9umol/s/W
PF: >0.9
@10cm: PPFD 120

Length: 1199mm
Width: 26mm



BULB LED 207

This bulb is mainly for residential use. It is ideal for all phases of small indoor plant growth

LED PAR38 Grow Bulb, Red and Blue Wavelength
IP65

- 15W ES (E27) LED and Driver (Included)
Not Dimmable


Material: Die Cast Aluminium and High Light Transmission Lens, Rubber Seal
LED Quantity: 24 Pieces 3030 SMD
Lumen: 30 LM/W
Beam Angle: 30 degrees

Full Spectrum of Ratio:
620-630nm/650-670nm/730-750nm/390-410nm/430-450nm/460-470nm
Par Value (PPFD):
154umol@0.3M, 62umol@0.5M
Lighting Coverage:
0.3M@0.31m², 0.5M@0.65m²

Width: 120mm
Height: 127mm

Outdoor Lighting

LED BOLLARDS



LFL031 BLACK

Metal LED Bollard
IP65

- 10W LED (Included)

Colour Temp: 3000K
Lumen: 700
CRI: >80
PF: 0.6

Length: 240mm
Height: 900mm
Width: 80mm



LFL012 BLACK


LED, Die Cast Aluminium
with Opal Polycarbonate
IP44

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 1000

Width: 210mm
Height: 800mm
Depth: 145mm

Also Available:
L054 BLACK



LFL023 BLACK

LED, Die Cast Aluminium
with Opal Polycarbonate
IP44

- 9W LED (Included)

Colour Temp: 4000K
Lumen: 800

Width: 90mm
Height: 800mm

Outdoor Lighting

LED BOLLARDS



L508 BLACK

Aluminium Bollard
IP54

- 7W LED (Included)

Colour Temp: 4000K
Lumen : 350

Width: 160mm
Height: 500mm
Depth: 54mm




LFL028 MATT BLACK

Aluminium Standing Lantern
IP65

- 10W LED (Included)

Colour Temp: 6000K
Lumen: 700
CRI: >70
PF: >0.5

Width: 163mm
Height: 800mm
Depth: 57mm



LFL026 BLACK

LED Bollard
Die Cast Aluminum with PC Diffuser
IP54

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 960

Base: 156mm
Height: 800mm
Depth: 75mm

Outdoor Lighting

PVC LED GARDEN LIGHTING



GS010 BLACK
LED, PVC Garden Flood Light and Spike
IP65

- 10W LED (Included)

Colour Temp: 6000K
Lumen: 500

Power Factor: > 0.9
Beam Angle: 120 degrees

Width: 100mm
Height: 80mm (Excluding Spike)
Depth: 20mm
Spike: 162mm



GS011 BLACK
LED, PVC Garden Flood Light and Spike
IP65

- 20W LED (Included)

Colour Temp: 6000K
Lumen: 1000

Power Factor: > 0.9
Beam Angle: 120 degrees

Width: 100mm
Height: 80mm (Excluding Spike)
Depth: 20mm
Spike: 162mm



GS012 BLACK
LED, ABS and PC Garden Spike
with Glass Cover
IP44

- 1 x 7W GU10 LED (Not Included)

Head Width: 60mm
Head Length: 110mm
Spike: 162mm



GS013 BLACK
PC and PVC Garden Spot
with Swivel Arm and Spike
IP65

- 7W LED GU10 (Not Included)

Height: 340mm
Width: 60mm



GS014 BLACK
PC and PVC Garden Spot
with Swivel Arm
IP65

- 7W LED GU10 (Not Included)

Height: 200mm
Width: 60mm



GS016 BLACK
Garden Spike
with Clear Glass Cover
IP65
Material: ABS, PC and Glass

- 1 x 5W GU10 LED (Not Included)

Width: 98mm
Length: 100mm
Bracket and Spike: 230mm



GS015 BLACK
Garden Bracket
with Clear Glass Cover
IP65
Material: ABS, PC and Glass

- 1 x 5W GU10 LED (Not Included)

Width: 98mm
Length: 100mm
Bracket: 70mm

Outdoor Lighting

PVC GARDEN LIGHTING



GS004/1 BLACK
Polypropylene Garden Spot
Swivel Arm
Lip Seal for Bulb
220V – 240V
IP54

- 1 x ES Par 38 Bulb

Width: 76mm
Height: 220mm
Base: 95mm

Also Available:
GS005/2 BLACK



GS005/2 BLACK

Polypropylene Garden Spot
Swivel Arm
Lip Seal for Bulb
220V – 240V
IP54

- 2 x ES Par 38 Bulb

Width: 210mm
Height: 220mm
Base: 95mm

Also Available:
GS004/1 BLACK



GS006 BLACK
Engineer Plastic with Glass Cover
IP64

- 1 x 35W GU10

Head Width: 79mm
Head Length: 130mm
Spike: 250mm



GS008 BLACK
Engineer Plastic with Glass Cover
IP64

- 1 x 35W GU10

Head Width: 79mm
Head Length: 170mm
Spike: 250mm



GS001 BLACK
Polypropylene Garden Spike,
Splash Proof,
Lip Seal for Bulb,
220V - 240V
IP54

- 1 x Par 38 Bulb
(Not Included)

Width: 75mm
Height: 420mm

Also Available:
GS002 BLACK



GS002 BLACK

PVC Garden Spike,
Splash Proof,
Lip Seal for Bulb,
220V - 240V
IP54

- 2 x Par 38 Bulb
(Not Included)

Width: 410mm
Height: 445mm

Also Available:
GS001 BLACK

Outdoor Lighting

FLOOD LIGHT STAND



FL009 YELLOW/BLACK
Two Head Metal Flood Light Stand
with Waterproof Connection Box
and 3 Meter Cable

Width: 495mm
Height: 1400mm

Outdoor Lighting

LED FLOOD LIGHTING WITH SENSOR



FL031 BLACK
Die Cast Aluminium
with Tempered Glass Lens
and PIR Sensor, Repairable
IP65

- 10W LED

Width: 85mm
Height: 175mm
Depth: 30mm

Features:
Colour Temp: 6000K
Lumen: 800
CRI: >70
Power Factor: >0.9



FL033 BLACK
Die Cast Aluminium
with Tempered Glass Lens
and PIR Sensor, Repairable
IP65

- 30W LED

Width: 185mm
Height: 285mm
Depth: 40mm

Features:
Colour Temp: 6000K
Lumen: 2400
CRI: >70
Power Factor: >0.9

FL074 BLACK
Die Cast Aluminium
with Tempered Glass Lens and PIR Sensor
IP65

- 10W LED

Width: 145mm
Height: 85mm
Depth: 27mm

Features:
Colour Temp: 6000K
Lumen: 750
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9
Detected Distance: Max. 10M lasting
5 Seconds to 5 Minutes (Adjustable)

FL075 BLACK
Die Cast Aluminium
with Tempered Glass Lens and PIR Sensor
IP65

- 20W LED

Width: 150mm
Height: 93mm
Depth: 29mm

Features:
Colour Temp: 6000K
Lumen: 1500
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9
Detected Distance: Max. 10M lasting
5 Seconds to 5 Minutes (Adjustable)



FL076 BLACK
Solar LED Die Cast Aluminium
with Tempered Glass Lens and PIR motion Sensor
Repairable
IP54

- 10W LED Floodlight
- 3W Solar Panel

Floodlight:
Width: 115mm
Height: 155mm
Depth: 110mm

Features:
Colour Temp: 6000K
Lumen: 600
Power Factor: > 0.9
Beam Angle: 120 degrees
Detected Distance Maximum: 5M
Time Delay: 5 Seconds – 5 Minutes (Adjustable)



Solar Panel:
3.7V 2000MAH
Battery Running Time: 1.5 hours

Width: 180mm
Height: 150mm
Cable: 5 meters



LED FLOOD LIGHTING WITH SENSOR

Outdoor Lighting

LED PVC FLOOD LIGHTING



FL010 BLACK

LED, PVC Flood Light with Tempered Glass Lens
IP65

- 10W LED (Included)

Colour Temp: 6000K
Lumen: 500

Power Factor: > 0.9
Beam Angle: 120 degrees

Width: 100mm
Height: 80mm
Depth: 20mm



FL011 BLACK

LED, PVC Flood Light with Tempered Glass Lens
IP65

- 20W LED

Colour Temp: 6000K
Lumen: 1000

Power Factor: > 0.9
Beam Angle: 120 degrees

Width: 100mm
Height: 80mm
Depth: 20mm



FL012 BLACK

LED, PVC Flood Light with Tempered Glass Lens
IP65

- 30W LED

Colour Temp: 6000K
Lumen: 1500

Power Factor: > 0.9
Beam Angle: 120 degrees

Width: 135mm
Height: 100mm
Depth: 20mm



FL013 BLACK

LED, PVC Flood Light with Tempered Glass Lens
IP65

- 50W LED

Colour Temp: 6000K
Lumen: 2600

Power Factor: > 0.9
Beam Angle: 120 degrees

Width: 160mm
Height: 135mm
Depth: 20mm

Outdoor Lighting

LED FLOOD LIGHTING



FL070 BLACK LED

Die Cast Aluminium with Tempered Glass Lens
IP65

- 10W LED

Width: 115mm
Height: 85mm
Depth: 27mm

Features:

Colour Temp: 6000K
Lumen: 750
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9



FL071 BLACK LED

Die Cast Aluminium with Tempered Glass Lens
IP65

- 20W LED

Width: 126mm
Height: 93mm
Depth: 29mm

Features:

Colour Temp: 6000K
Lumen: 1500
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9



FL072 BLACK LED

Die Cast Aluminium with Tempered Glass Lens
IP65

- 30W LED

Width: 165mm
Height: 120mm
Depth: 29mm

Features:

Colour Temp: 6000K
Lumen: 2250
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9



FL073 BLACK LED

Die Cast Aluminium with Tempered Glass Lens
IP65

- 50W LED

Width: 210mm
Height: 160mm
Depth: 32mm

Features:

Colour Temp: 6000K
Lumen: 3750
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9

Outdoor Lighting

LED FLOOD LIGHTING - REPAIRABLE



FL030 BLACK

Die Cast Aluminium
with Tempered Glass Lens, Repairable
IP65

- 10W LED

Width: 115mm
Height: 85mm
Depth: 30mm

Features:

Colour Temp: 6000K
Lumen: 800
CRI: >70
Beam Angle: 120 degrees
PF: >0.9



FL032 BLACK

Die Cast Aluminium
with Tempered Glass Lens, Repairable
IP65

- 20W LED

Width: 140mm
Height: 180mm
Depth: 35mm

Features:

Colour Temp: 6000K
Lumen: 1600
CRI: >70
Beam Angle: 120 degrees
PF: >0.9



FL034 BLACK

Die Cast Aluminium
with Tempered Glass Lens, Repairable
IP65

- 30W LED

Width: 185mm
Height: 225mm
Depth: 40mm

Features:

Colour Temp: 6000K
Lumen: 2400
CRI: >70
Beam Angle: 120 degrees
PF: >0.9



FL035 BLACK

Die Cast Aluminium
with Tempered Glass Lens, Repairable
IP65

- 50W LED

Width: 235mm
Height: 285mm
Depth: 60mm

Features:

Colour Temp: 6000K
Lumen: 4000
CRI: >70
Beam Angle: 120 degrees
PF: >0.9



FL045 BLACK

Die Cast Aluminium
with Tempered Glass Lens, Repairable
IP65

- 100W LED

Width: 290mm
Height: 335mm
Depth: 65mm

Features:

Colour Temp: 6000K
Lumen: 8000
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9

Outdoor Lighting

LED FLOOD LIGHTING FOR CAR PARKS - REPAIRABLE



FL046 BLACK
Die Cast Aluminium
with Tempered Glass Lens, Repairable
IP65

- 150W LED

Width: 320mm
Height: 420mm
Depth: 75mm

Features:

Colour Temp: 6000K
Lumen: 12 000
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9



FL047 BLACK
Die Cast Aluminium
with Tempered Glass Lens, Repairable
IP65

- 200W LED

Width: 330mm
Height: 425mm
Depth: 100mm

Features:

Colour Temp: 6000K
Lumen: 16000
CRI: >70
Beam Angle: 120 degrees
Power Factor: >0.9



FL005 BLACK
Die Cast Aluminium Flood Light
with Tempered Glass Lens, Repairable
IP66

- 300W LED

Width: 390mm
Height: 435mm
Depth: 100mm

Features:

Colour Temp: 6500K
Lumen: 33000
CRI > 70
Beam Angle: 120 degrees
Power Factor: >0.9
Isolated Driver



FL006 BLACK
Die Cast Aluminium Flood Light
with Tempered Glass Lens, Repairable
IP66

- 500W LED

Width: 570mm
Height: 470mm
Depth: 110mm

Features:

Colour Temp: 6500K
Lumen: 55000
CRI > 70
Beam Angle: 120 degrees
Power Factor: >0.9
Isolated Driver

PENDANTS & WALL BRACKETS



Pendants

HANGING SUSPENSION FOR LED TUBES (TUBES NOT INCLUDED)

PEN014

Metal and ABS Pendant Accessory

Use for single input T8 LED Tube (Not Sensor Tube)
- 1 x G13 20W T8 LED Tube (Not Included)

Cord Length: 1500mm
Ceiling Cup: 80mm


Colours Available:
Black, White



HANGING SUSPENSION FOR LED TUBES

Pendants

ALUMINIUM CORD PENDANTS



PEN270/1 CLEAR

Aluminium and
Clear Glass Pendant

- 1 x 60W ES

Width: 400mm
Height: 200mm
Cord: 800mm
Ceiling Cup: 95mm



PEN2318

- 1 x 60W ES

Width: 110mm
Height: 260mm
Cord: 850mm
Ceiling Cup: 95mm



PEN2319

- 1 x 60W ES

Width: 180mm
Height: 300mm
Cord: 800mm



PEN006 SATIN

- 1 x 60W BC

Width: 170mm
Height: 230mm
Cord: 1100mm



PEN2307 ALUMINIUM

- 1 x 60W ES

Width: 90mm
Height: 280mm
Cord: 1000mm



PEN2308 ALUMINIUM

- 1 x 60W ES

Width: 120mm
Height: 380mm
Cord: 1000mm



PEN227/1 ALUMINIUM

- 1 x 60W ES

Width: 110mm
Height: 320mm
Cord: 1000mm
Ceiling Cup: 95mm

Pendants

ALUMINIUM CORD PENDANTS



PEN004 SATIN

- 1 x 60W BC

Width: 320mm
Height: 125mm
Cord: 1100mm



PEN007 SATIN

- 1 x 60W BC

Width: 300mm
Height: 185mm
Cord: 1100mm



PEN009 SATIN

- 1 x 60W BC

Width: 400mm
Height: 260mm
Cord: 1100mm



PEN133

- 1 x 60W ES

Width: 380mm
Height: 200mm
Cord: 900mm



PEN135

- 1 x 60W ES

Width: 380mm
Height: 235mm
Cord: 900mm



PEN136

- 1 x 60W ES

Width: 380mm
Height: 225mm
Cord: 900mm



PEN139


- 1 x 60W ES

Width: 200mm
Height: 410mm
Cord: 900mm

ALUMINIUM CORD PENDANTS


Pendants

METAL PENDANTS



PEN272/1 M/BK
Matt Black Aluminium Pendant

- 1 x 60W ES
Width: 400mm
Height: 280mm
Cord: 1000mm
Ceiling Cup: 95mm




PEN273/1 M/BK
Matt Black Aluminium Pendant

- 1 x 60W ES
Width: 420mm
Height: 310mm
Cord: 1000mm
Ceiling Cup: 95mm



PEN422/1 BLACK
Metal Pendant

- 1 x 40W (9W) ES
Width: 160mm
Height: 295mm
Cord: 700mm
Ceiling Cup: 120mm



PEN277/1 BLACK
Matt Black Aluminium Pendant
with Polished Chrome Trim

- 1 x 60W ES
Width: 450mm
Height: 460mm
Cord: 500mm
Ceiling Cup: 100mm



PEN340/1 BLACK
Metal Pendant

- 1 x 60W ES
Width: 225mm
Height: 340mm
Cord: 600mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS




PEN217 BLACK

Metal Pendant

- 1 x 60W ES

Width: 260mm
Height: 350mm
Cord: 800mm
Ceiling Cup: 80mm

Also Available:
PEN216 WHITE



PEN216 WHITE

Metal Pendant

- 1 x 60W ES

Width: 260mm
Height: 350mm
Cord: 800mm
Ceiling Cup: 80mm

Also Available:
PEN217 BLACK



PEN2324/1

Aluminium Pendant

- 1 x 60W (11W) ES

Width: 350mm
Height: 240mm
Cord: 1000mm
Ceiling Cup: 100mm

Colour Available:
Black, White




PEN442/1

Metal Pendant

- 1 x 60W (11W) ES

Width: 200mm
Height: 170mm
Cord: 650mm
Ceiling Cup: 80mm

Colours Available:
Black, White



PEN312 MARBLE

Metal Pendant with Marble Finish

- 1 x 60W ES

Width: 250mm
Height: 280mm
Cord: 1000mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS



PEN221/1
Metal Pendant

- 1 x 60W ES

Width: 390mm
Height: 160mm
Cord: 900mm
Ceiling Cup: 100mm

Colours Available:
Black, White




PEN393/1
Metal and Wood Pendant

- 1 x 60W (11W) ES

Width: 418mm
Height: 440mm
Cord: 1000mm
Ceiling Cup: 120mm


Colours Available:
Black, White



PEN371 WHITE
Metal and Wood Pendant
with White Metal Shade

- 1 x 60W (11W) ES

Width: 330mm
Height: 210mm
Cord: 1300mm
Ceiling Cup: 100mm



PEN372 BLACK
Metal and Wood Pendant
with Black Metal Shade

- 1 x 60W (11W) ES

Width: 330mm
Height: 210mm
Cord: 1300mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS



PEN555 WHITE
Metal and Wood Pendant

- 1 x 40W ES
Width: 330mm
Height: 220mm
Cord: 1000mm
Ceiling Cup: 110mm

Also Available:
PEN556 BLACK
PEN912 BLACK



PEN556 BLACK
Metal and Wood Pendant

- 1 x 40W ES
Width: 330mm
Height: 220mm
Cord: 1000mm
Ceiling Cup: 110mm

Also Available:
PEN555 WHITE
PEN912 BLACK




PEN912
Metal Pendant with Wood

- 1 x 60W (11W) ES
Width: 500mm
Height: 290mm
Cord: 1000mm
Ceiling Cup: 125mm

Colours Available:
Black, White


Also Available:
PEN555 WHITE
PEN556 BLACK



PEN559 BLACK
Metal and Wood Pendant

- 1 x 60W ES
Width: 220mm
Height: 220mm
Cord: 900mm
Ceiling Cup: 110mm

Also Available:
PEN560 WHITE



PEN560 WHITE
Metal and Wood Pendant

- 1 x 60W ES
Width: 220mm
Height: 220mm
Cord: 900mm
Ceiling Cup: 110mm

Also Available:
PEN559 BLACK

Pendants

METAL PENDANTS

PEN647/3 BLACK

Metal with Wood Finish,
Adjustable Cords

- 3 x 40W SES

Height: 1000mm
Ceiling Cup: 200mm

Also Available:
S402 Spotlight Range



PEN649/3 BLACK

Metal with Wood Finish,
Adjustable Cords

- 3 x 40W SES

Length: 700mm x 40mm
Height: 1000mm

Also Available:
S402 Spotlight Range



Pendants

METAL PENDANTS

PEN644/3 WHITE

Metal with Wood Finish,
Adjustable Cords

- 3 x 40W SES

Height: 1000mm
Ceiling Cup: 200mm

Also Available:
S401 Spotlight Range



PEN646/3 WHITE

Metal with Wood Finish,
Adjustable Cords

- 3 x 40W SES

Height: 1000mm
Length: 700mm x 40mm

Also Available:
S401 Spotlight Range

Pendants

METAL PENDANTS



PEN243/1 WHITE

Metal Pendant

- 1 x 60W ES

Width: 100mm
Height: 360mm
Cord: 650mm
Ceiling Cup: 80mm



PEN243/3 WHITE

Metal Pendant

- 3 x 60W ES

Width: 500mm
Height: 360mm
Cord: 650mm
Ceiling Cup Length: 500mm
Ceiling Cup Width: 50mm



PEN244/3 BLACK

Metal Pendant

- 3 x 60W ES

Width: 500mm
Height: 360mm
Cord: 650mm
Ceiling Cup Length: 500mm
Ceiling Cup Width: 50mm



PEN244/1 BLACK

Metal Pendant

- 1 x 60W ES

Width: 100mm
Height: 360mm
Cord: 650mm
Ceiling Cup: 80mm

Pendants

METAL PENDANTS



PEN246/1 BLACK

Metal Pendant

- 1 x 60W ES

Width: 130mm
Height: 140mm
Cord: 950mm
Ceiling Cup: 80mm



PEN246/3 BLACK

Metal Pendant

- 3 x 60W ES

Width: 130mm
Height: 140mm
Cord: 950mm
Ceiling Cup Length: 500mm
Ceiling Cup Width: 50mm



PEN245/3 WHITE

Metal Pendant

- 3 x 60W ES

Width: 130mm
Height: 140mm
Cord: 950mm
Ceiling Cup Length: 500mm
Ceiling Cup Width: 50mm



PEN245/1 WHITE

Metal Pendant

- 1 x 60W ES

Width: 130mm
Height: 140mm
Cord: 950mm
Ceiling Cup: 80mm

Pendants

METAL PENDANTS



PEN637/1 WHITE
Sand White Metal Cord Pendant

- 1 x 40W ES

Width: 180mm
Cord: 1200mm
Ceiling Cup: 95mm



PEN638/3 WHITE
Sand White Metal Cord Pendant

- 3 x 40W ES

Width: 390mm
Height: 1400mm
Ceiling Cup: 235mm



PEN693 WHITE
Metal Pendant

- 1 x 40W (11W) ES

Width: 300mm
Height: 300mm
Chain: 1200mm
Ceiling Cup: 120mm




PEN592 BLACK
Metal Pendant

- 1 x 60W (11W) ES

Width: 250mm
Height: 310mm
Cord: 1000mm
Ceiling Cup: 120mm

Pendants

METAL PENDANTS



PEN187/1

Metal Pendant

- 1 x 60W ES

Width: 170mm
Height: 270mm
Cord: 900mm
Ceiling Cup: 130mm

Colours Available:
Black, Satin Nickel, White



PEN204 BLACK

Metal Pendant with Chrome Frame

- 1 x 60W (11W) ES

Width: 210mm
Height: 420mm
Cord: 1000mm
Ceiling Cup: 100mm




PEN710 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 380mm
Height: 400mm
Cord: 1100mm
Ceiling Cup: 120mm



PEN399

Metal Pendant

- 1 x 60W ES

Width: 460mm
Height: 270mm
Cord: 1000mm
Ceiling Cup: 100mm

Colours Available:
Black, White



PEN697 BLACK/WHITE

Metal Pendant

- 1 x 60W (11W) ES

Width: 360mm
Height: 290mm
Chain: 1000mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS




PEN589 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 275mm
Height: 295mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN590 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 180mm
Height: 295mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN591 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 300mm
Height: 295mm
Cord: 1000mm
Ceiling Cup: 120mm

Pendants

METAL PENDANTS



PEN213 BLACK

Iron Pendant with Black Cord

- 1 x 35W ES (LED or CFL only)

Width: 240mm
Height: 180mm
Cord: 800mm
Ceiling Cup: 100mm



PEN214 WHITE

Iron Pendant with White Cord

- 1 x 35W ES (LED or CFL only)

Width: 240mm
Height: 180mm
Cord: 800mm
Ceiling Cup: 100mm




PEN235 BLACK

Iron Pendant with Black Cord

- 1 x 35W ES (LED or CFL only)

Width: 250mm
Height: 275mm
Cord: 800mm
Ceiling Cup: 100mm



PEN236 WHITE

Iron Pendant with White Cord

- 1 x 35W ES (LED or CFL only)

Width: 250mm
Height: 275mm
Cord: 800mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS



PEN241/1 BLACK

Metal Pendant

- 1 x 60W ES

Width: 370mm
Height: 430mm
Chain: 600mm
Ceiling Cup: 110mm



PEN743/1 BK/GD

Metal Pendant

- 1 x 60W ES

Width: 310mm
Height: 380mm
Chain: 500mm
Ceiling Cup: 93mm



PEN206/3 BLACK

Metal Pendant

- 3 x 60W (11W) SES

Width: 400mm
Height: 400mm
Chain: 1000mm
Ceiling Cup: 90mm



PEN207 BLACK

Metal Pendant

- 1 x 60W ES

Width: 230mm
Height: 230 mm
Chain: 1000mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS



PEN547 AQ/BK

Metal Pendant

- 1 x 40W ES

Width: 340mm

Height: 160mm

Cord: 1400mm

Ceiling Cup: 95mm

PEN265 MATT BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 280mm

Height: 150mm

Cord: 1200mm

Ceiling Cup: 100mm

PEN609 BROWN

Metal Pendant with Wood Finish

- 1 x 60W (11W) ES

Width: 172mm

Height: 220mm

Cord: 1000mm

Ceiling Cup: 100mm

PEN264 MATT BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 385mm

Height: 250mm

Cord: 1300mm

Ceiling Cup: 110mm

PEN266 COPPER

Metal Pendant with Clear Glass

- 1 x 60W (11W) ES

Width: 345mm

Height: 360mm

Cord: 1200mm

Ceiling Cup: 110mm

Pendants

METAL PENDANTS



PEN606

Metal Pendant
with Leather Strap

- 1 x 60W (11W) ES

Height: 350mm
Width: 275mm
Ceiling Cup: 95mm
Cord: 1100mm

Colours Available:
Grey, White

PEN607

Metal Pendant

- 1 x 60W (11W) ES

Height: 330mm
Width: 275mm
Ceiling Cup: 95mm
Cord: 1100mm

Colours Available:
Black, Grey, White

Can also be used with
BULB LED 207
LED PAR 38 Grow Bulb

PEN557 BLACK
Metal Pendant with Plant Holder
(Plant not included)

- 1 x 40W ES

Width: 340mm
Height: 375mm
Cord: 600mm
Ceiling Cup: 100mm

Also Available:
PEN558 BLACK



PEN558 BLACK

Metal Pendant with Plant Holder
(Plant not included)

- 1 x 40W ES

Width: 340mm
Height: 440mm
Cord: 600mm
Ceiling Cup: 100mm

Also Available:
PEN557 BLACK

Pendants

METAL PENDANTS



PEN545 BK/GD

Metal Pendant with Gold Inner

- 1 x 40W ES

Width: 350mm
Height: 200mm
Cord: 1400mm
Ceiling Cup: 95mm



PEN548 BK/GD

Metal Pendant with Gold Inner

- 1 x 40W ES

Width: 340mm
Height: 230mm
Cord: 1400mm
Ceiling Cup: 95mm



PEN320 MATT GOLD

Metal Pendant

- 1 x 60W (11W) ES

Width: 100mm
Height: 400mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN744 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 250mm
Height: 260mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN745 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 300mm
Height: 150mm
Cord: 1200mm
Ceiling Cup: 120mm

Pendants

METAL PENDANTS



PEN515 BLACK

Steel Mesh Pendant with Black Cord

- 1 x 35W ES (LED or CFL only)

Width: 250mm
Height: 230mm
Cord: 800mm
Ceiling Cup: 100mm



PEN516 ROSE GOLD

Steel Mesh Rose Gold Pendant with Black Cord

- 1 x 35W ES (LED or CFL only)

Width: 250mm
Height: 230mm
Cord: 800mm
Ceiling Cup: 100mm




PEN517 CHROME

Steel Mesh Polished Chrome Pendant with White Cord

- 1 x 35W ES (LED or CFL only)

Width: 250mm
Height: 230mm
Cord: 800mm
Ceiling Cup: 100mm



PEN203 FRENCH WHITE

Metal Pendant

- 1 x 60W (11W) ES

Width: 300mm
Height: 210mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN208 FRENCH WHITE

Metal Pendant

- 1 x 60W (11W) ES

Width: 270mm
Height: 300mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN526/1 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 250mm
Height: 320mm
Cord: 1100mm
Ceiling Cup: 120mm

Pendants

METAL PENDANTS



PEN350 STONE

Cement and Metal Cage Pendant

- 1 x 60W ES

Width: 180mm
Height: 280mm
Chain: 800mm
Ceiling Cup: 100mm



PEN863 BK/GOLD

Metal Pendant

- 1 x 11W ES (LED or CFL)

Width: 140mm
Height: 160mm
Cord: 850mm
Ceiling Cup: 100mm



PEN837 BLACK

Metal and Wood Pendant

- 1 x 40W ES (Not Included)

Width: 250mm
Height: 200mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN861 BLACK

Metal Pendant

Colour: Black and Gold

- 1 x 40W (11W) ES (Not Included)

Width: 300mm
Height: 290mm
Cord: 1000mm
Ceiling Cup: 110mm

Also Available:
CF339 BK/AQ



PEN864 ROSE GOLD

Rose Gold Metal Pendant

- 1 x 11W ES LED (Not Included)

Width: 250mm
Height: 270mm
Cord: 800mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS



PEN873/1 BK/GD

Metal Pendant
Colour: Black and Gold

- 1 x 40W ES (Not Included)

Width: 100mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 80mm

Also Available:
TL704 BK/GD



WB415/1 BK/GD

Metal Wall Bracket
Colour: Black and Gold

- 1 x 40W ES (Not Included)

Base: 80mm
Shade Width: 100mm
Height: 300mm
Depth: 138mm

Also Available:
TL704 BK/GD



PEN874/3 BK/GD


Metal Pendant
Colour: Black and Gold
- 3 x 40W ES (Not Included)

Length: 550mm
Width: 40mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 80mm

Also Available:
TL704 BK/GD

Pendants

METAL PENDANTS




PEN460/5 GD/BK

Black and Gold Metal Pendant

- 5 x 50W GU10 (Not Included)

Length: 1200mm
Height: 1200mm
Ceiling Cup: 100mm



PEN461/5 SATIN

Black and Satin Metal Pendant

- 5 x 50W GU10 (Not Included)

Length: 1200mm
Height: 1200mm
Ceiling Cup: 100mm



PEN046/1

Metal and Aluminium Pendant

- 1 x 50W GU10 (Not Included)

Width: 55mm
Height: 200mm
Cord: 1060mm
Ceiling Cup: 80mm

Colours Available:

Sand Black
Sand White
Satin Brass
Satin Chrome

Pendants

METAL PENDANTS

PEN305 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 155mm
Height: 360mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN750/1 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 250mm
Height: 300mm
Cord: 1000mm
Ceiling Cup: 100mm




PEN306 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 160mm
Height: 175mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN498/1 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 310mm
Height: 410mm
Cord: 700mm
Ceiling Cup: 100mm




PEN525/1 BLACK

Metal Pendant

- 1 x 60W (11W) ES

Width: 330mm
Height: 340mm
Cord: 1000mm
Ceiling Cup: 120mm



Also Available:
PEN584 COPPER

Pendants

METAL PENDANTS



PEN727/1 BLACK
Metal Pendant

- 1 x 60W (11W) ES

Width: 160mm
Height: 290mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN728 BLACK
Metal Pendant

- 1 x 60W (11W) ES

Width: 180mm
Height: 390mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN740 BLACK
Metal Pendant

- 1 x 60W (11W) ES

Width: 350mm
Height: 400mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN751 BLACK
Metal Pendant

- 1 x 60W (11W) ES

Width: 195mm
Height: 290mm
Cord: 1200mm
Ceiling Cup: 120mm

Pendants

METAL PENDANTS



PEN586 BLACK

Metal Pendant with Rope

- 1 x 60W (11W) ES (Not Included)

Width: 300mm
Height: 100mm
Rope: 1100mm
Ceiling Cup: 100mm



PEN587 BLACK

Metal Pendant with Rope

- 1 x 60W (11W) ES
(Not Included)

Width: 65mm
Rope: 1100mm
Ceiling Cup: 100mm



PEN588 BLACK

Metal Pendant with Rope

- 1 x 60W (11W) ES (Not Included)

Width: 65mm
Rope: 1100mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS

3 IN 1 DIY KIT

CAN BE USED AS EITHER A CEILING FITTING, PENDANT OR WALL FITTING



PEN500 MATT BLACK
Black Cord



PEN502 ANTIQUE BRASS
Grey Cord

- 1 x 60W (11W) ES
Material: Metal and Plastic
with 2 Core Twisted Material Cord

Width: 51mm
Head Height: 97mm
Arm: 100mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN501 MATT WHITE
White Cord



PEN503 SATIN CHROME
Black Cord

Pendants

METAL PENDANTS



PEN452/6
Metal Cord Pendant

- 6 x 60W ES

Cord: 2500mm



PEN453/12
Metal Cord Pendant

- 12 x 60W ES

Cord: 2500mm

Pendants

METAL PENDANTS



PEN563/3 BLACK

Metal Pendant

- 3 x 60W (11W) ES

Width: 260mm
Height: 550mm
Cord: 800mm
Ceiling Cup: 110mm



PEN564/5 BLACK

Metal Pendant

- 5 x 60W (11W) ES

Width: 260mm
Height: 760mm
Cord: 1000mm
Ceiling Cup: 110mm



PEN596 BLACK

Metal Pendant with Adjustable Arms

- 6 x 40W/11W ES (Not Included)

Width: 670mm
Height: 1800mm
Ceiling Cup: 250mm

Also Available:
SL080 BLACK

Pendants

METAL PENDANTS



PEN528/4 BLACK

Metal Pendant

- 4 x 60W SES

Width: 430mm
Height: 460mm
Chain: 1000mm
Ceiling Cup: 120mm



PEN714 BLACK

Metal Pendant
with 4 Panels of Clear Glass

- 4 x 11W SES

Width: 280mm
Height: 590mm
Cord: 1000mm
Ceiling Cup: 95mm



PEN604 BLACK

Matt Black Metal Pendant
with Clear Glass

- 4 x 40W SES

Width: 310mm
Height: 550mm
Chain: 1000mm
Ceiling Cup: 120mm



PEN201 BLACK

Metal Pendant with Smoke Colour Inner Glass

- 1 x 60W (11W) ES

Width: 220mm
Height: 250mm
Cord: 1000mm
Ceiling Cup: 100mm

Pendants

METAL PENDANTS



PEN715 BLACK

Metal Pendant with 4 Panels of Clear Glass

- 1 x 60W/11W ES

Width: 350mm
Height: 345mm
Chain: 1000mm
Ceiling Cup: 92mm



WB712 BLACK

Metal Wall Bracket with Clear Glass

- 1 x 11W ES

Width: 160mm
Height: 360mm
Depth: 170mm



PEN717 BLACK

Metal Pendant with 4 Panels of Clear Glass

- 4 x 60W/11W ES

Width: 260mm
Length: 760mm
Height: 250mm

Ceiling Cup: Length: 410mm x Width: 110mm

Adjustable Height:

Pole Length can be adjusted by adding
or removing poles

Pole Length: 1120mm (Max)

4 Separate Poles: 4 x 560mm

Pendants

METAL PENDANTS



PEN228/1 BRONZE

Metal Pendant

- 1 x 60W ES

Width: 415mm
Height: 580mm
Chain: 1000mm
Ceiling Cup: 120mm



PEN725/1 BK/GD

Aluminium Pendant

- 1 x 60W ES (Not Included)

Width: 220mm
Height: 270mm
Cord: 1200mm
Ceiling Cup: 120mm

Also Available:
PEN726/3 BK/GD
TL144 BLACK



PEN726/3 BK/GD

Aluminium Pendant

- 3 x 60W ES (Not Included)

Width: 220mm
Height: 890mm
Length: 860mm

Also Available:
PEN725/1 BK/GD
TL144 BLACK

Pendants

METAL PENDANTS



PEN844/3 ANTIQUE

Metal Pendant
Colour: Antique Brass

- 3 x 40W (11W) ES (Not Included)

Width: 215mm
Length: 850mm
Height: 365mm

Also Available:
WB397/2 ANTIQUE



WB397/2 ANTIQUE

Metal Wall Bracket
Colour: Antique Brass

- 2 x 40W (11W) ES

Width: 485mm
Height: 182mm
Depth: 275mm

Also Available:
PEN844/3 ANTIQUE

PEN223/3 ANTIQUE

Antique Brass Pendant

- 3 x 60W ES


Width: 375mm
Length: 1330mm
Height: 1000mm
Chain: 500mm
Ceiling Cup: 300mm x 120mm

Also Available:
PEN224/3 CHROME
PEN225/3 SATIN



Pendants


METAL PENDANTS



PEN870 ANTIQUE
Metal Pendant with White Inner

- 1 x 40W (11W) ES


Width: 370mm
Height: 190mm
Cord: 2000mm
Ceiling Cup: 120mm



PEN871 BLACK
Metal Pendant with White Inner

- 1 x 40W (11W) ES

Width: 370mm
Height: 190mm
Cord: 2000mm
Ceiling Cup: 120mm



PEN872 BRASS/BLACK
Metal Pendant with White Inner
Colour: Antique and Black

- 1 x 40W (11W) ES

Width: 360mm
Height: 160mm
Cord: 2000mm
Ceiling Cup: 130mm

PEN853/3 GOLD
Metal Pendant
Colour: Antique

- 3 x 40W ES (Not Included)

Length: 1080mm
Width: 280mm
Height: 310mm
Chain: 1000mm
Ceiling Cup: 440mm x 80mm



Pendants

METAL PENDANTS



PEN851/11 BLACK/GOLD

Metal Pendant
Colour: Black and Gold

- 11 x 3W LED (Included)

Colour Temp: 3000K
Lumen: 900

CRI: >70
PF: >0.5
Base: 890mm
Height: 1500mm



PEN857/3 MARBLE

Metal Pendant
with Marble Finish and Polished Chrome

- 3 x 40W (11W) SES

Height: 1500mm
Ceiling Cup: 200mm

Pendants

GLASS PENDANTS



PEN848/1 SMOKE

Metal Pendant with Smoke Colour Outer Glass
and Frosted Inner Glass

- 1 x G9 LED (Not Included)

Width: 105mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 100mm

PEN847/11 SMOKE

Metal Pendant with Smoke Colour Outer Glass
and Frosted Inner Glass

- 11 x G9 LED (Not Included)

Base: 890mm
Height: 1500mm

Pendants

GLASS PENDANTS



PEN849/11 AMBER

Metal Pendant with Amber Glass

- 11 x 40W (7W) SES (Not Included)

Base: 890mm
Height: 1500mm

PEN850/1 AMBER

Metal Pendant with Amber Glass

- 1 x 40W (7W) SES (Not Included)

Width: 90mm
Height: 320mm
Cord: 1100mm
Ceiling Cup: 100mm

Pendants

GLASS PENDANTS

PEN472/14 MATT BLACK

Metal Pendant with Smoke Colour Glass

- 14 x 40W G9 (Not Included)

Width: 840mm
Height: 310mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN471/7 MATT BLACK

Metal Pendant with Smoke Colour Glass

- 7 x 40W G9 (Not Included)

Length: 645mm
Height: 330mm
Cord: 1200mm
Ceiling Cup: 120mm




PEN470/6 MATT BLACK

Metal Pendant with Smoke Colour Glass

- 6 x 40W G9 (Not Included)

Width: 280mm
Height: 520mm
Cord: 1000mm
Ceiling Cup: 120mm



Pendants

GLASS PENDANTS



PEN601 ROSE GOLD

Metal Pendant
with Rose Gold Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 350mm
Height: 280mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN760 SMOKE

Gun Metal Pendant
with Faded Smoke Colour Glass

- 3 x 60W (11W) ES

Width: 480mm
Height: 570mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN762 ROSE

Black Metal Pendant
with Faded Rose Gold Colour Glass

- 1 x 60W (11W) ES

Width: 330mm
Height: 600mm
Cord: 1000mm
Ceiling Cup: 100mm

PEN763 GOLD

Satin Brass Pendant
with Faded Gold Colour Glass

- 1 x 60W (11W) ES

Width: 260mm
Height: 490mm
Cord: 1000mm
Ceiling Cup: 100mm



Pendants

GLASS PENDANTS



PEN610 CHROME
Polished Chrome Pendant
with Glass

- 1 x 60W ES

Width: 180mm
Height: 260mm
Cord: 1000mm
Ceiling Cup: 95mm



PEN612 AMBER
Antique Brass Pendant
with Amber Glass

- 1 x 60W ES

Width: 180mm
Height: 260mm
Cord: 1000mm
Ceiling Cup: 95mm



PEN611 SMOKE
Polished Chrome Pendant
with Smoke Colour Glass

- 1 x 60W ES

Width: 180mm
Height: 260mm
Cord: 1000mm
Ceiling Cup: 95mm



PEN613 ANTIQUE BRASS
Antique Brass Pendant
with Colour Glass

- 3 x 60W ES

Width: 400mm
Cord: 1240mm (Adjustable)
Ceiling Cup: 350mm

Pendants

GLASS PENDANTS



PEN414 AMBER
Metal Pendant
with Crackle Amber Glass

- 1 x 40W (9W) SES


Width: 160mm
Height: 210mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN415 CHROME
Metal Pendant
with Chrome Colour Crackle Glass

- 1 x 40W (9W) SES

Width: 160mm
Height: 210mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN416 ROSE COPPER
Metal Pendant
with Rose Copper Crackle Glass

- 1 x 40W (9W) SES

Width: 160mm
Height: 210mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN369 BLACK
Metal Pendant with Crackle Glass

- 6 x 40W ES

Glass Width: 160mm
Glass Height: 205mm
Cord: 2200mm
Ceiling Cup: 400mm

Pendants

GLASS PENDANTS



PEN839 AMBER

Metal and Amber Glass Pendant

- 1 x 40W ES

Width: 140mm
Height: 520mm
Cord: 600mm
Ceiling Cup: 100mm



PEN856 GOLD

Metal Pendant
with Smoke Colour Glass

- 1 x 40W ES (Not Included)

Width: 180mm
Height: 160mm
Cord: 1300mm
Ceiling Cup: 100mm



PEN840 COPPER

Metal and Glass Pendant
Colour: Copper

- 1 x 40W ES

Width: 240mm
Height: 300mm
Cord: 900mm
Ceiling Cup: 100mm



PEN854 WHITE

Metal Pendant
with White Fluted Glass

- 1 x 40W SES

Width: 100mm
Height: 350mm
Cord: 1100mm
Ceiling Cup: 80mm



PEN855 GOLD

Metal Pendant
with Cognac Colour Glass

- 1 x 40W SES

Width: 100mm
Height: 350mm
Cord: 1100mm
Ceiling Cup: 80mm

Pendants

GLASS PENDANTS



PEN602 WHITE
Metal Pendant
with Cognac Colour Glass

- 1 x 60W/11W ES
(Not Included)

Width: 225mm
Height: 180mm
Cord: 1200mm
Ceiling Cup: 120mm

Also Available:
PEN602 BLACK



PEN602 BLACK
Metal Pendant
with Cognac Colour Glass

- 1 x 60W/11W ES
(Not Included)

Width: 225mm
Height: 180mm
Cord: 1200mm
Ceiling Cup: 120mm


Also Available:
PEN602 WHITE



PEN448 BLACK
Metal Pendant
with Clear Glass

- 1 x 60W ES

Width: 320mm
Height: 400mm
Chain: 1000mm
Ceiling Cup: 100mm



PEN1032 BLACK
Black Metal Pendant with Alabaster Glass

- 1 x 60W ES

Width: 400mm
Height: 385mm
Chain: 960mm

Also Available:
PEN1031 SATIN



PEN686 ALABASTER
Metal Wood Finish Cord Pendant
with Alabaster Glass

- 1 x 60W (11W) ES

Width: 250mm
Cord: 1000mm
Ceiling Cup: 90mm

Pendants

GLASS PENDANTS



PEN572/1 GLASS

Black Metal Pendant
with Cognac Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 200mm
Height: 570mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN552/1 GLASS

Satin Brass Pendant
with Cognac Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 145mm
Height: 400mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN553/1 SMOKE

Satin Nickel Pendant
with Smoke Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 200mm
Height: 570mm
Cord: 900mm
Ceiling Cup: 100mm

Also Available:
PEN554/1 SMOKE



PEN554/1 SMOKE

Satin Nickel Pendant
with Smoke Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 145mm
Height: 400mm
Cord: 900mm
Ceiling Cup: 100mm

Also Available:
PEN553/1 SMOKE

Pendants

GLASS PENDANTS




PEN624/9

Polished Chrome Pendant
with Smoke Colour Glass and
Small Inner Chrome Chandelier

- 9 x 10W G4 (Not Included)

Width: 350mm
Height: 360mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN694 SMOKE

Metal Cord Pendant
with Smoke Colour Glass

- 1 x 60W (11W) ES

Width: 250mm
Height: 280mm
Chain: 1000mm
Ceiling Cup: 100mm

Also Available:
PEN695 AMBER



PEN599 SMOKE

Metal Pendant with Smoke Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 300mm
Height: 240mm
Cord: 1000mm
Ceiling Cup: 120mm




PEN603 COGNAC

Metal Pendant with Cognac Colour Glass

- 3 x 60W (11W) ES

Width: 560mm
Height: 440mm
Chain: 1000Mm
Ceiling Cup: 120mm



PEN598 COGNAC

Metal Pendant with Cognac Colour Glass

- 1 x 60W (11W) ES (Not Included)

Width: 350mm
Height: 600mm
Cord: 1000mm
Ceiling Cup: 120mm

Pendants

GLASS PENDANTS



PEN814/3 GOLD

Metal Pendant
with Amber Glass

- 3 x 40W SES

Length: 800mm
Height: 300mm
Cord: 1000mm



PEN812/1 GOLD

Metal Pendant with Amber Glass

PEN813/1 GUN METAL
Metal Pendant with Smoke Colour Glass

- 1 x 40W SES

Width: 115mm
Height: 300mm
Cord: 1000mm

PEN756 AMBER

Amber Glass Pendant

- 1 x 60W ES

Width: 150mm
Height: 350mm
Cord: 1200mm
Ceiling Cup: 120mm



PEN757/3 AMBER

Amber Glass Pendant

- 3 x 60W ES

Width: 360mm
Height: 1500mm
Ceiling Cup: 250mm

Pendants

GLASS PENDANTS

PEN764 AMBER

Black Metal Pendant with Amber Glass

- 1 x 60W (11W) ES

Width: 400mm

Height: 280mm

Cord: 1000mm

Ceiling Cup: 100mm



PEN538 AMBER

Brown Bronze Cord Pendant with Amber Glass

- 1 x 40W ES (Not Included)

Width: 252mm

Height: 300mm

Cord: 1200mm

Ceiling Cup: 100mm



PEN695 AMBER

Metal Cord Pendant with Amber Glass

- 1 x 60W (11W) ES

Width: 250mm

Height: 280mm

Chain: 1000mm

Ceiling Cup: 100mm

Also Available:

PEN694 SMOKE



PEN761 AMBER

Satin Brass Pendant with Amber Glass

- 3 x 60W (11W) ES

Width: 350mm

Height: 590mm

Cord: 1000mm

Ceiling Cup: 100mm



PEN577 ANTIQUE

Antique Brass Cord Pendant with Amber Glass

- 1 x 60W (11W) ES
(Not Included)

Width: 140mm

Height: 250mm

Cord: 1200mm

Ceiling Cup: 97mm

Pendants

GLASS PENDANTS




PEN573/1 GLASS

Black Metal Pendant with Clear Glass

- 1 x 60W (11W) ES (Not Included)

Width: 200mm
Height: 440mm
Cord: 1000mm
Ceiling Cup: 120mm




PEN462 SATIN

Satin Chrome Pendant with Clear Glass

- 1 x 40W SES (E14) (Not Included)

Width: 200mm
Height: 400mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN463 GM/SM

Metal Gold Pendant with Smoke Colour Glass

- 1 x 40W SES (E14) (Not Included)

Width: 200mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN571/3 GLASS

Matt Brass Pendant with Clear Glass

- 3 x 60W (11W) ES
(Not Included)

Width: 480mm
Height: 610mm
Cord: 1000mm
Ceiling Cup: 120mm

Pendants

GLASS PENDANTS



PEN535 CLEAR
Matt Nickel Cord Pendant
with Clear Glass

- 1 x 60W (11W) ES (Not Included)

Width: 130mm
Height: 330mm
Cord: 1200mm
Ceiling Cup: 100mm



PEN534 CLEAR
Red Bronze Cord Pendant
with Clear Glass

- 1 x 60W (11W) ES (Not Included)

Width: 180mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 100mm



PEN536 CLEAR
Antique Bronze Cord Pendant
with Clear Glass

- 1 x 60W (11W) ES (Not Included)

Width: 200mm
Height: 240mm
Cord: 1200mm
Ceiling Cup: 100mm



PEN576 SATIN
Satin Nickel Cord Pendant
with Clear Glass

- 1 x 60W (11W) ES
(Not Included)

Width: 180mm
Height: 220mm
Cord: 1200mm
Ceiling Cup: 97mm




PEN537 CLEAR
Antique Bronze Cord Pendant
with Clear Glass

- 1 x 60W (11W) ES (Not Included)

Width: 180mm
Height: 250mm
Cord: 1200mm
Ceiling Cup: 100mm

Pendants

GLASS PENDANTS



PEN921 SATIN

Satin Chrome Pendant with Clear Glass

- 1 x 40W ES

Width: 140mm
Height: 200mm
Cord: 1300mm
Ceiling Cup: 120mm

Also Available:
WB921 SATIN



PEN922 SATIN

Satin Chrome Pendant with Clear Glass

- 1 x 40W ES

Width: 185mm
Height: 200mm
Cord: 1300mm
Ceiling Cup: 120mm

Also Available:
WB922 SATIN



WB921 SATIN

Satin Chrome Wall Bracket
with Clear Glass

- 1 x 40W ES

Width: 145mm
Height: 300mm
Depth: 220mm

Also Available:
PEN921 SATIN



WB922 SATIN

Satin Chrome Wall Bracket
with Clear Glass

- 1 x 40W ES

Width: 140mm
Height: 300mm
Depth: 240mm

Also Available:
PEN922 SATIN

Pendants

GLASS PENDANTS



PEN919 CLEAR

Antique Brass Pendant with Clear Glass

- 1 x 60W ES (Not Included)

Width: 200mm
Height: 190mm
Cord: 1000mm
Ceiling Cup: 120mm

Also Available:
WB919 CLEAR



PEN920/1 CLEAR

Antique Brass Pendant with Clear Glass

- 1 x 60W ES (Not Included)

Width: 170mm
Height: 220mm
Cord: 1000mm
Ceiling Cup: 120mm

Also Available:
WB920/1 CLEAR



WB919 CLEAR

Antique Brass Wall Bracket
with Clear Glass and Adjustable Arm

- 1 x 60W ES (Not Included)

Width: 200mm
Height: 250mm
Depth: 250mm

Also Available:
PEN919 CLEAR



WB920/1 CLEAR

Antique Brass Wall Bracket
with Clear Glass and Adjustable Arm

- 1 x 60W ES (Not Included)

Width: 175mm
Height: 300mm
Depth: 290mm

Also Available:
PEN920/1 CLEAR

Pendants

CHROME, SATIN CHROME PENDANTS



PEN076/3 SATIN

Satin Chrome Pendant
with White Glass

- 3 x 60W ES

Base: 250mm
Glass width: 140mm
Height: 305mm
Cord: 1000mm

PEN077/3 SATIN

Satin Chrome Pendant
with White Glass

- 3 x 60W ES

Length: 700mm
Width: 62mm
Glass width: 140mm
Height: 305mm
Cord: 1000mm



PEN2299/3 SATIN

Bar Cord Pendant with Clear Glass

- 3 x 40W ES

Width: 560mm
Height: 1800mm
Glass Width: 90mm
Glass Height: 300mm

PEN2298/1 SATIN

Cord Pendant
with Clear Glass

- 1 x 40W ES

Height: 1800mm
Ceiling Cup: 90mm
Glass Width: 90mm
Glass Height: 300mm



Pendants

CHROME, SATIN CHROME PENDANTS



PEN284/1 CHROME

Polished Chrome Pendant with Opal Glass

- 1 x 60W ES

Ball Width: 250mm

Height: 430mm (Including Cord)

Ceiling Cup: 120mm



PEN284/3 CHROME

Polished Chrome Pendant with Opal Glass

- 3 x 60W ES

Ball Width: 170mm

Ball Height: 290mm

Width: 300mm

Height: 1000mm (Including Cord)

Ceiling Cup: 200mm



PEN284/5 CHROME

Polished Chrome Pendant with Opal Glass

- 5 x 60W ES

Ball Width: 170mm

Ball Height: 290mm

Width: 450mm

Fitting Height: 2000mm (Including Cord)

Ceiling Cup: 350mm

CHROME, SATIN CHROME PENDANTS

Pendants

CHROME, SATIN CHROME PENDANTS



PEN450 CHROME
Polished Chrome Pendant

- 4 x 60W SES

Width: 300mm
Height: 450mm
Chain: 1100mm
Ceiling Cup: 93mm



PEN742/4 CHROME
Polished Chrome and Clear Glass Pendant

- 4 x 60W ES

Length: 760mm
Width: 260mm
Height: 250mm
Rods: 4 x 560mm
Ceiling Cup: 400mm x 110mm



PEN741 CHROME
Polished Chrome and Clear Glass Pendant

- 1 x 60W ES

Width: 350mm
Height: 390mm
Chain: 500mm
Ceiling Cup: 92mm


Pendants

CHROME, SATIN CHROME PENDANTS



PEN621/6 CHR/BLACK
Polished Chrome and Black Pendant

- 6 x 60W (11W) ES
Width: 320mm
Height: 600mm
Cord: 1100mm
Ceiling Cup: 120mm



PEN1031 SATIN
Satin Chrome Pendant
with Alabaster Glass

- 1 x 60W ES
Width: 400mm
Height: 385mm
Chain: 960mm

Also Available:
PEN1032 BLACK




PEN640/1 WHITE
Satin Chrome Metal Pendant
with Sand White Metal Cover

- 1 x 60W ES
Width: 260mm
Height: 880mm
Ceiling Cup: 95mm



PEN486/1CHROME
Polished Chrome Pendant
with Silver Beads

- 1 x 14W ES Energy Saver
Width: 255mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN351 STONE
Satin Chrome and Cement Pendant

- 1 x 60W ES
Width: 290mm
Height: 200mm
Chain: 700mm
Ceiling Cup: 100mm

Pendants

CHROME, SATIN CHROME PENDANTS



PEN040

Satin Chrome Pendant
with Colour Glass

- 1 x 60W ES

Width: 110mm
Height: 320mm
Cord: 800mm

Colours Available:
Blue, White

PEN044

Satin Chrome Pendant
with Double Glass
Colour Outer Glass
White Inner Glass

- 1 x 60W SES

Width: 125mm
Height: 220mm
Cord: 1000mm

Colours Available:
Green, Red, Smoke, White



PEN9042/8 SATIN

Satin Chrome Flush Mount Pendant

- 8 x 60W SES

Width: 820mm
Base: 230mm
Height: 250mm

PEN163 WHITE

Polished Chrome Pendant
with Clear Patterned Outer Glass
and White Inner Glass

- 1 x 60W ES

Width: 100mm
Height: 230mm
Cord: 800mm
Ceiling Cup: 100mm



PEN164 WHITE

Polished Chrome Pendant
with Patterned Outer Glass
and White Inner Glass

- 1 x 60W ES

Width: 110mm
Height: 280mm
Cord: 800mm
Ceiling Cup: 100mm



Pendants

CHROME, SATIN CHROME PENDANTS




PEN302 CHROME

Polished Chrome
Mirror Finish Pendant

- 1 x 40W ES

Width: 165mm
Height: 340mm
Cord: 1400mm
Ceiling Cup: 100mm



PEN303 CHROME

Polished Chrome
Mirror Finish Pendant

- 1 x 40W ES

Width: 200mm
Height: 500mm
Cord: 1400mm
Ceiling Cup: 100mm



PEN336/1 CHROME

Polished Chrome Mirror Finish Pendant

- 1 x 40W ES

Width: 150mm
Height: 120mm
Cord: 900mm
Ceiling Cup: 120mm



PEN6700/1 SILVER

Polished Chrome with Smoky Glass

- 1 x 60W ES

Width: 450mm
Height: 1000mm



PEN2485/1 CHROME

Polished Chrome and Glass

- 1 x 40W ES

Width: 200mm
Height: 200mm
Cord: 800mm
Ceiling Cup: 100mm

Also Available:
PEN2489 CHROME



PEN802/1 CHROME

Polished Chrome Pendant
with Clear Glass

- 1 x 60W SES

Width: 200mm
Height: 170mm
Cord: 1000mm

CHROME, SATIN CHROME PENDANTS

Pendants

CHROME, SATIN CHROME PENDANTS



PEN262 CHROME
Polished Steel and Glass Pendant

- 1 x 60W ES

Width: 450mm
Height: 500mm
Chain: 1000mm
Ceiling Cup: 108mm



PEN263 CHROME
Polished Steel and Glass Pendant

- 1 x 60W ES

Width: 350mm
Height: 580mm
Chain: 1000mm
Ceiling Cup: 108mm



PEN902 SATIN
Satin Chrome Pendant

- 1 x 60W ES

Width: 390mm
Height: 440mm
Cord: 1000mm
Ceiling Cup: 100mm

Also Available:
PEN903 COPPER



PEN845/3 SATIN CHROME
Satin Chrome Pendant with White Inner

- 3 x 40W (11W) ES

Length: 860mm
Height: 375mm

Pendants

CHROME, SATIN CHROME PENDANTS



PEN224/3 CHROME

Polished Chrome Pendant

- 3 x 60W ES

Width: 375mm

Length: 1560mm

Chain: 800mm

Ceiling Cup: 650mm x 60mm

Also Available:

PEN223/3 ANTIQUE



PEN225/3 SATIN

Satin Chrome Pendant

- 3 x 60W ES

Width: 375mm

Length: 1560mm

Chain: 800mm

Ceiling Cup: 650mm x 60mm

Also Available:

PEN223/3 ANTIQUE

Pendants


ACRYLIC CRYSTAL PENDANTS



PEN907 CHROME
Polished Stainless Steel Pendant
with Acrylic Crystals

- 1 x 11W SES

Width: 240mm
Height: 220mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN908 CHROME
Polished Stainless Steel Pendant
with Acrylic Crystals

- 1 x 11W SES

Width: 160mm
Height: 220mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN167/1 CHROME
Polished Chrome Pendant
with Clear Acrylic Crystals

- 1 x 60W ES

Width: 200mm
Height: 450mm
Cord: 800mm
Ceiling Cup: 105mm



PEN195/1 CHROME
Polished Chrome
with Clear Acrylic Crystals

- 1 x 60W ES

Width: 330mm
Height: 250mm
Cord: 700mm
Ceiling Cup: 100mm

Pendants

ACRYLIC CRYSTAL PENDANTS



PEN435/3 CHROME
Polished Chrome Pendant
with Clear Acrylic Crystals

- 3 x 60W ES

Width: 220mm
Height: 210mm
Cord: 1500mm
Ceiling Cup: 220mm



PEN433/1 CHROME
Polished Chrome Pendant
with Clear Acrylic Crystals

- 1 x 60W ES

Width: 130mm
Height: 210mm
Cord: 1500mm
Ceiling Cup: 120mm

DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN334/1
Polished Chrome Pendant
with Clear Acrylic Crystals

- 1 x 60W ES

Width: 295mm
Height: 240mm
Chain: 300mm
Ceiling Cup: 107mm



Pendants

CRYSTAL PENDANTS

DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN826 GOLD

2 in 1 Pendant and Ceiling Light

Metal and Crystal Fitting with Gold Cable

- 1 x 40W SES (Not Included)


Width: 230mm

Ceiling Fitting Height: 300mm

Pendant Height: 180mm

Cord: 500mm

Ceiling Cup: 130mm



PEN827 CHROME

2 in 1 Pendant and Ceiling Light

Polished Chrome and Crystal Fitting with Clear Cable

- 1 x 40W SES (Not Included)

Width: 230mm

Ceiling Fitting Height: 300mm

Pendant Height: 180mm

Cord: 500mm

Ceiling Cup: 130mm



Pendants

CRYSTAL PENDANTS

DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN828 GOLD

2 in 1 Pendant and Ceiling Light

Metal and Crystal Fitting with Gold Cable

- 2 x 40W SES (Not Included)

Width: 230mm
Ceiling Fitting Height: 300mm
Pendant Height: 150mm
Cord: 500mm
Ceiling Cup: 130mm



PEN829 CHROME

2 in 1 Pendant and Ceiling Light

Polished Chrome and Crystal Fitting with Clear Cable

- 2 x 40W SES (Not Included)

Width: 230mm
Ceiling Fitting Height: 300mm
Pendant Height: 150mm
Cord: 500mm
Ceiling Cup: 130mm



Pendants

CRYSTAL PENDANTS

DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN030 BRASS

Polished Brass and Crystal Pendant
Dual Mounting Options:
Surface or Suspended

- 10 x 40W E14 (SES) (Not Included)

Width: 560mm

CF Height: 585mm

Suspended Height: 450mm

Chain: 1000mm

Ceiling cup: 110mm



PEN027 CHROME

Polished Chrome and Crystal Pendant
Dual Mounting Options:
Surface or Suspended

- 10 x 40W E14 (SES) (Not Included)

Width: 560mm

CF Height: 585mm

Suspended Height: 450mm

Chain: 1000mm

Ceiling cup: 110mm

Pendants

CRYSTAL PENDANTS

DUAL MOUNTING OPTIONS: SUSPENDED OR FLUSH SURFACE MOUNT



PEN692/8 CRYSTAL
Polished Chrome and Crystal Pendant

- 8 x 40W (11W) SES

Width: 800mm
Fitting Height: 300mm
Height: 580mm (Surface Mounting)
1200mm (Suspension)
Ceiling Cup: 120mm



PEN691 CRYSTAL
Polished Chrome with Crystals
Adjustable Cords and Remote Control


- 32W LED (Included)
1 x Remote Control (Included)
Colour Changeable: 3000K, 4500K, 6000K
Lumen: 1700, 1900, 2100

Width: 200mm
Length: 820mm
Height: 140mm
Cord: 1200mm
Ceiling Cup: 600mm x 85mm



Pendants

CRYSTAL PENDANTS



PEN032/3 SATIN

Chrome Pendant with Crystals

- 3 x 50W GU10 (Not Included)

Width: 320mm
Height: 1200mm



PEN628/5 CRYSTAL

Stainless Steel Pendant with Crystals

- 5 x 50W GU10 (Not Included)

Base: 500mm
Height: 1330mm

Pendants

CRYSTAL PENDANTS



PEN487 LED

LED Polished Chrome Pendant with Crystals


- 60W LED (Included)
1 x Remote Receiver Switch
3 x LED Controllers

1 x Digital Remote Control
Press 1: Inner ring switches on
Press 2: Middle ring switches on
Press 3: Outer ring switches on

Colour Temp: 4000K
Lumen: 2800
CRI > 80
PF > 0.6

Width: 700mm
Height: 200mm
Cord: 1000mm
Ceiling Cup: 250mm

Also Available:
PEN291 LED



PEN291 LED

LED Polished Chrome Pendant with Crystals

- 30W LED (Included)
1 x Remote Receiver Switch
2 x LED Controllers

1 x Digital Remote Control
Press 1: Inner ring switches on
Press 2: Outer ring switches on
Press On: Both rings switch on


Colour Temp: 4000K
Lumen: 1840
CRI > 80
PF > 0.6

Width: 500mm
Height: 200mm
Cord: 1000mm
Ceiling Cup: 210mm

Also Available:
PEN487 LED

Pendants

CRYSTAL PENDANTS



PEN297 CRYSTAL

Polished Chrome and Crystal Pendant

- 12 x 40W G9 (Not Included)

Width: 550mm
Height: 550mm
Chain: 500mm
Ceiling Cup: 115mm




PEN281/6 CHROME

Polished Chrome Pendant
with Transparent Silver Shade and Crystals

- 6 x 40W SES

Width: 500mm
Height: 340mm
Chain: 600mm
Ceiling Cup: 120mm



PEN549 CRYSTAL

Polished Chrome Pendant with Crystals
and Transparent Silver Shade

- 6 x 40W SES

Width: 500mm
Height: 750mm
Chain: 1000mm
Ceiling Cup: 115mm

Pendants

CRYSTAL PENDANTS




PEN841 CHROME

Stainless Steel and Crystal Pendant
Colour: Polished Chrome

- 1 x 40W ES

Width: 200mm
Height: 270mm
Cord: 1000mm
Ceiling Cup: 100mm




PEN842 GOLD

Stainless Steel and Crystal Pendant
Colour: Gold

- 2 x 40W SES

Width: 200mm
Height: 270mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN562 CHROME

Metal and Crystal Pendant

- 8 x 40W SES (11W)

Width: 480mm
Height: 300mm
Chain: 1000mm
Ceiling Cup: 115mm



PEN529/5 BLACK


Metal Pendant with Crystals

- 5 x 60W SES

Width: 480mm
Height: 540mm
Chain: 1000mm
Ceiling Cup: 93mm

Pendants

CRYSTAL PENDANTS



PEN280/1 CRYSTAL

Polished Chrome LED Pendant
with Clear Glass and Crystals

- 1 x 50W GU10 (Not Included)

Glass Width: 100mm
Height: 1200mm
Ceiling Cup: 90mm



PEN376/1 CRYSTAL

Polished Chrome
with Clear Outer Glass and Crystal

- 1 x 35W GU10 (Not Included)

Glass Width: 100mm
Height: 400mm
Cord: 1800mm (Adjustable)
Ceiling Cup: 120mm

Also Available:
PEN377/4 CRYSTAL



PEN377/4 CRYSTAL

Polished Chrome
with Clear Outer Glass and Crystal

- 4 x 35W GU10 (Not Included)

Glass Width: 100mm
Height: 400mm
Cord: 1800mm (Adjustable)
Ceiling Cup: 750mm x 110mm

Also Available:
PEN376/1 CRYSTAL

Pendants

LED PENDANTS



PEN247/16 CHROME
Stainless Steel and Acrylic Pendant

- 92W LED (Included)
1 x Remote Control

Colour Temp: 2700K – 4000K
Lumen: 6440

Width: 600mm
Height: 1000mm (Adjustable Cords)

Also Available:
PEN248/32 CHROME



PEN248/32 CHROME
Stainless Steel and Acrylic Pendant

- 240W LED (Included)
1 x Remote Control


Colour Temp: 2700K – 4000K
Lumen: 16800

Width: 750mm
Height: 1800mm (Adjustable Cords)

Also Available:
PEN247/16 CHROME

Pendants

LED PENDANTS



PEN732 LED

White Aluminium and Plastic LED Pendant

- 45W Epistar LED (Included)
1 x Electronic Driver (Included)
Colour Temp: 4000K
Lumen: 2500

Width: 62mm
Length: 1050mm
Cord: 1000mm
Ceiling Cup: 200mm x 85mm



PEN630 LED

LED, Polished Chrome and PVC Pendant

- 27W LED (Included)
Colour Temp: 3000K
Lumen: 1890

Width: 105mm
Height: 1550mm
Length: 1085mm
Ceiling Cup: 400mm x 80mm




PEN730 LED

White Aluminium and Plastic LED Pendant

- 40W Epistar LED (Included)
1 x Electronic Driver (Included)
Colour Temp: 4000K
Lumen: 2300

Width: 80mm
Length: 500mm
Height: 70mm
Cord: 1000mm
Ceiling Cup: 200mm x 85mm



PEN617 WHITE

Matt White Aluminium
and Acrylic LED Pendant
with Remote Control

- 120W LED (Included)
1 x LED Driver (Included)

Colour Temp:
Changeable 3000K – 6000K
Lumen: 13200

On / Off Remote Control
Increase and Decrease Brightness

Width: 510mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 160mm


Pendants

LED PENDANTS

PEN815 MATT BLACK

Matt Black Metal and Flexible LED Silicone Tubing Pendant with Remote Control

The LED Silicon Tubing is Flexible and can be hung in whatever shape or form is preferred around the fitting



- 40W LED (Included)

1 x LED Driver (Included)

Colour Temp: CCTT 3000K-6000K and Dimmable

Lumen: 2400

CRI: >80

PF: >0.9

Length: 1500mm

Height: 1300mm

Ceiling Cup: 445mm x 40mm

Also Available:

PEN816 MATT BLACK

PEN816 MATT BLACK

Matt Black Metal and Flexible LED Silicone Tubing Pendant

The LED Silicon Tubing is Flexible and can be hung in whatever shape or form is preferred around the fitting



- 27W LED (Included)

1 x LED Driver (Included)

Colour Temp: 3000K

Lumen: 2200

CRI: >80

PF: >0.9

Length: 1000mm

Height: 1200mm

Ceiling Cup: 360mm x 40mm

Also Available:

PEN815 MATT BLACK

Pendants

LED PENDANTS



PEN796 GOLD

Aluminium and PVC Pendant
Colour: French Gold (Polished)

- 40W LED (Included)

Colour Temp: 4000K
Lumen: 3200
CRI: >80
PF: >0.8

Width: 547mm
Height: 330mm
Cord: 1000mm
Ceiling Cup: 150mm



PEN094/1 CHROME

Polished Chrome and Acrylic Pendant
with Remote Control, CCT LED

- 14W LED (Included)

Colour Temp: 3000K, 4000K, 6000K
Lumen: 1400
CRI: >80
PF: >0.9


Width: 500mm
Height: 100mm
Cord: 1200mm
Ceiling Cup: 120mm

PEN843 ANTIQUE
Antique Brass LED Pendant, IP20
Material: Metal, Glass and Clear PC

- 10W LED (Included)

Colour Temp: 4000K
Lumen: 700
CRI: >80
PF: >0.9

Diameter: 200mm
Cord: 1000mm
Ceiling Cup: 100mm



Pendants

LED PENDANTS



PEN836 NATURAL

Metal, Acrylic and Wood Pendant

- 7W LED (Included)

Colour Temp: 4000K
Lumen: 945
CRI: >80
PF: >0.5

Width: 600mm
Height: 500mm
Cord: 1300mm
Ceiling Cup: 120mm



PEN817 BLACK

Metal Pendant, IP20
Colour: Black and Gold

- 72W LED (Included)

Colour Temp: 3000K
Lumen: 1300
CRI: >80
PF: 0.6

Width: 450mm
Height: 990mm
Ceiling Cup: 220mm x 1450mm

Also Available:
L540 BLACK

Pendants

LED PENDANTS

PEN790/3 GOLD

Aluminium and Opal Glass Pendant
Colour: Gold

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920
CRI: >80
PF: >0.9

Length: 925mm
Height: 1200mm
Ceiling Cup: 352mm

Also Available:
PEN791/3 BLACK
SL403 GOLD



PEN791/3 BLACK

Aluminium and Opal Glass Pendant
Colour: Sand Black

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920
CRI: >80
PF: >0.9

Length: 925mm
Height: 1200mm
Ceiling Cup: 352mm

Also Available:
PEN790/3 GOLD
SL402 BLACK



PEN792/10 GOLD

Aluminium and Opal Glass Pendant
Colour: Gold

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920
CRI: >80
PF: >0.9

Length: 935mm
Height: 1200mm
Ceiling Cup: 220mm

Also Available:
PEN793/10 BLACK



PEN793/10 BLACK


Aluminium and Opal Glass Pendant
Colour: Sand Black

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920
CRI: >80
PF: >0.9


Length: 935mm
Height: 1200mm
Ceiling Cup: 220mm

Also Available:
PEN792/10 GOLD



Pendants

LED PENDANTS



PEN794/12 GOLD


Aluminium and Opal Glass Pendant
Colour: French Gold (Polished)

- 40W LED (Included)

Colour Temp: 4000K
Lumen: 3200
CRI: >80
PF: >0.9

Width: 605mm
Height: 1200mm
Ceiling Cup: 150mm

Also Available:
PEN795/12 BLACK



PEN795/12 BLACK

Aluminium and Opal Glass Pendant
Colour: Sand Black

- 40W LED (Included)

Colour Temp: 4000K
Lumen: 3200
CRI: >80
PF: >0.9

Width: 605mm
Height: 1200mm
Ceiling Cup: 150mm


Also Available:
PEN794/12 GOLD

PEN797 BLACK
Aluminium, Glass and PVC Pendant
Colour: Sand Black

- 50W LED (Included)

Colour Temp: 4000K
Lumen: 4000
CRI: >80
PF: >0.9

Length: 1050mm
Width: 250mm
Height: 80mm
Cord: 1100mm
Ceiling Cup: 310mm x 84mm



Pendants

LED PENDANTS

PEN687 GREY

LED, Metal and Plastic Pendant with Remote Control

- 44W LED (Included)

1 x Remote Control (Included)

Colour Changeable: 3000K, 4500K, 6000K

Lumen: 2900, 3100, 3300

Length: 1200mm

Height: 1200mm

Also Available:

PEN688 WHITE



PEN689 GREY

LED, Metal and Plastic Pendant with Remote Control

- 32W LED (Included)

1 x Remote Control (Included)

Colour Changeable: 3000K, 4500K, 6000K

Lumen: 1700, 1900, 2100

Width: 600mm

Height: 1200mm

Also Available:

PEN690 WHITE



PEN025 GREY

Metal and Acrylic LED Pendant with Remote Control

- 45W LED (Included)

1 x LED Driver (Included)

Colour Temp: 3000K – 6000K

Lumen: 1850

Width: 450mm

Height: 155mm

Cord: 1100mm

Ceiling Cup: 180mm

Also Available:

PEN026 WHITE

Pendants

LED PENDANTS



PEN688 WHITE

LED, Metal and Plastic Pendant with Remote Control

- 44W LED (Included)

1 x Remote Control (Included)

Colour Changeable: 3000K, 4500K, 6000K

Lumen: 2900, 3100, 3300

Length: 1200mm

Height: 1200mm

Also Available:

PEN687 GREY



PEN690 WHITE

Metal and Plastic Pendant with Remote Control

- 32W LED (Included)

1 x Remote Control (Included)

Colour Changeable: 3000K, 4500K, 6000K

Lumen: 1700, 1900, 2100

Height: 1200mm

Width: 600mm

Also Available:

PEN689 GREY



PEN026 WHITE

Metal and Acrylic LED Pendant with Remote Control

- 45W LED (Included)

1 x LED Driver (Included)

Colour Temp: 3000K – 6000K

Lumen: 1850

Width: 450mm

Height: 155mm

Cord: 1100mm

Ceiling Cup: 180mm


Also Available:

PEN025 GREY

Pendants

LED PENDANTS

CCT - SWITCH ON THE FITTING




PEN866/36 BLACK

Colour: Matt Black
Material: Metal and PC
Suspended or Surface Mount LED Panel,
IP20

- 36W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 2880
CRI: >80
PF: 0.5

Beam Angle: 120 Degrees
Length: 1200mm
Width: 70mm
Height: 40mm



PEN867/72 BLACK

Colour: Matt Black
Material: Metal and PC
Suspended or Surface Mount LED Panel
IP20

- 72W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 5760
CRI: >80
PF: 0.5

Beam Angle: 120 Degrees

Length: 2400mm
Width: 70mm
Height: 40mm

Pendants

LED PENDANTS

CCT - SWITCH ON THE FITTING



PEN209 MATT WHITE

LED Metal and Polycarbonate Pendant

- 12W LED (Included)

1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 840

Length: 930mm
Width: 55mm
Height: 85mm
Cord: 1000mm



PEN868/36 WHITE

Colour: Matt White
Material: Metal and PC
Suspended or Surface Mount LED Panel,
IP20

- 36W LED (Included)

Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 2880
CRI: >80
PF: 0.5

Beam Angle: 120 Degrees
Length: 1200mm
Width: 70mm
Height: 40mm



PEN869/72 WHITE

Colour: Matt White
Material: Metal and PC
Suspended or Surface Mount LED Panel
IP20

- 72W LED (Included)


Colour Temp: CCT 3000K, 4000K, 6000K
Lumen: 5760
CRI: >80
PF: 0.5

Beam Angle: 120 Degrees

Length: 2400mm
Width: 70mm
Height: 40mm

Pendants

LED PENDANTS



PEN464 MATT BLACK

Aluminium Pendant

- 50W LED (Included)

Colour Temp: 4000K
Lumen: 5000

Includes:

- 1 x 1.5M Track
- 2 x Hanging Rods
- 1 x 10W LED Light Bar
- 4 x 10W LED Spotlights
- 1 x Power Supply
- 2 x Ceiling Cups

Length: 1500mm

Height: 1200mm (Including Spotlights)



PEN233

Metal and Aluminium Pendant

- 3W LED (Included)

1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 150

Width: 30mm
Height: 304mm
Cord: 700mm
Ceiling Cup: 80mm

Colours Available:

- Sand Black
- Sand White

Pendants

LED PENDANTS

UFO HIGH-BAY



PEN923/100W BLACK

Colour Temp: 6000K
Lumen: 9000

Diameter: 230mm
Height: 60mm

Aluminium and Tempered Glass UFO High-Bay, IP65
(Excludes Chain and Ceiling Hook)

- 100W LED (Included)

CRI: >80
PF: >0.9
Beam Angle:
110 Degrees

Also Available:

PART110
PART111



PEN926/100W BLACK

Colour Temp: 5000K
Lumen: 14000

Diameter: 230mm
Height: 138mm
4 year warranty

Aluminium and Tempered Glass UFO High-Bay, IP65
(Excludes Chain and Ceiling Hook)

- 150W LED (Included)

CRI: >80
PF: >0.9
Beam Angle:
110 Degrees

Also Available:

PART110
PART111



PEN924/150W BLACK

Colour Temp: 6000K
Lumen: 13500

Diameter: 275mm
Height: 60mm



PEN927/150W BLACK

Colour Temp: 5000K
Lumen: 21000

Diameter: 320mm
Height: 148mm
4 year warranty


Aluminium and Tempered Glass UFO High-Bay, IP65
(Excludes Chain and Ceiling Hook)

- 200W LED (Included)

CRI: >80
PF: >0.9
Beam Angle:
110 Degrees

Also Available:

PART110
PART111



PEN925/200W BLACK

Colour Temp: 6000K
Lumen: 18000
Diameter: 320mm
Height: 65mm



PEN928/200W BLACK

Colour Temp: 5000K
Lumen: 28000

Diameter: 320mm
Height: 148mm
4 year warranty



PART110

1200mm Black Chain, Ceiling Hook and 2 Screws for:
PEN923/100W BLACK, PEN926/100W BLACK
PEN924/150W BLACK, PEN927/150W BLACK
PEN925/200W BLACK, PEN928/200W BLACK



PART111

Black Chain sold per meter for:
PEN923/100W BLACK, PEN926/100W BLACK
PEN924/150W BLACK, PEN927/150W BLACK
PEN925/200W BLACK, PEN928/150W BLACK

Pendants

ACRYLIC AND PVC PENDANTS

PEN679/1 CHROME

Polished Chrome Pendant
with Clear Acrylic Cover
and Acrylic Crystals

- 1 x 40W ES

Width: 300mm

Height: 300mm

Cord: 1000mm

Ceiling Cup: 110mm



PEN803 WHITE

Plastic and Fabric Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 200mm

Height: 250mm

Cord: 800mm

Ceiling Cup: 90mm



PEN518 WHITE

Oval Acrylic and PP Pendant

- 1 x 35W ES (LED or CFL only)

Width: 400mm x 300mm

Height: 270mm

Cord: 900mm

Ceiling Cup: 95mm

Pendants

ACRYLIC AND PVC PENDANTS



PEN421/1 WHITE

Polished Chrome and Polypropylene Pendant

- 1 x 40W ES

Width: 330mm

Height: 310mm

Cord: 600mm

Ceiling Cup: 120mm

Also Available:
PEN420/1 WHITE



PEN420/1 WHITE

Polished Chrome and Polypropylene Pendant

- 1 x 40W ES

Width: 430mm

Height: 400mm

Cord: 600mm

Ceiling Cup: 120mm

Also Available:
PEN421/1 WHITE



PEN805 WHITE

Plastic and PP Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 350mm

Height: 210mm

Cord: 800mm

Ceiling Cup: 90mm



PEN807 WHITE

Plastic and PP Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 330mm

Height: 280mm


Cord: 800mm

Ceiling Cup: 90mm



Pendants

COPPER



PEN718 COPPER
Polished Copper Pendant

- 1 x 11W ES

Width: 200mm
Height: 275mm
Cord: 850mm
Ceiling Cup: 100mm



PEN719 COPPER
Polished Copper Pendant

- 1 x 11W ES


Width: 395mm
Height: 200mm
Cord: 850mm
Ceiling Cup: 100mm



PEN314 COPPER
Copper Pendant with Glass

- 1 x 40W ES

Width: 250mm
Height: 250mm
Cord: 900mm
Ceiling Cup: 100mm



PEN721 COPPER
Polished Copper Pendant

- 1 x 11W ES

Width: 350mm
Height: 320mm
Cord: 850mm
Ceiling Cup: 100mm

Pendants

COPPER




PEN582 COPPER

Copper Metal Pendant

- 1 x 60W/11W ES
(Not Included)

Width: 400mm
Height: 400mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN583 COPPER

Copper Metal Pendant

- 1 x 60W/11W ES
(Not Included)

Width: 300mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN903 COPPER

Copper Pendant

- 1 x 60W ES

Width: 390mm
Height: 440mm
Cord: 1000mm
Ceiling Cup: 100mm

Also Available:
PEN902 SATIN

Pendants

WOOD AND WOOD FINISH PENDANTS



PEN444 WOOD
Polished Chrome Pendant with Wood

- 1 x 11W ES

Width: 420mm
Height: 370mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN445 WOOD
Polished Chrome Pendant with Wood

- 1 x 11W ES

Width: 300mm
Height: 370mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN072 BUTTERFLY
Pink Wooden Butterfly Pendant

- 1 x 60W ES

Width: 250mm
Height: 800mm
Length: 330mm
Ceiling Cup: 120mm



PEN836 NATURAL
Metal, Acrylic and Wood Pendant

- 7W LED (Included)

Colour Temp: 4000K
Lumen: 945
CRI: >80
PF: >0.5

Width: 600mm
Height: 500mm
Cord: 1300mm
Ceiling Cup: 120mm

Pendants

WOOD AND WOOD FINISH PENDANTS



PEN307 WOOD

Metal Pendant with Wood Grain Finish

- 1 x 60W ES

Width: 230mm
Height: 230mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN388 WOOD

Metal Pendant
with Wood Grain Finish

- 1 x 60W ES

Width: 230mm
Height: 290mm
Cord: 1000mm
Ceiling Cup: 95mm



PEN375 WOOD

Metal Pendant with Wood Grain Finish

- 1 x 60W ES

Width: 380mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 115mm

Pendants

WOOD AND WOOD FINISH PENDANTS



PEN819 BEAD

Metal and Wood Bead Pendant
Colour: White Washed

- 3 x 60W ES (11W)

Width: 500mm
Height: 650mm
Chain: 1100mm
Ceiling Cup: 120mm



PEN821 BEAD

Metal and Wood Bead Pendant
Colour: Matt Black

- 3 x 60W ES (11W)

Width: 410mm
Height: 300mm
Chain: 1100mm
Ceiling Cup: 120mm

Also Available:
TL650 BEAD



PEN820 BEAD

Metal and Wood Bead Pendant
Colour: Matt Black and Natural Wood

- 3 x 60W ES (11W)

Length: 600mm
Width: 250mm
Height: 220mm
Chain: 1100mm
Ceiling Cup: 250mm x 110mm



PEN822 BEAD

Metal and Wood Bead Pendant
Colour: Matt White

- 1 x 60W ES (11W)

Width: 380mm
Height: 380mm
Chain: 1100mm
Ceiling Cup: 120mm

Pendants

NATURAL PENDANTS



PEN852

Metal, Plastic and Rope Pendant

- 1 x 11W ES (LED or CFL)

Width: 300mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 100mm




PEN846 BLACK

Metal Pendant
with Clear Glass and Rope
Colour: Matt Black

- 1 x 40W (11W) ES

Width: 200mm
Height: 240mm
Cord: 1000mm
Ceiling Cup: 110mm



PEN858 ROPE

Metal and Rope Pendant
Colour: Matt Black

- 1 x 40W (11W) ES

Width: 260mm
Height: 360mm
Cord: 1300mm
Ceiling Cup: 100mm



PEN859 ROPE

Metal and Rope Pendant
Colour: Matt Black

- 1 x 40W (11W) ES

Width: 290mm
Height: 160mm
Cord: 1300mm
Ceiling Cup: 100mm



PEN860 ROPE

Metal and Rope Pendant
with Amber Inner Glass

- 1 x 40W (11W) ES

Width: 250mm
Height: 250mm
Cord: 1300mm
Ceiling Cup: 100mm

Pendants

NATURAL




PEN190/1 NATURAL

Twine Cover

- 11W ES LED or CFL only

Diameter: 350mm
Cord: 1200mm
Ceiling Cup: 125mm



PEN191/1 NATURAL

Twine Cover

- 11W ES LED or CFL only

Diameter: 500mm
Cord: 1200mm
Ceiling Cup: 125mm



PEN429/1 FOSSIL WHITE

Twine Cover

- 1 x 60W ES

Width: 350mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN430/1 FOSSIL WHITE

Twine Cover

- 1 x 60W ES

Width: 500mm
Height: 500mm
Cord: 1000mm
Ceiling Cup: 120mm



Pendants


NATURAL

PEN767 WHITE

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 400mm
Height: 240mm
Cord: 1200mm
Ceiling Cup: 125mm




PEN768 WHITE

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 500mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 125mm




PEN771 WHITE

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 320mm
Height: 400mm
Cord: 1200mm
Ceiling Cup: 125mm



PEN769 BROWN

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 400mm
Height: 240mm
Cord: 1200mm
Ceiling Cup: 125mm



PEN770 BROWN

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 500mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 125mm



Pendants

NATURAL

PEN808 BAMBOO

Bamboo Pendant
Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 350mm
Height: 310mm
Cord: 1300mm
Ceiling Cup: 110mm



PEN809 BAMBOO

Bamboo Pendant
Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 350mm
Height: 380mm
Cord: 1300mm
Ceiling Cup: 110mm



PEN514 BAMBOO

Metal and Bamboo Pendant

- 1 x 11W ES (LED or CFL only)

Width: 490mm
Height: 290mm
Cord: 1400mm
Ceiling Cup: 120mm



PEN811 WOOD

Wood Pendant
Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 300mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 110mm



PEN810 WOOD

Wood Pendant
Colour: Natural/Black

- 1 x 60W ES (LED or CFL only)

Width: 400mm
Height: 250mm
Cord: 1200mm
Ceiling Cup: 110mm



Pendants

NATURAL



PEN773 NATURAL

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 320mm
Height: 260mm
Cord: 1200mm
Ceiling Cup: 125mm



PEN774 NATURAL

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 250mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 125mm



PEN194/1 BLACK

Black Outer Bamboo with Natural Inner Twine

- 1 x 60W ES

Width: 400mm
Height: 400mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN775 COFFEE

Twine Pendant

- 1 x 11W ES (LED or CFL Only)

Width: 220mm
Height: 300mm
Cord: 1200mm
Ceiling Cup: 125mm



Pendants

NATURAL



PEN641 RATTAN
Metal and Rattan Pendant
- 1 x 60W ES
Width: 230mm
Height: 350mm
Chain: 1000mm
Ceiling Cup: 100mm



PEN642 RATTAN
Metal and Rattan Pendant
- 1 x 60W ES
Width: 230mm
Height: 330mm
Chain: 1000mm
Ceiling Cup: 100mm



PEN219 RATTAN
Metal and Rattan Pendant
- 1 x 60W ES
Width: 230mm
Height: 330mm
Cord: 1000mm
Ceiling Cup: 100mm



PEN431/1 BROWN
Bamboo Cover
- 1 x 60W ES
Width: 400mm
Height: 350mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN218 RATTAN
Metal and Rattan Pendant
- 1 x 60W ES
Width: 230mm
Height: 330mm
Cord: 1000mm
Ceiling Cup: 100mm

Pendants

NATURAL



PEN835 BLACK Metal and Bamboo Pendant

- 1 x 11W ES (LED or CFL)

Width: 500mm
Height: 120mm
Cord: 1500mm
Ceiling Cup: 120mm



PEN862 BAMBOO

Metal and Bamboo Pendant

- 1 x 11W ES (LED or CFL)

Width: 290mm
Height: 210mm
Cord: 1000mm
Ceiling Cup: 120mm



PEN865 NATURAL

Metal and Paper String Pendant

- 1 x 11W ES (LED or CFL)

Width: 600mm x 520mm
Height: 160mm
Cord: 850mm
Ceiling Cup: 120mm

Pendants

BLISTER PACKS



BLISTER PACKS PENDANTS

PEN285/1

PVC and Silicon Pendant
Blister Pack

- 1 x 18W ES Energy Saver

Length: 1500mm
Ceiling Cup: 117mm

Colours Available:
Black, White

PEN540 BROWN BRONZE

Brown Bronze
Cord

PEN541 RED BRONZE

Red Bronze
Cord

PEN542 ANTIQUE BRONZE

Antique Bronze
Cord

PEN543 MATT NICKEL

Matt Nickel
Cord

PEN551 SATIN CHROME



Satin Chrome
Cord

- 1 x 60W ES
Width: 50mm
Height: 95mm
Cord: 1200mm
Ceiling Cup: 100mm

Blister Pack:
Width: 170mm
Height: 240mm

Pendants

BLISTER PACKS



**PEN779
ANTIQUE**
Antique Brass
Black Twist Cord

**PEN780
COFFEE**
Coffee Colour
Brown Textile Cord

**PEN781
ALUMINIUM**
Aluminium Colour
Grey Twist Cord

**PEN782
ROSE**
Rose Gold Colour
Brown Twist Cord

**PEN783
BLACK**
Black
Black Textile Cord

**PEN784
GUN METAL**
Gun Metal Colour
Black Twist Cord

- 1 x 60W (11W) ES

Width: 51mm
Height: 97mm
Cord: 1000mm
Ceiling Cup: 100mm

BLISTER PACKS PENDANTS



SPOTLIGHTS



Spotlights

POLISHED CHROME SPOTLIGHTS



S065/1 CHROME

Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S065/2 CHROME

Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 255mm



S065/3 CHROME

Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 190mm



S065/4 CHROME

Polished Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm
Length: 600mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S168/1 SATIN
Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available:
S167 MATT BLACK RANGE



S168/2 SATIN
Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm

Also Available:
S167 MATT BLACK RANGE



S168/3 SATIN
Satin Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 230mm

Also Available:
S167 MATT BLACK RANGE

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S178/1 SATIN CHROME

Satin Chrome Spotlight

- 1 x LED GU10 (Not Included)

Base: 55mm



S178/2 SATIN CHROME

Satin Chrome Spotlight

- 2 x LED GU10 (Not Included)

Base: 255mm x 40mm



S178/3 SATIN CHROME

Satin Chrome Spotlight

- 3 x LED GU10 (Not Included)

Base: 350mm x 40mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S055/1 SATIN

Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S055/2 SATIN

Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm

Length: 250mm



S055/3 SATIN

Satin Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm

Length: 380mm



S055/4 SATIN

Satin Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm

Length: 500mm

Recommended bulb to use



GU10 LED



GU10

Spotlights

SATIN CHROME SPOTLIGHTS



S058/1 SATIN

Satin and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 100mm x 60mm



S058/2 SATIN

Satin and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 120mm x 60mm
Length: 300mm



S058/3 SATIN

Satin and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 120mm x 60mm
Length: 430mm



S058/4 SATIN

Satin and Polished Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 120mm x 60mm
Length: 590mm

Recommended bulb to use



GU10



GU10 LED

SATIN CHROME SPOTLIGHTS

Spotlights

SATIN CHROME SPOTLIGHTS



S163/1 SATIN

Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm
Head Length: 140mm




S163/2 SATIN

Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 120mm
Length: 540mm



S163/3 SATIN

Satin Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 120mm
Length: 800mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S152/1 SAT/CHR

Satin Chrome Spotlight

- 1 x 50W GU10
(Not Included)

Base: 80mm



S152/2 SAT/CHR

Satin Chrome Spotlight

- 2 x 50W GU10
(Not Included)

Width: 100mm
Length: 265mm



S152/3 SAT/CHR

Satin Chrome Spotlight

- 3 x 50W GU10
(Not Included)

Width: 100mm
Length: 465mm



S152/4 SAT/CHR

Satin Chrome Spotlight

- 4 x 50W GU10
(Not Included)

Width: 100mm
Length: 640mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S123/1 SATIN
Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S123/2 SATIN
Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 100mm
Length: 360mm

S123/3 SATIN

Satin Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 100mm
Length: 610mm

Also Available:
S150/3 WHITE



S151/4 SATIN

Satin Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 100mm
Length: 630mm

Also Available:
S123/4 SATIN
S150/4 WHITE



S123/4 SATIN

Satin Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 100mm
Length: 400mm

Also Available:
S150/4 WHITE
S151/4 SATIN



Recommended bulb to use



GU10 LED



GU10

Spotlights

SATIN CHROME SPOTLIGHTS



S042/1 S/CH

Satin and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S042/2 S/CH

Satin and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 405mm



S042/3 S/CH

Satin and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 565mm



S042/4 S/CH

Satin and Polished Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm
Length: 765mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S050/1 SC/CHR

Satin and Polished Chrome Spotlight

- 1 x GU10 (Not Included)

Base: 103mm




S050/2 SC/CHR

Satin and Polished Chrome Spotlight

- 2 x GU10 (Not Included)

Base: 110mm
Length: 420mm




S050/3 SC/CHR

Satin and Polished Chrome Spotlight

- 3 x GU10 (Not Included)

Base: 110mm
Length: 540mm



S050/4 SC/CHR

Satin and Polished Chrome Spotlight

- 4 x GU10 (Not Included)

Base: 110mm
Length: 720mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S171/1 SATIN

Satin Chrome and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S171/2 SATIN

Satin Chrome and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm



S171/3 SATIN

Satin Chrome and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 230mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S048/1 SATIN

Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S048/2 SATIN

Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 265mm



S048/3 SATIN

Satin Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 465mm



S048/4 SATIN

Satin Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm
Length: 635mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATIN CHROME SPOTLIGHTS



S063/1 SATIN
Satin Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S063/2 SATIN
Satin Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 100mm
Length: 320mm



S063/3 SATIN
Satin Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 100mm
Length: 475mm



S404/1 SMOKE
Satin Chrome Spotlight
with Smoke Colour Glass

- 1 x 5W G9 LED (Not Included)

Base: 80mm



S404/2 SMOKE
Satin Chrome Spotlight
with Smoke Colour Glass

- 2 x 5W G9 LED (Not Included)

Base: 80mm
Length: 255mm

Spotlights

SATIN CHROME SPOTLIGHTS



S010/1 SATIN

Satin Chrome Spotlight
Swivel and Tilt

- 1 x 50W GU10 (Not Included)

Base: 119mm




S010/2 SATIN

Satin Chrome Spotlight
Swivel and Tilt

- 2 x 50W GU10 (Not Included)

Width: 70mm
Length: 300mm



S010/3 SATIN

Satin Chrome Spotlight
Swivel and Tilt

- 3 x 50W GU10 (Not Included)

Width:70mm
Length: 600mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

SATURN SPOTLIGHTS



S005/1

Switch Included

- 1 x R50 SES

Width 80mm

Colours Available:

Gun Metal, Satin Chrome, White



S005/2R

- 2 x R50 SES

Width: 190mm

Colours Available:

Gun Metal, Satin Chrome, White



S005/3R

- 3 x R50 SES

Width: 230mm

Colours Available:


Gun Metal, Satin Chrome, White

S005/2
- 2 x R50 SES

Length: 350mm

Colours Available:

Gun Metal, Satin Chrome, White



S005/3

- 3 x R50 SES

Length: 550mm

Colours Available:

Gun Metal, Satin Chrome, White



S005/4

- 4 x R50 SES

Length: 950mm

Colours Available:

Gun Metal, Satin Chrome, White

Spotlights

SATIN BRASS SPOTLIGHTS



S172/1 BRASS/WHITE
Matt White and Satin Brass Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S172/2 BRASS/WHITE
Matt White and Satin Brass Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 400mm



S172/3 BRASS/WHITE
Matt White and Satin Brass Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 570mm

Spotlights

SATIN BRASS SPOTLIGHTS



S173/1 BLACK/BRASS
Matt Black and Satin Brass Spotlight

- 1 x 50W GU10 (Not Included)


Base: 105mm



S173/2 BLACK/BRASS
Matt Black and Satin Brass Spotlight

- 2 x 50W GU10 (Not Included)

Base: 120mm x 80mm
Length: 300mm



S173/3 BLACK/BRASS
Matt Black and Satin Brass Spotlight

- 2 x 50W GU10 (Not Included)

Base: 120mm x 80mm
Length: 500mm

Spotlights

SATIN BRASS SPOTLIGHTS



S414/1 SATIN BRASS

Black and Satin Brass Spotlight

- 1 x 50W GU10 (Not Included)

Length: 130mm
Width: 80mm



S414/2 SATIN BRASS

Black and Satin Brass Spotlight

- 2 x 50W GU10 (Not Included)

Length: 240mm
Width: 80mm



S414/3 SATIN BRASS

Black and Satin Brass Spotlight

- 3 x 50W GU10 (Not Included)

Length: 420mm
Width: 80mm



S414/4 SATIN BRASS

Black and Satin Brass Spotlight

- 4 x 50W GU10 (Not Included)

Length: 600mm
Width: 120mm

Spotlights

PAINTED SPOTLIGHTS



S413/1 BLACK
Black Spotlight

- 1 x 50W GU10 (Not Included)

Length: 130mm
Width: 80mm



S413/2 BLACK
Black Spotlight

- 2 x 50W GU10 (Not Included)

Length: 240mm
Width: 80mm



S413/3 BLACK
Black Spotlight

- 3 x 50W GU10 (Not Included)

Length: 420mm
Width: 80mm



S413/4 BLACK
Black Spotlight

- 4 x 50W GU10 (Not Included)

Length: 600mm
Width: 120mm

Spotlights

PAINTED SPOTLIGHTS



S411/1 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 1 x 25W GU10 (Not Included)

Base: 90mm x 70mm



S411/2 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 2 x 25W GU10 (Not Included)

Base: 260mm x 60mm




S411/3 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 3 x 25W GU10 (Not Included)

Base: 410mm x 60mm



S411/4 BLACK

Black Spotlight with Antique Trim and Tapered Head

- 4 x 25W GU10 (Not Included)

Base: 560mm x 60mm

Spotlights

PAINTED SPOTLIGHTS



S412/1 BLACK

Black Spotlight with Wood Finish

- 1 x 25W GU10 (Not Included)

Base: 90mm x 70mm



S412/2 BLACK

Black Spotlight with Wood Finish

- 2 x 25W GU10 (Not Included)

Base: 260mm x 60mm




S412/3 BLACK

Black Spotlight with Wood Finish

- 3 x 25W GU10 (Not Included)

Base: 410mm x 60mm



S412/4 BLACK

Black Spotlight with Wood Finish

- 4 x 25W GU10 (Not Included)

Base: 560mm x 60mm

Spotlights

PAINTED SPOTLIGHTS



S049/1 WHITE

- 1 x 50W GU10 (Not Included)

Base: 80mm



S049/2 WHITE

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 265mm



S049/3 WHITE

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 465mm



S049/4 WHITE

- 4 x 50W GU10 (Not Included)

Base: 80mm
Length: 635mm

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



S064/1 BLACK

Black and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S064/2 BLACK

Black and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 255mm



S064/3 BLACK

Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 410mm



S064/4 BLACK

Black and Polished Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm
Length: 600mm

Also Available:
WB124/1 BLACK
SL019 BLACK

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S156/1 BK/CHR

Polished Chrome and Black Spotlight

S156/1 BK/COPPER

Black and Copper Spotlight

- 1 x 50W GU10 (Not Included)

Base: 140mm x 70mm



S156/2 BK/CHR

Polished Chrome and Black Spotlight

S156/2 BK/COPPER

Black and Copper Spotlight

- 2 x 50W GU10 (Not Included)

Base Width: 70mm

Length: 300mm



S156/3 BK/CHR

Polished Chrome and Black Spotlight

S156/3 BK/COPPER

Black and Copper Spotlight

- 3 x 50W GU10 (Not Included)

Base Width: 70mm

Length: 500mm



Spotlights

PAINTED SPOTLIGHTS



S056/1 BLACK

Polished Chrome and Matt Black Spotlight

- 1 x 50W GU10 (Not Included)

Base: 100mm



S056/2 BLACK

Polished Chrome and Matt Black Spotlight

- 2 x 50W GU10 (Not Included)

Base: 70mm
Length: 280mm



S056/3 BLACK

Polished Chrome and Matt Black Spotlight

- 3 x 50W GU10 (Not Included)

Width: 230mm



S056/4 BLACK

Polished Chrome and Matt Black Spotlight

- 4 x 50W GU10 (Not Included)

Base: 70mm
Length: 560mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S402/1 BLACK

Black and Polished Chrome Spotlight with Wood Finish

- 1 x 40W SES (Not Included)

Base: 80mm



S402/2 BLACK

Black and Polished Chrome Spotlight with Wood Finish

- 2 x 40W SES (Not Included)

Base: 80mm
Length: 250mm




S402/3 BLACK

Black and Polished Chrome Spotlight with Wood Finish

- 3 x 40W SES (Not Included)

Base: 80mm
Length: 450mm



S402/4 BLACK

Black and Polished Chrome Spotlight with Wood Finish

- 4 x 40W SES (Not Included)

Base: 80mm
Length: 700mm

Also Available:
PEN647/3 BLACK
PEN649/3 BLACK

Spotlights

PAINTED SPOTLIGHTS



S401/1 WHITE

White and Polished Chrome Spotlight with Wood Finish

- 1 x 40W SES (Not Included)

Base: 80mm



S401/2 WHITE

White and Polished Chrome Spotlight with Wood Finish

- 2 x 40W SES (Not Included)

Base: 80mm
Length: 250mm



S401/3 WHITE

White and Polished Chrome Spotlight with Wood Finish

- 3 x 40W SES (Not Included)

Base: 80mm
Length: 450mm



S401/4 WHITE

White and Polished Chrome Spotlight with Wood Finish

- 4 x 40W SES (Not Included)

Base: 80mm
Length: 700mm

Also Available:
PEN644/3 WHITE
PEN646/3 WHITE

Spotlights

PAINTED SPOTLIGHTS



S400/1 BLACK

Black and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available:
SL400 BLACK



S400/2 BLACK

Black and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 250mm



S400/3 BLACK

Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 385mm



S400/4 BLACK

Black and Polished Chrome Spotlight

- 4 x 50W GU10 (Not Included)

Base: 80mm
Length: 600mm

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



S406/1 WHITE
- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available:
SL406 WHITE



S406/2 WHITE
- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 255mm



S406/3 WHITE
- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 385mm



S406/4 WHITE
- 4 x 50W GU10 (Not Included)

Base: 80mm
Length: 605mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S176/1 MATT BLACK

Matt Black Metal Spotlight

- 1 x LED GU10 (Not Included)

Base: 55mm



S176/2 MATT BLACK

Matt Black Metal Spotlight

- 2 x LED GU10 (Not Included)

Base: 255mm x 40mm



S176/3 MATT BLACK

Matt Black Metal Spotlight

- 3 x LED GU10 (Not Included)

Base: 350mm x 40mm

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



S177/1 MATT WHITE
Matt White Metal Spotlight

- 1 x LED GU10 (Not Included)

Base: 55mm



S177/2 MATT WHITE
Matt White Metal Spotlight

- 2 x LED GU10 (Not Included)

Base: 255mm x 40mm



S177/3 MATT WHITE
Matt White Metal Spotlight

- 3 x LED GU10 (Not Included)

Base: 350mm x 40mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S167/1 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available:
S168 SATIN RANGE




S167/2 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm

Also Available:
S168 SATIN RANGE



S167/3 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 230mm

Also Available:
S168 SATIN RANGE

Recommended bulb to use



GU10 LED



GU10

Spotlights


PAINTED SPOTLIGHTS



S170/1 CHROME/WHITE
Matt White and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)


Base: 80mm



S170/2 CHROME/WHITE
Matt White and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 180mm



S170/3 CHROME/WHITE
Matt White and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 500mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



CL008 BLACK

Matt Black Metal Clip on Spotlight with Switch

- 1 x 50W GU10 (Not Included)

Height: 95mm (Excluding Clamp)
Clamp: 112mm x 75mm

Colours Available:
Matt Black, Matt White



S120/1 BLACK

Matt Black Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S120/2 BLACK

Matt Black Spotlight

- 2 x 50W GU10 (Not Included)

Base: 150mm



S120/3 BLACK

Matt Black Spotlight

- 3 x 50W GU10 (Not Included)

Base: 180mm

PAINTED SPOTLIGHTS

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



CL008 WHITE

Matt White Metal Clip on Spotlight with Switch

- 1 x 50W GU10 (Not Included)

Height: 95mm (Excluding Clamp)
Clamp: 112mm x 75mm

Colours Available:
Matt Black, Matt White



S121/1 WHITE

Matt White Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S121/2 WHITE

Matt White Spotlight

- 2 x 50W GU10 (Not Included)

Base: 150mm



S121/3 WHITE

Matt White Spotlight

- 3 x 50W GU10 (Not Included)

Base: 180mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S405/1 GREY

Grey and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S165/1 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available:
S166 MATT WHITE RANGE



S165/2 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 300mm

Also Available:
S166 MATT WHITE RANGE



S165/3 MATT BLACK

Matt Black and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 500mm

Also Available:
S166 MATT WHITE RANGE

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



S166/1 MATT WHITE

Matt White and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm

Also Available:
S165 MATT BLACK RANGE



S166/2 MATT WHITE

Matt White and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 80mm
Length: 300mm

Also Available:
S165 MATT BLACK RANGE



S166/3 MATT WHITE

Matt White and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 80mm
Length: 500mm

Also Available:
S165 MATT BLACK RANGE

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S060/1 WH/CHR
White and Polished Chrome Spotlight

- 1 x 50W GU10 (Not Included)

Base: 80mm



S060/2 WH/CHR
White and Polished Chrome Spotlight

- 2 x 50W GU10 (Not Included)

Base: 100mm
Length: 265mm



S060/3 WH/CHR
White and Polished Chrome Spotlight

- 3 x 50W GU10 (Not Included)

Base: 100mm
Length: 465mm

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



S169/1 MATT WHITE

Matt White and Polished Chrome Spotlight

- 1 x 5W LED GU10 (Not Included)

Base: 80mm



S169/2 MATT WHITE

Matt White and Polished Chrome Spotlight

- 2 x 5W GU10 (Not Included)

Base: 80mm
Length: 300mm



S169/3 MATT WHITE

Matt White and Polished Chrome Spotlight

- 3 x 5W GU10 (Not Included)

Base: 80mm
Length: 500mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S161/1 WHITE
Matt White Spotlight

- 1 x 50W GU10 (Not Included)

Base: 108mm



S161/2 WHITE
Matt White Spotlight

- 2 x 50W GU10 (Not Included)


Base: 108mm
Length: 422mm



S161/3 WHITE
Matt White Spotlight

- 3 x 50W GU10 (Not Included)

Base: 108mm
Length: 542mm



S161/4 WHITE
Matt White Spotlight

- 4 x 50W GU10 (Not Included)

Base: 108mm
Length: 701mm

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



S164/1 WHITE
Matt White Spotlight

- 1 x 50W GU10 (Not Included)

Width: 83mm



S164/2 WHITE
Matt White Spotlight

- 2 x 50W GU10 (Not Included)

Width: 190mm



S164/3 WHITE
Matt White Spotlight

- 3 x 50W GU10 (Not Included)

Width: 240mm

Recommended bulb to use



GU10



GU10 LED

Spotlights

PAINTED SPOTLIGHTS



S066/1 WH/CHR
White and Polished Chrome Spotlight
- 1 x 50W GU10 (Not Included)
Base: 80mm



S066/2 WH/CHR
White and Polished Chrome Spotlight
- 2 x 50W GU10 (Not Included)
Base: 120mm



S066/3 WH/CHR
White and Polished Chrome Spotlight
- 3 x 50W GU10 (Not Included)
Base: 170mm

Recommended bulb to use



GU10 LED



GU10

Spotlights

PAINTED SPOTLIGHTS



S150/3 WHITE
- 3 x 50W GU10 (Not Included)

Base: 100mm
Length: 460mm

Also Available
S123/3 COPPER
S123/3 SATIN



S150/4 WHITE
- 4 x 50W GU10 (Not Included)

Base: 100mm
Length: 630mm

Also Available
S123/4 SATIN
S151/4 SATIN

Recommended bulb to use



GU10 LED



GU10

TABLE & FLOOR LAMPS



Table & Floor lamps

LED STANDING LAMP



SL095 CRYSTAL

Polished Chrome Standing Lamp with Crystals and Remote Control

- 176W LED (Included)

1 x LED Driver (Included)
1 x ON/OFF Foot Switch (Included)

3 Colour Temperatures:
2700K - 6500K
Lumen: 11 000
CRI > 80
PF > 0.6

Height: 1530mm
Base: 300mm



SL017 LED

Silver Aluminium Polycarbonate LED Floor Lamp
On / Off Foot Switch

- 20W LED (Included)
1 x LED Driver (Included)

Height: 1450mm
Base: 200mm



SL083 LED

Matt White Aluminium and Acrylic LED Floor Lamp with Remote Control

- 40W LED (Included)
1 x LED Driver (Included)

Colour Temp: 2700K – 6500K
Lumen: 2600


Height: 1580mm
Base: 290mm

Features:

On / Off Remote Control and Foot Switch
Increase and Decrease Brightness
Sleep Mode with 2W LED Brightness

Table & Floor lamps

LED STANDING LAMPS



SL402 BLACK

Also Available:
PEN791/3 BLACK


Aluminium and Opal Glass Standing Lamp

On / Off Foot Switch

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 1920
CRI: >80
PF: >0.9

Height: 1200mm
Base: 240mm



SL403 GOLD

Also Available:
PEN791/3 BLACK



SL411 GOLD

LED, Metal and Acrylic
On/Off Foot Switch
Colour: French Gold

- 15W LED (Included)


Colour Temp: 4000K
Lumen: 1500

Height: 1230mm
Base: 200mm



SL425 BLACK

Also Available:
TL660 BLACK



SL426 WHITE


Also Available:
TL661 WHITE

Rechargeable LED Standing Lamp
with Touch Control and Type C USB Cable

- 3W LED (Included)

Material: Metal
Colour Temp: CCT 3000K, 4000K, 6500K
and Dimmable
Battery: 2600mAh Lithium-Ion
Charging time: 4-6 Hours
Working time: 10-12 Hours

Height: 1250mm
Base: 110mm



SL404 BLACK

Metal LED Standing Lamp
On / Off Foot Switch

- 7W LED (Included)

Colour Temp: 3000K
Lumen: 1100
CRI: >80
PF: >0.5

Height: 1500mm
Base: 180mm

Table & Floor lamps

LED STANDING LAMPS



SL015 BLACK
Metal and Acrylic Mother and Son
LED Floor Lamp
On / Off Foot Switch

Mother Lamp:
- 21W LED (Included)
1 x LED Driver (Included)

Colour Temp: 4000K
Lumen: 1500

Son Lamp:
- 7W LED (Included)
1 x LED Driver (Included)
Colour Temp: 4000K
Lumen: 500

Height: 1700mm
Base: 250mm
Width: 220mm




SL094 BLACK
Aluminium and PVC
LED Standing Lamp
On / Off Foot Switch

- 28W LED (Included)
1 x LED Driver (Included)

Colour Temp: 3000K
Lumen: 1680

Width: 380mm
Height: 1175mm
Base: 200mm




SL421 BLACK
LED, Metal and Acrylic
Moveable Arm
On/Off Foot Switch

- 27W LED (Included)

Colour Temp: 4000K
Lumen: 2430

Height: 1600mm
Base: 200mm x 245mm



SL407 BLACK
Aluminium, LED and PC Floor Lamp
On/Off Foot Switch

- 24W LED (Included)

Colour Temp: 3000K
Lumen: 1300
CRI: >80
PF: >0.8

Height: 1250mm
Width: 200mm
Base: 220mm x 180mm

Table & Floor lamps

STANDING LAMPS




SL019 BLACK
Black and Chrome Standing Lamp
On / Off Foot Switch

- 2 x 50W GU10 (Not Included)

Height: 1540mm
Base: 230mm

Also Available:
S064 BLACK RANGE
WB124/1 BLACK




SL406
Metal Floor Lamp
On / Off Foot Switch

- 3 x GU10 (Not Included)

Height: 1550mm
Base: 250mm

Also Available:
S406 WHITE RANGE



SL400
Metal Floor Lamp
On / Off Foot Switch


- 3 x GU10 (Not Included)

Height: 1550mm
Base: 250mm

Also Available:
S400 BLACK RANGE

Table & Floor lamps

STANDING LAMPS




SL087

Metal and Polished Chrome
Mother and Son Floor Lamp
with PVC Covers

- 1 x 40W (11W) SES
- 1 x 60W (11W) ES

Height: 1790mm
Base: 220mm

Colours Available:
Black, White




SL062 SILVER

Antique Matt Silver Floor Lamp
On / Off Foot Switch

- 2 x GU10 (Not Included)

Height: 1600mm
Base: 220mm




SL1097

Floor Lamp with Double Switch

- 2 x 60W ES

Height: 1604mm
Base: 230mm

Colours Available:
Black, White



SL089

Metal and Polished Chrome
Floor Lamp with Gooseneck Arms

- 2 x 60W (11W) ES

Height: 1630mm
Base: 220mm

Colours Available:
Black, White

Table & Floor lamps

STANDING LAMPS



SL086

Metal Floor Lamp
with Movable Arms

- 1 x 60W (11W) ES

Height: 1930mm
Base: 270mm

Colours Available:
Black, White

Also Available:
TL053 BLACK, WHITE

SL016 MATT BLACK

Metal Floor Lamp

- 1 x 60W ES

Height: 1700mm
Width: 760mm
Base: 260mm

SL1098

Metal Flexi Head Floor Lamp

- 1 x 60W ES

Height: 1600mm
Base: 240mm
Flexi Arm: 250mm

Colours Available:
Black, White

Also Available:
TL310 BLACK, WHITE
TL311 BLACK, SILVER, WHITE

SL005 BK

Polished Chrome and Black Floor Lamp
with Adjustable Arm and Swivel Head
On / Off Foot Switch

- 1 x 60W ES

Height: 1650mm
Width: 550mm
Head Width: 258mm

Table & Floor lamps

STANDING LAMPS



SL414 BLACK

Metal and Wood
Adjustable Height
On/Off Foot Switch

- 1 x 40W (11W) ES (E27)
(Not Included)

Height: 1650mm
Base: 300mm



SL413 BLACK

Metal and Wood
On/Off Foot Switch

- 3 x 40W (11W) ES (E27)
(Not Included)

Height: 1505mm
Base: 230mm



SL419 ANTIQUE


Metal Standing Lamp
On/Off Foot Switch

- 1 x 40W (11W) ES
(Not Included)

Height: 1626mm
Base: 250mm

Table & Floor lamps

STANDING LAMPS



SL420 BLACK

Metal Floor Lamp
with Polished Chrome Centre Rod
and Beige Fabric Shade
On/Off Foot Switch

- 1 x 40W ES

Height: 1530mm
Base: 280mm x 210mm
Shade: 400mm (W) 250mm (H)



SL415 BEIGE

Wood and Polished Chrome Floor Lamp
with Beige Fabric Shade
On/Off Foot Switch

- 1 x 60W (11W) ES

Width: 730mm
Adjustable Height:
1200mm – 1500mm
Shade: 450mm (W), 280mm (H)

Also Available:
TL415 BEIGE



SL416 BLACK

Wood and Polished Chrome Floor Lamp
with Black Fabric Shade
On/Off Foot Switch

- 1 x 60W (11W) ES

Width: 730mm
Adjustable Height:
1200mm – 1500mm
Shade: 450mm (W), 280mm (H)

Also Available:
TL416 BLACK

Table & Floor lamps

STANDING LAMPS




SL018 BLACK

Metal and Wood Standing Lamp
with Black Fabric Shade
On / Off Foot Switch

- 1 x 11W ES

Height: 1700mm
Base: 270mm
Shade Width: 300mm

Also Available:
TL141 BLACK



SL084 CHROME

Wood and Polished Chrome
Standing Lamp
with White Fabric Shade
On / Off Foot Switch

- 1 x 60W (14W) BC

Height: 1620mm
Width: 660mm
Shade: 415mm x 480mm x 280mm



SL037 SATIN

Satin Chrome Standing Lamp
with Grey Fabric Shade
On / Off Foot Switch

- 1 x 60W ES

Height: 1550mm
Base: 250mm
Shade: 400mm x 270mm



SL052 CHROME

Polished Chrome
with Silver Patterned Shade
1 x On / Off Foot Switch

- 1 x 40W ES

Height: 1500mm
Width: 400mm
Base: 240mm
Shade: 400mm x 200mm

STANDING LAMPS

Table & Floor lamps

STANDING LAMPS




SL401 MATT BLACK

Floor Lamp with Smoke Colour Glass
On / Off Foot Switch

- 6 x 40W G9 (Not Included)

Height: 1630mm
Width: 280mm
Base: 250mm




SL072 BLACK

Metal Base with Smoke colour Glass

- 2 x 60W (11W) ES

Height: 1670mm
Width: 420mm
Base: 700mm



SL082 SMOKE

Metal Floor Lamp with Smoke Colour Glass
On / Off Foot Switch

- 3 x 60W (11W) ES (Not Included)

Height: 1400mm
Width: 470mm
Glass Height: 540mm
Glass Width: 430mm

Table & Floor lamps

STANDING LAMPS



SL417 BLACK
Metal Base
with Smoke Colour Glass
On/Off Foot Switch

- 2 x 60W (11W) SES
(Not Included)

Width: 255mm
Height: 1555mm
Base: 260mm



SL423 AMBER
Metal Floor Lamp
with Amber Glass
On/Off Foot Switch
Colour: Black with Antique Brass

- 3 x 40W ES (Not Included)

Height: 1850mm
Width: 535mm
Base: 355mm x 200mm



SL424 SMOKE
Metal Floor Lamp
with Smoke Colour Glass
On/Off Foot Switch
Colour: Black with Antique Brass

- 3 x 40W ES (Not Included)

Height: 1850mm
Width: 535mm
Base: 355mm x 200mm

Table & Floor lamps

STANDING LAMPS



SL408 BLACK
Also Available
TL620 BLACK



SL409 WHITE
Also Available
TL621 WHITE



SL410 SATIN
Also Available
TL622 SATIN

Metal Floor Lamp
On/Off Foot Switch

- 1 x 40W ES (Not Included)


Height: 1500mm
Width: 180mm
Base: 220mm



SL418 BLACK
Metal Floor Lamp
with Black Smoke Glass
On/Off Foot Switch

- 2 x 40W (11W) ES
(Not Included)

Height: 1700mm
Width: 400mm
Base: 250mm



SL422 BRASS
Metal Floor Lamp
with Clear Wavy Glass
On/Off Foot Switch

- 1 x 40W ES
(Not Included)

Height: 1000mm
Base: 240mm

Table & Floor lamps

STANDING LAMPS



SL081 COGNAC

Metal Floor Lamp with Cognac Colour Glass
On / Off Foot Switch

- 1 x 60W (11W) ES (Not Included)

Height: 1780mm
Width: 200mm
Base: 250mm



SL080 BLACK

Metal Floor Standing Lamp
On / Off Foot Switch

- 6 x 40W (11W) ES (Not Included)

Height: 1600mm
Width: 580mm
Base: 300mm

Also Available:
PEN596 BLACK



SL034 CHROME

Polished Chrome Floor Lamp
with Frosted Glass
On / Off Foot Switch

- 1 x 60W ES

Height: 1600mm
Head Width: 240mm
Base: 580mm

Table & Floor lamps

RECHARGEABLE LED TABLE LAMPS

DETACHABLE HEAD FOR MULTIPLE APPLICATIONS
CAN BE USED AS A TABLE LAMP, CLIP ON LAMP, MAGNETIZED WALL MOUNT OR TORCH

TL003

Rechargeable Light 4 in 1
Magnetic, Rechargeable Light
with Touch Control and USB Charging Cable

Detachable Head for Multiple Applications
Can be used as a Table Lamp, Clip on Lamp,
Magnetized Wall Mount or Torch

Material: Metal

- 3W LED (Included)

Colour Temp: 4000K
3 Grade Brightness
Battery: 1200mAh
Charging Time: 3 Hours
Discharge Time: 3-5 Hours

Table Lamp

Height: 340mm
Base: 120mm

Clip:

Width: 78mm
Length: 115mm

Torch/Head:

Width: 40mm
Length: 110mm

Magnetized Mounting Bracket:

Width: 40mm
Height: 45mm

Colours Available:

Black, White




Table & Floor lamps

RECHARGEABLE LED TABLE LAMPS



TL686 BLACK

Rechargeable Multifunctional Magnetic LED Table Lamp with Touch Control and Type C USB Cable

Can be used as a Table Lamp, Wall Light, or Hand Carry Torch
Light Bar can be separated as a hand carry torch during load shedding

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 800mAh Lithium-Polymer

Charging time: 3 Hours
Working time: 2 - 5 Hours

Head Length: 368mm
Height: 375mm
Base: 172mm x 102mm



TL687 WHITE

Rechargeable Multifunctional Magnetic LED Table Lamp with Touch Control and Type C USB Cable

Can be used as a Table Lamp, Wall Light, or Hand Carry Torch
Light Bar can be separated as a hand carry torch during load shedding

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 800mAh Lithium-Polymer

Charging time: 3 Hours
Working time: 2 - 5 Hours

Head Length: 368mm
Height: 375mm
Base: 172mm x 102mm



RECHARGEABLE LED TABLE LAMPS

Table & Floor lamps

RECHARGEABLE LED TABLE LAMPS



CL009

Rechargeable Mini LED Clip on Table Lamp with Touch Control Switch and Type-C USB Charging Cable
180 Degree Up and Down

- 3.5W LED (Included)

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh

Charging Time: 3 Hours
Discharging Time: 3-8 Hours

Width: 60mm
Height: 232mm
Length: 120mm

Colours Available:
Black, White



TL682 BLACK



TL683 WHITE

Magnetic LED Table or Wall Light with Touch Control, USB Cable
Rechargeable and Multifunctional
Can be used as a Table Lamp, Wall Light, Under Counter Light or Hand Carry Torch

- 3W LED (Included)

Material: ABS
Colour Temp: CCT 2800K, 4000K, 6500K and Dimmable
Battery: 1200mAh Lithium-Ion

Charging time: 3 Hours
Working time: 3 - 8 Hours

Width: 30mm
Length: 250mm



TL701 BLACK TL702 WHITE

Multi-functional Rechargeable Folding Desk Lamp with Touch Switch and USB Cable
Multi-angle Adjustment for Lamp Head and Arm
Lamp Head can be rotated left and right 180 degrees

- 3W LED (Included)

Material: ABS
Colour: Imitation Leather Appearance
Quantity of LED: 26 SMD LED
Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 1200mAh Lithium-Ion

Charging Time: 4 Hours
Working Time: 2-10 Hours

Height: 343mm
Base: 170mm x 120mm



TL701 BLACK



TL702 WHITE

Table & Floor lamps

RECHARGEABLE LED TABLE LAMPS

RECHARGEABLE LAMP WHICH FITS ONTO AN OPEN WINE BOTTLE



TL038

Rechargeable Lamp
which fits onto an open wine bottle

Material: Metal
Type C USB Cable

- 2.5W LED (Included)

Colour Temp: 3000K
3 Grade Brightness
Battery: 2400mAh

Charging Time: 3 Hours
Discharge Time: 3-5 Hours

Width: 110mm
Height: 130mm

Colours Available:
Black, White



COLOUR CHANGING

TL703 WHITE

Outdoor Colour Changing Rechargeable Lamp
with Remote Control and USB Charging Cable, IP44

Material: PE and ABS

- 2.8W LED

Battery: 1 x 3.7V 1200mAh
USB Charging Cable
Charging Time: 2-3 Hours
Working Time: 10-12 Hours

Width: 140mm
Height: 205mm (Excluding Handle)



TL666 ANTIQUE

Rechargeable Metal Table Lamp
IP20

Colour: Antique Brass
USB Cable without Adapter
Battery: Lithium 1200mAh

- 3W LED (Included)

Colour Temp: 3000K
3 CCT and Dimmable
Lumen: 120
CRI: >80
PF: 0.5

Charging Time: 3 Hours
Discharging Time: 3-5 Hours

Width: 90mm
Height: 220mm

Table & Floor lamps

RECHARGEABLE LED DESK LAMPS



TL658 BLACK

TL658 BLACK TL659 WHITE

Rechargeable Mini LED Table Lamp
with Touch Control Switch
and Type-C USB Charging Cable
40 Degree Front and Back Foldable Head
180 Degree Left or Right Swing

- 4W LED (Included)

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh

Charging Time: 4 Hours
Discharging Time: 4-5 Hours

Width: 91mm
Height: 280mm



TL659 WHITE



TL660 BLACK TL661 WHITE

Rechargeable LED Table Lamp
with Touch Control and Type C USB Cable

- 3W LED (Included)

Material: Metal and Plastic
Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable
Battery: 1200mAh Lithium-Ion

Charging time: 3-4 Hours
Working time: 8-9 Hours

Width: 114mm
Height: 380mm
Base: 95mm



TL665 BLACK TL664 WHITE

Rechargeable Table Lamp, IP20
Type C USB Cable without Adapter
Battery: Lithium 1200mAh

- 3W LED (Included)

Material: Metal and Plastic
Colour Temp: 3000K, 3 CCT and Dimmable
Lumen: 120
CRI: >80
PF: 0.5

Charging Time: 3 Hours
Discharging Time: 3-5 Hours

Width: 110mm
Height: 380mm
Base: 100mm

Table & Floor lamps

RECHARGEABLE LED DESK LAMPS



TL684 BLACK

Rechargeable LED Table Lamp with Flexible Arm
Touch Control and Type C USB Cable

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS and Silica Gel

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging time: 4 Hours

Working time: 2.5 - 5 Hours

Head Length: 246mm

Height: 430mm

Base: 160mm



TL685 WHITE



TL688 BLACK

Colour: Black with Rose Gold

Colour: White with Rose Gold

Rechargeable LED Table Lamp with Flexible Arm
Touch Control, USB Cable

- 4W LED (Included)

LED: 36 SMD LED

Material: ABS

Colour Temp: CCT 3000K, 4000K, 6500K and Dimmable

Battery: 1200mAh Lithium-Ion

Charging time: 4 Hours

Working time: 4 - 5 Hours


Head Width: 116mm

Height: 395mm

Base: 165mm



TL689 WHITE



TL663 BLACK

Rechargeable Table Lamp, IP20

Material: ABS with Rubberized Flexi Arm

Battery: Lithium 1200mAh

- 10W LED (Included)

Colour Temp: 3000k CCT and Dimmable

Lumen: 500

CRI: >80

PF: 0.5

Charging Time: 2-3 Hours

Discharging Time: 2.5 Hours

Height: 550mm

Base: 150mm

Table & Floor lamps

RECHARGEABLE LED TABLE LAMPS



TL655 BLACK

Rechargeable Mini LED Table Lamp
with Touch Control Switch
and USB Charging Cable
40 Degree Rotation Head

- 4W LED

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh
Charging Time: 4 Hours
Discharging Time: 4-10 Hours

Height: 195mm
Width: 139mm

Also Available:
TL656 WHITE



TL656 WHITE


Rechargeable Mini LED Table Lamp
with Touch Control Switch
and USB Charging Cable
40 Degree Rotation Head

- 4W LED

Material: ABS
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh
Charging Time: 4 Hours
Discharging Time: 4-10 Hours

Height: 195mm
Width: 139mm

Also Available:
TL655 BLACK




TL657 GREY

Rechargeable LED Table Lamp
with Touch Control Switch
and USB Charging Cable

- 3W LED

Material: PMMA
Colour Temp: CCT - 3 Temperatures
Battery: 1200mAh
Charging Time: 4 Hours
Discharging Time: 3-10 Hours

Height: 275mm
Width: 151mm



TL649 WHITE

Rechargeable LED Table Lamp, IP20
Dimmable and CCT, USB Charging Port

- 10W LED (Included)
- 5V Power Supply Adapter and USB (Included)

Material: ABS
Colour Temp: 3000K – 6000K
Lumen: 500
CRI: >80
PF: >0.5

Features:

Touch Switch to switch the light on and off
Touch "M" to change colour temperatures
Touch "M" over 3 seconds to change brightness

Lithium Battery 1200mA
Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 550mm
Base: 150mm



Table & Floor lamps

RECHARGEABLE LED TABLE LAMPS



TL646 BLACK

Rechargeable LED Table Lamp, IP20
Touch Switch with 3 step brightness
USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included)
- 5V Power Supply Adapter and USB (Included)

Material: ABS
Colour Temp: 4000K
Lumen: 250
CRI: >80
PF: >0.5
Lithium Battery 1200mA

Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 540mm
Base: 150mm



TL647 WHITE


Rechargeable LED Table Lamp, IP20
Touch Switch with 3 step brightness
USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included)
- 5V Power Supply Adapter and USB (Included)

Material: ABS
Colour Temp: 4000K
Lumen: 250
CRI: >80
PF: >0.5
Lithium Battery 1200mA

Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 540mm
Base: 170mm x 115mm



TL648 BLACK

Rechargeable LED Table Lamp, IP20
Dimmable and CCT
USB Charging Port, Foldable arm at 90 Degrees

- 5W LED (Included)
- 5V Power Supply Adapter and USB (Included)

Material: ABS
Colour Temp: 3000K - 6000K
Lumen: 280
CRI: >80
PF: >0.5

Features: Dimmable and CCT
Display with Time, Calender, Temperature and Alarm Settings
Touch Front Silver Switch to switch on and off and for brightness
Press Front Silver Switch for CCT

Time and Calender Setting: Push the button "M", then push button "S", when the figure start flashing, using up and down button to set, push "S" to next figure.

Alarm Setting: Push the button "M" twice, when the display top shows "Alarm", Push button "S", when the figure start flashing, using up and down button to set. "SNOOZE" time is 60 seconds, push "S" to shut snooze.

Temperature: Push "Down" Button to change degree from Celsius to Fahrenheit

Lithium Battery 1200mA
Charging Time: 2-3 hours
Discharging Time: 2.5 hours

Height: 480mm
Base: 95mm x 75mm

Table & Floor lamps

LED LAMPS



TL821 WHITE

LED Desk Lamp with 3 Level Touch Dimmer
White Base with RGB Colour Changing Touch Dimmer
Adjustable Head and Moveable Arms

- 9W LED (Included)
1 x LED Driver (Included)

Colour Temp: 5000K
Lumen: 550

Height: 450mm
Base: 135mm



TL185

LED Metal Desk Lamp
with Rotatable Head

- 1 x 9W LED GU10 (Not Included)

Height: 446mm
Base: 140mm

Colours Available:
Black, White



TL628


LED Desk Lamp
ABS Lampbody, Flexible Rubber Arm

- 8W LED (Included)
1 x LED Driver (Included)

Colour Temp: 3000K – 6000K
Lumen: 250 – 480

Base: 190mm
Arm: 380mm
Head: 145mm

Colours Available:
Black, Silver



TL024 LED

LED Desk Lamp
Touch Sensor Switch and Dimmer
Double Colour Temperature
and Brightness are Dimmable
Rubber Hose and Head
can be adjusted by multi-angle
300mm Vertical Range Illumination

- 10W LED (Included)
1 x LED Driver (Included)

Press Mode: Cool White LED Switch on
Press Mode again: Warm White LED Switch on
Press Mode again: Both Cool and Warm LED Switch on

Height: 600mm
Base: 175mm



TL026 LED

LED Desk Lamp
with Touch Sensor Switch and Dimmer
Touch and 3 Grades Dimming
Adjustable Head and Moveable Arm
300mm Vertical Range Illumination

- 6W LED (Included)
1 x LED Driver (Included)


Colour Temp: 4600K
Lumen: 350

Height: 410mm
Head: 165mm
Base: 165mm

Colours Available:
Silver, White

Table & Floor lamps

LED LAMPS




TL182 WHITE

LED, ABS and Metal Desk Lamp
Flexi Arm and USB Port
Touch Switch with 3 Brightness Settings

- 4W LED (Included)
- 1 x 5V USB (Included)

Colour Temp: 4000K
Lumen: 210

Base: 170mm x 100mm
Flexi Arm: 320mm
Head: 170mm x 60mm



TL183 SILVER

LED, Aluminium, Metal and Plastic Desk Lamp
Moveable Arm and USB Port
Touch Switch with 3 Brightness Settings
Arm Base can be rotated 45 degrees left or right
Arm Bracket at the top can be adjusted
up and down 180 degrees

- 5W LED (Included)
- 1 x 5V USB (Included)

Colour Temp: Natural Light
Lumen: 370

Base: 170mm x 100mm
Arm: 330mm
Head: 285mm x 35mm



TL626

LED Desk Lamp with Touch Sensor Switch
3 Colour Temperatures and Dimmer Switch
Moveable Arm

- 8W LED (Included)
- 1 x LED Driver

Material: ABS Lamp body
Colour Temp: 3000K, 4000K, 6000K
Lumen: 250 – 480

Height: 380mm
Base: 187mm
Head Length: 183mm

Colours Available:
Black, White



TL627

LED Desk Lamp with Wireless Mobile Charger
Touch Sensor Switch
3 Colour Temperatures and Dimmer Switch
Moveable Arm

- 8W LED (Included)
- 1 x LED Driver

Material: ABS Lamp body
Colour Temp: 3000K, 4000K, 6000K
Lumen: 250 – 480

Height: 380mm
Base: 187mm
Head Length: 183mm

Colours Available:
Black, White



TL824 BLACK

TL824 BLACK TL825 WHITE

LED Table Lamp
with Wireless Charging, Type C Charging Cable

- 2W LED (Included)
- 15W for Wireless Charger

Material: ABS (with rubberised flexi arm)
Control Mode: Touch Switch
Colour Temp: CCT 3000K, 4000K, 6500K
Lumen: 240

Features:
Angle Adjustment
Pen and Phone Holder

Width: 75mm
Height: 300mm
Depth: 120mm



TL825 WHITE

Table & Floor lamps

LED LAMPS



TL022 LED
Polished Aluminium LED Table Lamp

- 11W LED (Included)
1 x LED Driver (Included)

Colour Temp: 3000K

Height: 360mm
Length: 700mm
Base: 210mm x 115mm



TL672 BLACK
LED Table Lamp, IP20
Material: Metal and Rubber

- 2W LED (Included)

Colour Temp: 3000K
Lumen: 80
CRI: >80
PF: 0.5

Height: 380mm
Base: 205mm



TL671 BLACK
LED Table Lamp, IP20
Material: Metal and Rubber

- 2W LED (Included)

Colour Temp: 3000K
Lumen: 80
CRI: >80
PF: 0.5

Height: 410mm
Base: 120mm



TL645 BLACK
Aluminium and Acrylic LED Table Lamp
Colour: Sand Black

- 8W LED (Included)

Colour Temp: 4000K
Lumen: 640
CRI: >80
PF: >0.8

Height: 210mm
Width: 194mm
Base: 150mm



TL800 CHROME
Polished Chrome Mirror Table Lamp
One Side Normal and One Side 3 x Magnifier
Takes 4 x AA Batteries

- 18 x 1W LED (Included)

Height: 390mm
Width: 260mm
Base: 140mm

Also Available:
WB800 CHROME

Table & Floor lamps

CLIP ON DESK LAMPS



CL008 BLACK

Matt Black Metal Clip on Spotlight with Switch

- 1 x 50W GU10 (Not Included)

Height: 95mm (Excluding Clamp)
Clamp: 112mm x 75mm

Colours Available:
Matt Black, Matt White

Also Available:
S120 Spotlight Range



CL008 WHITE

Matt White Metal Clip on Spotlight with Switch

- 1 x 50W GU10 (Not Included)

Height: 95mm (Excluding Clamp)
Clamp: 112mm x 75mm

Colours Available:
Matt Black, Matt White

Also Available:
S121 Spotlight Range



CL005

Metal Clip On Desk Lamp

- 1 x 60W ES

Flexi Arm: 115mm
Clamp: 120mm x 106mm

Colours Available:
Black, White

Also Available:
TL005 BLACK, WHITE

Table & Floor lamps

DESK LAMPS



TL021 GREEN

Bankers Lamp with pull switch

- 1 x 60W ES

Height: 350mm
Base: 180mm
Glass: 225mm x 135mm



TL021 WHITE

Bankers Lamp with pull switch

- 1 x 60W ES

Height: 350mm
Base: 180mm
Glass: 225mm x 135mm



TL140

Desk Lamp with Switch and Adjustable Arm

- 1 x 50W GU10

Base: 142mm
Arm: 390mm
Head Length: 100mm
Head Width: 70mm

Colours Available:
Satin, White



TL312 SATIN

Satin Chrome Desk Lamp with Switch

- 1 x 60W ES

Arm: 280mm
Base: 140mm



TL005

Metal and Plastic Desk Lamp

- 1 x 60W ES

Flexi Arm: 220mm
Base: 143mm

Colours Available:
Black, White

Also Available:
CL005

Table & Floor lamps

DESK LAMPS



TL310

Metal Desk Lamp with Flexi Arm

- 1 x 40W SES

Flexi Arm: 230mm
Base: 145mm

Colours Available:
Black, White

Also Available:
TL311
SL1098



TL311

Metal Desk Lamp with Flexi Arm

- 1 x 60W ES

Flexi Arm: 470mm
Base: 170mm

Colours Available:
Black, Silver, White

Also Available:
TL310
SL1098



TL186

Metal Desk Lamp with USB Port
On/Off Switch

- 1 x 60W (11W) ES
- 1 x 5V USB (Included)

Height: 360mm
Base: 125mm

Colours Available:
Black, White



TL053

Metal and PVC Adjustable Desk Lamp

- 1 x 60W ES

Height: 550mm
Base: 150mm

Colours Available:
Black, White



TL813

Metal and Plastic Desk Lamp
with 3 x Magnifier and Clamp


- 1 x 40W ES

Height: 830mm
Head Length: 220mm
Arm: 395mm and 415mm
Base: 210mm

Colours Available:
Black, White

Table & Floor lamps

METAL LAMPS



TL819 ANTIQUE
Antique Brass Table Lamp

- 1 x 60W (11W) ES

Height: 510mm
Width: 560mm
Base: 180mm



TL820 ANTIQUE
Antique Brass Table Lamp

- 1 x 60W (11W) ES

Height: 610mm
Width: 390mm
Base: 180mm



TL673 ANTIQUE
Metal Table Lamp
Colour: Antique Brass

- 1 x 40W ES (Not Included)

Width: 165mm
Adjustable Height: 610mm (Max.), 420mm (Min.)
Base: 150mm

Table & Floor lamps

METAL LAMPS



TL690 BLACK

Wood and Polished Chrome Table Lamp with Black Fabric Shade

- 1 x 60W (11W) ES

Width: 320mm
Height: 660mm
Shade: 300mm (W), 220mm (H)

Also Available:
SL416 BLACK



TL700 BEIGE

Wood and Polished Chrome Table Lamp with Beige Fabric Shade

- 1 x 60W (11W) ES

Width: 320mm
Height: 660mm
Shade: 300mm (W), 220mm (H)

Also Available:
SL415 BEIGE



TL202

Metal Table Lamp with Fabric Shade

- 1 x 60W (11W) ES

Height: 290mm
Base: 115mm
Shade: 160mm x 160mm x 160mm



TL802

Gun Metal and Crystal Table Lamp with Hessian Shade

- 1 x 60W ES

Height: 635mm
Base: 150mm
Shade:
200mm x 415mm x 245mm



TL822 BLACK/GOLD

Black/Gold Aluminium Table Lamp with Hessian Shade

- 1 x 60W ES (Not Included)

Height: 680mm
Base: 245mm x 110mm
Shade: 335mm x 240mm

Table & Floor lamps

METAL LAMPS



TL691 BEIGE
Metal Base with White Fabric Shade
Colour: Antique Brass
- 1 x 40W (11W) ES
Height: 560mm
Shade: 280mm
Base: 180mm x 103mm



TL692 BLACK
Metal Table Lamp
with Black Fabric Shade
- 1 x 40W (11W) ES
Height: 520mm
Width: 300mm
Base: 180mm



TL693 ANTIQUE
Antique Brass Table Lamp
with White Shade
- 1 x 40W (11W) ES
Height: 740mm
Width: 330mm
Base: 150mm



TL694 ANTIQUE
Metal and Crystal Table Lamp
with White Fabric Shade
Colour: Antique Brass
- 1 x 40W ES
Height: 700mm
Width: 300mm
Base: 160mm

Table & Floor lamps

METAL LAMPS



TL679 ANTIQUE
Antique Brass Base with Hessia Shade

Twin Pack
(2 Lamps per box)
- 2 x 40W (11W) SES

Height: 280mm
Width: 120mm
Base: 100mm



TL680 ANTIQUE
Antique Brass Base with Black Fabric Shade



TL697 WHITE/GOLD
Metal Table Lamp with White Shade

- 1 x 40W ES LED Only


Height: 490mm
Base: 130mm
Shade: H: 200mm x W: 250mm



TL698 BLACK/GOLD
Metal Table Lamp with Black Shade

- 1 x 40W ES LED Only

Height: 490mm
Base: 130mm
Shade: H: 200mm x W: 250mm



TL704 BK/GD
Metal Table Lamp
Colour: Black and Gold

- 1 x 40W ES (Not Included)

Height: 325mm
Shade Width: 100mm
Base: 120mm

Also Available:
PEN873/1 BK/GD
PEN874/3 BK/GD
WB415/1 BK/GD

Table & Floor lamps

METAL LAMPS



TL823 MATT BLACK

Metal Table Lamp
with Smoky Glass Shade

- 1 x 60W SES

Height: 350mm
Width: 130mm

Also Available:
CH899/5 MATT BLACK
WB899/1 MATT BLACK



TL699 WOOD

Metal and Wood Table Lamp
with Smoke Colour Glass
Colour: Black

- 1 x 40W (11W) ES (Not Included)

Height: 180mm
Width: 95mm
Base: 100mm



TL675 WOOD

Metal Table Lamp
with Light Wood Base

- 1 x 40W (11W) ES

Height: 230mm
Width: 195mm
Base: 120mm



TL676 WOOD

Metal Table Lamp
with Light Wood Base
Colour: Antique Brass

- 1 x 40W (11W) ES

Height: 230mm
Width: 160mm
Base: 120mm



TL677 WOOD

Metal and Dark Wood
Table Lamp

- 1 x 40W (11W) ES

Height: 100mm
Width: 100mm



TL678 WOOD

Metal and Light Wood
Table Lamp

- 1 x 40W (11W) ES

Height: 100mm
Width: 100mm

Table & Floor lamps

METAL LAMPS



TL668 BLACK TL667 WHITE
Metal and Wood Table Lamp with Flexi Arm
IP20

- 1 x 40W (11W) ES (Not Included)

Height: 500mm
Base: 150mm



TL670 BLACK TL669 WHITE
Metal and Wood Table Lamp with moveable arm
Adjustable Height, IP20

- 1 x 40W (11W) ES (Not Included)

Head Width: 120mm
Arm: 600mm
Base: 160mm

Table & Floor lamps

METAL LAMPS



TL194

Metal Table Lamp

- 1 x 60W (11W) ES

Height: 220mm
Base: 180mm

Colours Available:
Black, White




TL195

Polished Chrome
Metal and Wood Table Lamp

- 1 x 60W (11W) ES

Height: 270mm
Base: 220mm

Colours Available:
Black, White



TL193

Metal and Wood Table Lamp

- 1 x 60W (11W) ES

Height: 400mm
Base: 160mm

Colours Available:
Black, White



Table & Floor lamps

METAL LAMPS



TL142 BLACK
Metal and Wood Table Lamp
with Metal Shade
Adjustable

- 1 x 60W ES

Height: 540mm
Base: 160mm
Head Width: 130mm



TL143 BLACK
Metal and Wood Table Lamp
with Metal Shade
Adjustable

- 1 x 60W ES

Height: 500mm
Base: 160mm
Head Width: 150mm



TL141 BLACK
Metal and Wood Table Lamp
with Black Fabric Shade

- 1 x 11W ES

Height: 750mm
Base: 190mm
Shade Width: 250mm

Also Available:
SL018 BLACK



TL144 BLACK
Metal Table Lamp

- 2 x 60W ES


Height: 500mm
Base: 190mm
Width: 260mm

Also Available:
PEN725/1 BK/GD
PEN726/3 BK/GD

METAL LAMPS

Table & Floor lamps


METAL LAMPS



BTL623 CHROME
Polished Chrome Table Lamp

- 1 x 40W (11W) SES

Base: 110mm
Height: 355mm



BTL624 SATIN
Satin Chrome Table Lamp

- 1 x 40W (11W) SES

Base: 110mm
Height: 355mm



BTL625 BLACK
Metal Table Lamp

- 1 x 40W (11W) SES

Base: 110mm
Height: 355mm



TL620 BLACK
Sand Black Metal Table Lamp

- 1 x 60W ES (Not Included)

Height: 490 mm
Width: 200mm
Base: 140mm



TL621 WHITE
Sand White Metal Table Lamp

- 1 x 60W ES (Not Included)

Height: 490 mm
Width: 200mm
Base: 140mm



TL622 SATIN
Satin Chrome Metal Table Lamp

- 1 x 60W ES (Not Included)

Height: 490 mm
Width: 200mm
Base: 140mm

Table & Floor lamps

METAL LAMPS



TL633
SAND BLACK



TL634
SAND WHITE



TL635
SATIN



TL636
SATIN BRASS



TL637
GUN METAL

Metal Table Lamp

- 1 x 40W ES (Not Included)

Base: 100mm
Height: 295mm



TL651
SATIN



TL652
MATT BLACK



TL653
BLACK BRASS



TL654
BRASS

Metal Table Lamp

- 2 x 40W ES (Not Included)

Height: 320mm
Base: 120mm

METAL LAMPS

Table & Floor lamps


METAL LAMPS



TL600 MATT BLACK
Table Lamp with Smoke Colour Glass

- 4 x 40W G9 (Not Included)

Height: 500mm
Width: 280mm
Base: 150mm



TL175 COGNAC
Metal Table Lamp with Cognac Colour Glass

- 1 x 60W (11W) ES

Height: 620mm
Width: 300mm
Base: 200mm



TL650 BEAD
Metal and Wood Bead Table Lamp
Colour: Matt Black

- 1 x 60W ES (11W)

Height: 610mm
Width: 335mm

Also Available:
PEN821 BEAD



TL818 SMOKE
Metal Table Lamp
with Smoke Colour Glass

- 1 x 40W (11W) ES

Height: 450mm
Width: 235mm

Also Available:
SL082 SMOKE

Table & Floor lamps

METAL LAMPS



TL662 BLACK
Metal Table Lamp with White Fabric Shade
Type A and Type C USB Ports
Colour: Matt Black
- 1 x 60W (11W) ES
Height: 602mm
Base: 200mm
Shade: 220mm x 250mm x 200mm



TL674 BEIGE
Smoke Colour Glass Table Lamp
with Beige Shade
- 1 x 40W ES
Glass Width: 200mm
Height: 410mm
Shade: 250mm (W) x 200 (H)



TL681 BLACK
Metal Table Lamp
with White Fabric Shade
- 1 x 40W ES
Width: 250mm
Height: 640mm



TL695 BLACK
Metal Table Lamp
with Polished Chrome Centre Rod
and Beige Fabric Shade
- 1 x 40W ES
Width: 340mm
Height: 570mm



TL696 RATTAN
Rattan Base with White Fabric Shade
- 1 x 40W ES
Base Width: 190mm
Shade Width: 300mm
Height: 450mm

Table & Floor lamps

SATIN CHROME LAMPS



TL180 SATIN
Satin Chrome Table Lamp
with Hessian Shade

- 1 x 40W (14W) SES

Height: 370mm
Base: 110mm
Shade:
135mm x 180mm x 155mm



TL181 SATIN
Satin Chrome Table Lamp
with Hessian Shade

- 1 x 40W (14W) SES

Height: 435mm
Base: 110mm
Shade:
160mm x 250mm x 180mm



TL177 SATIN CHROME
Satin Chrome Table Lamp
with Smoke Colour Fabric Shade

- 1 x 40W (14W) BC

Height: 430mm
Base: 110mm
Shade:
280mm x 280mm x 180mm



TL155 SATIN
Satin Chrome Table Lamp
with Hessian Colour Fabric Shade

- 1 x 60W (14W) ES

Height: 580mm
Base: 150mm
Shade:
220mm x 260mm x 270mm

Table & Floor lamps

SATIN CHROME LAMPS



TL149 BEIGE SATIN

Satin Chrome Table Lamp with Beige Fabric Shade

- 1 x 60W (14W) SES

Height: 350mm
Base: 115mm
Shade: 100mm x 160mm x 190mm

Also Available:
TL150 BEIGE AQ



TL149 STRAW SATIN

Satin Chrome Table Lamp with Cream Fabric Shade

- 1 x 60W (14W) SES

Height: 350mm
Base: 115mm
Shade: 100mm x 160mm x 190mm

Also Available:
TL150 SATIN AQ



TL012 SATIN

Satin Chrome and Crystal Table Lamp with Hessian Shade

- 1 x 40W ES (LED or CFL Only)

Height: 415mm
Base: 130mm
Shade: 160mm x 250mm x 180mm



TL187 SATIN CHROME

Satin Chrome Acrylic and Clear Table Lamp with White Shade

- 1 x 11W SES

Height: 385mm
Base: 120mm
Shade: 85mm x 160mm x 145mm



TL089 PEARL WHITE

Satin Chrome Table Lamp with Oval Pearl White Shade

- 1 x 60W ES

Height: 380mm
Width: 150mm
Shade: 160mm x 280mm x 220mm



TL196 SATIN

Twin Pack (2 lamps per box)
Satin Chrome Table Lamp with Beige Shade

- 1 x 18W E27 (Energy Saver)

Height: 350mm
Base: 120mm x 120mm
Shade: 120mm x 120mm x 260mm

SATIN CHROME LAMPS

Table & Floor lamps

SATIN CHROME LAMPS



BTL624 SATIN
Satin Chrome Table Lamp

- 1 x 40W (11W) SES

Base: 110mm
Height: 355mm

Also Available:
BTL623 CHROME
BTL625 BLACK



BTL023 SATIN
Satin Chrome Table Lamp

- 1 x 60W (14W) BC

Height: 510mm
Base: 125mm



BTL024 SATIN
Satin Chrome Table Lamp

- 1 x 60W (14W) BC

Height: 490mm
Base: 135mm



BTL026 SATIN
Satin Chrome Table Lamp

- 1 x 60W (14W) BC

Height: 395mm
Base: 110mm



BTL025 SATIN
Satin Chrome Table Lamp

- 1 x 60W (14W) BC

Height: 375mm
Base: 120mm



BTL903 SATIN
Satin Chrome Table Lamp

- 1 x 40W BC

Height: 340mm
Width: 120mm



BTL908 SATIN
Satin Chrome Table Lamp

- 1 x 60W BC

Height: 450mm
Base: 150mm

Table & Floor lamps

SATIN CHROME LAMPS




TL635 SATIN
Metal Table Lamp

- 1 x 40W ES (Not Included)

Base: 100mm
Height: 295mm

Also Available:
TL633 SAND BLACK
TL634 SAND WHITE
TL636 SATIN BRASS
TL637 GUN METAL



TL622 SATIN
Satin Chrome Metal Table Lamp

- 1 x 60W ES (Not Included)

Base: 140mm
Width: 200mm
Height: 490 mm

Also Available:
TL620 BLACK
TL621 WHITE



TL651 SATIN
Metal Table Lamp

- 2 x 40W ES (Not Included)

Base: 120mm
Height: 320mm

Also Available:
TL652 MATT BLACK
TL653 BLACK BRASS
TL654 BRASS

Table & Floor lamps

POLISHED CHROME LAMPS



TL629 CHROME

Polished Chrome Table Lamp
with Hessian Colour Fabric Shade



TL630 CHROME

Polished Chrome Table Lamp
with Light Brown Fabric Shade



TL631 CHROME

Polished Chrome Table Lamp
with Dark Brown Fabric Shade



TL632 CHROME

Polished Chrome Table Lamp
with White Fabric Shade

- 1 x 40W SES (Not Included)

Height: 280mm

Base: 100mm

Shade: 120mm x 180mm



TL178 CHROME

Polished Chrome Table Lamp
with Champagne Fabric Shade

- 1 x 40W (14W) BC

Height: 470mm

Base: 145mm X 95mm

Shade:

290mm (L) x 180mm (H) x 160mm (W)



TL179 CHROME

Polished Chrome Table Lamp
with Champagne Fabric Shade

- 1 x 40W (14W) BC

Height: 510mm

Base: 300mm

Shade:

230mm x 300mm x 200mm

Table & Floor lamps

POLISHED CHROME LAMPS



BTL021 CHROME
Polished Chrome Table Lamp

- 1 x 60W (14W) BC

Height: 640mm
Base: 160mm



BTL052 CHROME
Polished Chrome Table Lamp

- 1 x 60W BC

Height: 380mm
Base: 130mm



BTL623 CHROME
Polished Chrome Table Lamp

- 1 x 40W (11W) SES

Height: 355mm
Base: 110mm

Also Available:
BTL624 SATIN
BTL625 BLACK



TL176 CHROME
Polished Chrome Table Lamp
with Cream Fabric Shade

- 1 x 40W (14W) BC

Height: 440mm
Base: 130mm
Shade: 230mm x 300mm x 190mm



TL400 CHROME
Polished Chrome Table Lamp
with Silver Patterned Shade

- 1 x 40W ES

Height: 470mm
Width: 200mm
Base: 150mm



TL812 CHROME
Polished Chrome Table Lamp
with Clear Acrylic Crystals

- 1 x 60W ES

Height: 380mm
Width: 130mm
Base: 120mm

Also Available:
PEN433/1 CHROME
PEN435/3 CHROME

Table & Floor lamps

RESIN LAMPS



BTL2444 FOSSIL
Resin Table Lamp

- 1 x 60W BC

Height: 300mm
Base: 100mm



BTL9303 CR/STONE
Resin Table Lamp

- 1 x 60W BC

Height: 345mm
Base: 118mm



BTL007 ELEPHANT
Resin Table Lamp

- 1 x 60W BC

Height: 320mm
Base: 140mm



BTL2447 DARK
Resin Table Lamp

- 1 x 60W BC

Height: 340mm
Base: 100mm



BTL2448 DARK
Resin Table Lamp

- 1 x 60W BC

Height: 450mm
Base: 120mm

Table & Floor lamps

RESIN LAMPS



TL066 WOOD
Resin Table Lamp
with Hessia Shade

- 1 x 60W ES

Base: 120mm
Height: 610mm
Shade: 285mm x 330mm x 240mm



TL067 WOOD
Resin Table Lamp
with Hessia Shade

- 1 x 60W ES

Base: 180mm
Height: 610mm
Shade: 285mm x 330mm x 240mm



TL084 WOOD
Resin Table Lamp
with Hessia Shade

- 1 x 60W ES


Height: 365mm
Base: 95mm
Shade: 100mm x 230mm x 170mm



TL117 BROWN
Resin Table Lamp
with Square Cream Shade

- 1 x 60W ES

Height: 405mm
Base: 117mm
Shade: 170mm



TL118 BROWN
Resin Table Lamp
with Square Parchment Shade

- 1 x 60W ES

Height: 405mm
Base: 117mm
Shade: 170mm

Table & Floor lamps

ACRYLIC AND CRYSTAL LAMPS



BTL014
Clear Acrylic Table Lamp

- 1 x 40W BC

Height: 340mm
Width: 120mm



BTL031 CHROME
Polished Chrome and
Clear Acrylic Table Lamp

- 1 x 60W BC

Height: 430mm
Base: 150mm



TL200 CHROME
Stainless Steel and Crystal LED Table Lamp
- 8W LED (Included)

Colour Temp: 4000K
Lumen: 780

Height: 455mm
Base: 140mm

Table & Floor lamps

LAVA LAMPS



TL109
Lava Lamp
with Satin Brass Base
Yellow / Clear



TL110
Lava Lamp
with Satin Green Base
Green / Clear



TL111
Lava Lamp
with Matt Black Base
Pink / Clear



TL112
Lava Lamp
with Satin Purple Base
White / Purple



TL106 RAINBOW
Colour Changing Lava Lamp

- 1 x 20W R39 SES (Included)
Height: 355mm
Base: 86mm

- 1 x 25W SES (Included)

Height: 415mm
Base: 108mm



TL108
Lava Lamp
with Silver Base

- 1 x 20W SES (Included)

Height: 345mm
Base: 86mm

Colours Available:

- Red / Yellow
- Yellow / Purple
- White / Pink
- Blue / Clear
- Yellow / Blue
- Red / Clear

RED
YELLOW

YELLOW
PURPLE

WHITE
PINK

BLUE
CLEAR

YELLOW
BLUE

RED
CLEAR

Table & Floor lamps

SHADES



CREAM

BLACK

BLUE

NAVY

WHITE

Sizes Available:

SH2 100mm x 250mm x 170mm

SH3 100mm x 300mm x 190mm

Colours Available:

Black, Blue, Cream, Navy, White



SH4

100mm x 400mm x 235mm

Colours Available:
Cream, White



SH355

Clip on Lampshades

Sizes Available:

70mm x 140mm x 120mm

Colours Available:
Cream, White



BROWN

Sizes Available:

SH2 100mm x 250mm x 170mm



HESSIAN

Sizes Available:

SH2 100mm x 250mm x 170mm

SH3 100mm x 300mm x 190mm

SH4 100mm x 400mm x 235mm



STRAW

Sizes Available:

SH2 100mm x 250mm x 170mm

SH3 100mm x 300mm x 190mm

SH4 100mm x 400mm x 235mm

Table & Floor lamps

SHADES



SH6

Cylindrical Shade
145mm x 410mm x 215mm

Colours Available:
Cream, Hessian



SH7

Cylindrical Shade
220mm x 510mm x 290mm

Colours Available:
Cream, Hessian



BEIGE



CHAMPAGNE



GREY



WHITE

FABRIC SHADES

SH010: 190mm x 230mm x 170mm

SH011: 265mm x 300mm x 220mm

Colours Available:
Beige, Champagne, Grey, White




TRACK LIGHTING



Track Lighting

SLIMLINE TRACK SYSTEM



S301/1M BLACK

1 Meter Slimline Track,
both sides are conductive
24V DC

Material: Aluminium

Length: 1000mm
Width: 16.5mm
Depth: 4.5mm

S302/2M BLACK

2 Meter Slimline Track,
both sides are conductive
24V DC

Material: Aluminium


Length: 2000mm
Width: 16.5mm
Depth: 4.5mm

S303/3M BLACK

3 Meter Slimline Track,
both sides are conductive
24V DC

Material: Aluminium

Length: 3000mm
Width: 16.5mm
Depth: 4.5mm



S304/100W BLACK

100W 2.4G Slimline Intelligent
Power Supply

Material: Plastic

Input Voltage: 185-265V AC

Output Voltage: 24V DC

Length: 330mm

Width: 25mm

Depth: 30mm

Cord: 25mm



S305 REMOTE

2.4 G Remote Control

Material: PC



S306 L CONNECTOR

Slimline L Connector

24V DC

Width: 32mm




S307 STRAIGHT CONNECTOR

Slimline Straight Connector

24V DC

Length: 48mm

Width: 17mm



S308 T CONNECTOR

Slimline T Connector

24V DC

Length: 48mm

Width: 33mm




S309 CROSS CONNECTOR

Slimline Cross Connector

24V DC

Width: 48mm




S310 C TO W CONNECTOR

Slimline Ceiling to Wall Connector

24V DC

Height: 17mm

Width: 16mm



S311 BOX

Slimline Cable Box

Material: Plastic

Length: 100mm

Width: 25mm



S322/4 PIECE SET

200W 2.4 G External Set

The set is to be used when the wattage of
the fittings connected to the Slimline track,
range between 100W and 200W

The components from the set do not clip to the track
and must be installed in the ceiling

Set consists of:

- 200W LED External Power Supply, 24V DC
- 200W 2.4G Controller, 24V DC
- 2.4G Intelligent Remote Control
- Input Module

Track Lighting

SLIMLINE TRACK SYSTEM

2 SETTING OPTIONS:

Can be set for a specific colour temperature or can be set for Smart Control which uses the remote control and allows for Colour Adjustment and Dimming




S312 GRILL

Slimline Grill Light, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black

- 12W LED
Lumen: 800
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Length: 222mm
Width: 25mm
Depth: 29mm



S313 FLOOD

Slimline Flood Light, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black

- 12W LED
Lumen: 480
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 110 Degrees
CRI: >90
PF: >0.5

Length: 222mm
Width: 25mm
Depth: 29mm



S314 FOLD

Moveable Slimline Grill Light, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black

- 12W LED
Lumen: 700
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Length: 222mm
Width: 25mm
Depth: 80mm




S321/3X6 WATT

2 x 6W Slimline Spot Lights,
1 x 6W Moveable Slimline Grill Light, 24V DC
IP20

Colour: Black

- 3 x 6W LED
Lumen: 2000
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Base: 330mm x 27mm



S320 PENDANT

6W Slimline LED Pendant, 24V DC
IP20

Colour: Black

- 6W LED
Lumen: 250
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Width: 90mm
Height: 72mm
Cord: 1300mm
Base: 115mm x 27mm

Track Lighting

SLIMLINE TRACK SYSTEM

2 SETTING OPTIONS:

Can be set for a specific colour temperature or can be set for Smart Control which uses the remote control and allows for Colour Adjustment and Dimming

S315/6 WATT

6W Slimline Spot Light, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black



- 6W LED
Lumen: 300
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Base: 115mm x 27mm
Spot: 86mm x 33mm

S317/12 WATT

12W Slimline Spot Light, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black



- 12W LED
Lumen: 500
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Base: 115mm x 27mm
Spot: 110mm x 43mm

S316/2X6 WATT

2 x 6W Slimline Spot Lights, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black



- 2 x 6W LED
Lumen: 600
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Base: 115mm x 27mm
Spot: 86mm x 33mm

S318/2X12 WATT

2 x 12W Slimline Spot Lights, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black



- 2 x 12W LED
Lumen: 1200
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 24 Degrees
CRI: >90
PF: >0.5

Base: 115mm x 27mm
Spot: 110mm x 43mm

S319/6 WATT

6W Slimline Surface Flood Light, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black



- 6W LED
Lumen: 150
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 110 Degrees
CRI: >90
PF: >0.5

Width: 68mm
Height: 65mm



S323 WALL

9W Slimline Back Lit Wall Light, 24V DC
IP20

Material: Aluminium and Plastic
Colour: Black

- 9W LED
Lumen: 280
Colour Temp: CCT 3000K, 4000K, 6000K
Beam Angle: 120 Degrees
CRI: >90
PF: >0.5

Width: 168mm
Depth: 48mm

Track Lighting

WIRE SYSTEMS - 12V



WSC003 SAT

Wire System Kit
LED DC12V

Includes:

- 6 x 5W LED MR16 (Included)
- 1 x LED Driver (Included)
- 20 meter cable (10 meter span)
- Colour Temp: 4000K



WSC007 MATT BLACK

Wire System Kit

Includes:

- 6 x 5W 12V LED (Included)
- 1 x LED Driver (Included)
- 20 meter cable (10 Metre Span)
- Material: Metal and Aluminium
- Colour Temp: 4000K
- Lumen: 2400

Track Lighting



S409/3 WHITE

Aluminium Tracklight, Blister Pack

- 3 x GU10 (Max. 40W) (Not Included)

Length: 1000mm

Height: 135mm



S410/3 BLACK

Aluminium Tracklight, Blister Pack

- 3 x GU10 (Max. 40W) (Not Included)

Length: 1000mm

Height: 135mm



Track Lighting




S570/1M WHITE

1 Meter 3 Pin Track
220V – 240V
Power Feed Included




S571/2M WHITE

2 Meter 3 Pin Track
220V – 240V
Power Feed Included




S572/1M BLACK

1 Meter 3 pin Track
220V – 240V
Power Feed (Included)



S573/2M BLACK

2 Meter 3 pin Track
220V – 240V
Power Feed (Included)



S574/3M BLACK

3 Meter 3 pin Track
220V – 240V
Power Feed (Included)

Track Lighting



PART507 WHITE
3 Wire Connector for Track Lighting



S551 WHITE Type I
Straight Connector for Track Lighting



S552 WHITE Type L
Flexible L Shape Connector for Track Lighting



S555 TYPE T WHITE
White T Type Joiner for 3 Wire Track



PART508 BLACK
3 Wire Connector for Track Lighting



S553 BLACK TYPE I
Centre Straight Connector for Track Lighting



S554 BLACK TYPE L
Flexible L Shape Connector for Track Lighting



S556 TYPE T BLACK
Black T Type Joiner for 3 Wire Track

Track Lighting



S116/1 BLACK


Matt Black Die Cast Aluminium Tracklight
220V – 240V

- 1 x 60W ES (Not Included)

Bracket and Head Length: 185mm

Bracket and Head Width: 151mm

Height: 317mm



PEN234

Aluminium Pendant with Track Adaptor

- 3W LED (Included)
1 x LED Driver (Included)

Colour Temp: 4000K
Lumen: 150

Width: 30mm
Height: 304mm
Cord: 700mm
Ceiling Cup: 80mm

Colours Available:

Sand Black
Sand White



S098/1 BLACK

Slim Line Track Light

Material: PS and Aluminium

- 15W LED

Colour Temp: 4000K

Lumen: 1350

Beam Angle: 90 Degrees

Length: 600mm

Height: 95mm



S099/1 BLACK

Slim Line Track Light

Material: PS and Aluminium

- 10W LED

Colour Temp: 4000K

Lumen: 900

Beam Angle: 90 Degrees

Length: 300mm

Height: 95mm




S096/20W BLACK

- 20W LED (Included)

Lumen: 1900

Length: 404mm

Height: 83mm



S097/36W BLACK


- 36W LED (Included)

Lumen: 3000

Length: 700mm

Height: 83mm

Track Lighting



S100/1 BLACK

Die Cast Aluminium and Plastic Tracklight

- 1 x 50W GU10 (Not Included)

Width: 57mm
Height: 80mm
Arm: 40mm

Colours Available:
Black, White



S106 BLACK

Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included)
220V – 240V

Head Length: 100mm
Head Width: 70mm
Height: 180mm

Colours Available:
Black, White



S107 BLACK

Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included)
220V – 240V

Head Length: 125mm
Head Width: 50mm
Height: 180mm

Colours Available:
Black, White



LED, Die Cast Aluminium
and PMMA Tracklight
Full Arm and Head Rotation
1 x Electronic Driver (Included)
Colour Temp: 4000K

S108/1 BLACK

- 10W LED (Included)

Lumen: 800
Head Length: 160mm
Head Width: 65mm
Height: 150mm

S109/1 BLACK

- 20W LED (Included)

Lumen: 1550
Head Length: 185mm
Head Width: 85mm
Height: 170mm

S110/1 BLACK

- 30W LED (Included)

Lumen: 2350
Head Length: 205mm
Head Width: 95mm
Height: 180mm

Colours Available:
Black, White



S111/1 BLACK

Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included)
220V – 240V

Head Length: 108mm
Head Width: 53mm
Height: 168mm
Base: 100mm

Colours Available:
Black, White

Track Lighting



S111/1 WHITE

White Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included)
220V – 240V

Head Length: 108mm
Head Width: 53mm
Height: 168mm
Base: 100mm

Colours Available:
Black, White



S101/10 WHITE

LED, White Die Cast Aluminium and Polycarbonate Tracklight, Full Arm and Head Rotation

- 10W LED (Included)
1 x Electronic Driver (Included)
220V – 240V

Colour Temp: 4000K
Lumen: 700

Width: 125mm
Height: 200mm



S102/20 WHITE

LED, White Die Cast Aluminium and Polycarbonate Tracklight, Full Arm and Half Head Rotation

- 20W LED (Included)
1 x Electronic Driver (Included)
220V – 240V

Colour Temp: 4000K
Lumen: 1400

Width: 170mm
Height: 220mm



S100/1 WHITE

Die Cast Aluminium and Plastic Tracklight

- 1 x 50W GU10 (Not Included)

Width: 57mm
Height: 80mm
Arm: 40mm

Colours Available:
Black, White

Track Lighting



S106 WHITE

Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included)
220V – 240V

Head Length: 100mm
Head Width: 70mm
Height: 180mm

Colours Available:
Black, White



S107 WHITE

Die Cast Aluminium Tracklight

- 1 x 50W GU10 (Not Included)
220V – 240V

Head Length: 125mm
Head Width: 50mm
Height: 180mm

Colours Available:
Black, White



LED, Die Cast Aluminium and Polycarbonate Tracklight
Full Arm and Head Rotation
1 x Electronic Driver (Included)
Colour Temp: 4000K

S108/1 WHITE

- 10W LED (Included)
Lumen: 800
Width: 65mm
Height: 150mm
Length: 160mm

S109/1 WHITE

- 20W LED (Included)
Lumen: 1550
Width: 85mm
Height: 170mm
Length: 185mm

S110/1 WHITE

- 30W LED (Included)
Lumen: 2350
Width: 95mm
Height: 180mm
Length: 203mm

Colours Available:
Black, White



Plastic and Aluminium Tracklight
1 x Electronic Driver (Included)
Colour Temp: 4000K

S113/20 WHITE

- 20W LED (Included)

Lumen: 1600
Head Length: 120mm
Head Width: 83mm
Height: 190mm

S115/30 WHITE

- 30W LED (Included)

Lumen: 2400
Head Length: 135mm
Head Width: 98mm
Height: 220mm

A modern interior scene featuring a black floor lamp, a wooden side table with a bowl, a high-backed armchair, and framed art on the wall. The room is bright, with light coming from a window with sheer curtains. The floor is light wood. The text 'WALL BRACKETS' is overlaid in the center.

WALL BRACKETS

Wall Brackets

LED



WB318 PIR
 Polycarbonate Night Light
 with Day / Night Motion Sensor

1 x PIR Sensor (Included)
 Detecting Angle: 120 degrees
 Detecting Distance: 3 – 5M
 Time Delay: 30 seconds
 3 x AAA Batteries (Not Included)



- 0.8W LED
 Colour Temp: 3000K
 Lumen: 50

Width: 90mm
 Height: 90mm
 Depth: 38mm

WB319 ON/OFF
 Polycarbonate Night Light
 with ON/OFF Switch

ON/OFF Switch (Included)
 3 x AAA Batteries (Not Included)



WB305 BLUE
 Male Restroom Sign



WB306 BLUE
 Female Restroom Sign



WB308 ORANGE
 Café Sign



WB309 BLUE
 Bathroom / Lavatory Sign



WB310 Green
 Exit Sign

Brushed Silver
 IP20

- 1W LED

Width: 110mm
 Depth: 30mm

Wall Brackets

LED

WB197 BLACK

Colour: Sand Black

WB198 GOLD

Colour: Gold

Aluminium and Acrylic LED Wall Bracket

- 8W LED (Included)

Colour Temp: 4000K


Lumen: 640

CRI: >80

PF: >0.9

Length: 610mm

Depth: 60mm



WB281 BK/GD

Metal and Acrylic LED Wall Bracket, IP20

Colour: Sand Black and Painted Gold

- 12W LED (Included)

Colour Temp: 4000K

Lumen: 840


CRI: >80

PF: >0.9

Length: 610mm

Width: 145mm

Depth: 52mm



WB410 BLACK/WHITE WB411 GOLD

Metal LED Wall Light with Acrylic Diffuser

- 14W LED (Included)

Colour Temp: 4000K

Lumen: 1400

Width: 100mm

Height: 800mm



WB410

WB411

WB399 LED

Metal and Plastic Clock Wall Bracket

Colour: Black and Gold

- 12W LED (Included)

Colour Temp: 4000K

Lumen: 800

Width: 260mm

Height: 710mm



Wall Brackets

LED



WB206 BLACK

Sand Black Aluminium and Silicon LED Fitting

- 40W LED (Included)
Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 2200
CRI: >80
PF: >0.9

Length: 1300mm



WB554 BLACK

Aluminium and PMMA Linear Wall Light
with Rotatable Spotlight Arm
and 2 Switches
IP20

- 9W LED
- 2W LED
Colour Temp: 3000K
Lumen: 770
CRI: >70
PF: >0.5

Length: 570mm
Base: 120mm (W) x 60mm (H)
Depth: 90mm



WB194 BLACK

Aluminium LED Wall Light

- 12W LED (Included)
Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 700
CRI: >70
PF: >0.5

Height: 604mm
Width: 60mm
Depth: 100mm



WB195 WHITE

Aluminium LED Wall Light

- 12W LED (Included)
Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 700
CRI: >70
PF: >0.5

Height: 604mm
Width: 60mm
Depth: 100mm

Wall Brackets

LED



WB313 WHITE
White Aluminium
and Plastic Wall Bracket

- 18W LED (Included)

Colour Temp: 3000K
Lumen: 1440

Width: 320mm
Height: 350mm




WB314 WHITE

White Aluminium and Plastic Wall Bracket

- 20W LED (Included)

Colour Temp: 3000K
Lumen: 1600

Width: 520mm
Height: 50mm



WB316 WHITE

White Aluminium and Plastic Wall Bracket

- 20W LED (Included)

Colour Temp: 4000K
Lumen: 1600

Width: 570mm
Height: 50mm



WB315 WHITE

White Aluminium and Plastic Wall Bracket

- 20W LED (Included)

Colour Temp: 4000K
Lumen: 1600

Width: 400mm
Height: 50mm

Wall Brackets

LED



WB177 WHITE

White Aluminium and Acrylic, Not Dimmable

- 6W LED (Included)
1 x Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 420

Height: 50mm
Length: 220mm
Depth: 100mm



WB178 WHITE

White Aluminium and Acrylic, Not Dimmable

- 12W LED (Included)
1 x Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 960

Height: 50mm
Length: 485mm
Depth: 100mm



WB182 WHITE

White Iron, Aluminium and Acrylic
Moveable Arm
Not Dimmable

- 8W LED (Included)
1 x Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 560

Height: 55mm
Length: 485mm
Depth: 70mm



WB342 LED

White Aluminium with Acrylic,
Up and Down Facing

- 12W LED (Included)
1 x Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 960

Height: 80mm
Length: 375mm
Depth: 100mm

Wall Brackets

LED

WB412 BK/GOLD

Aluminium and PC Picture Light, IP44
Colour: Black and Gold

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 1080

Length: 575mm
Height: 90mm
Depth: 175mm




WB413 BLACK

Aluminium and PC Picture Light, IP44

- 12W LED (Included)

Colour Temp: 4000K
Lumen: 1080

Length: 600mm
Height: 50mm
Depth: 105mm



WB414 BLACK

Aluminium and PC Picture Light, IP44

- 24W LED (Included)

Colour Temp: 4000K
Lumen: 2160

Length: 1000mm
Height: 50mm
Depth: 105mm

Also Available:
WB413 BLACK



Also Available:
WB414 BLACK



WB098 BLACK

LED, PC Wall Bracket
IP65

- 12W LED (Included)

Colour Temp: 4200K
Lumen: 580
CRI >80
PF >0.9

Width: 120mm
Length: 265mm
Depth: 81mm



WB272 BLACK

LED, 201 Stainless Steel Bathroom Mirror Light
or Picture Light with PC Diffuser
IP20

- 9W LED (Included)

Colour Temp: 4000K
Lumen: 540
Beam Angle: 120 degrees

Length: 405mm
Depth: 110mm

Wall Brackets

LED



WB022 LED
Colour: Grey

Metal and Acrylic LED Fitting
with Moveable Centre Ring

- 18W LED (Included)
Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 885

Width: 250mm
Depth: 60mm



WB023 LED
Colour: Black



WB346 LED

LED, Stainless Steel Wall Bracket
with Clear Glass and K9 Crystals

- 10W LED (Included)
1 x Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 900

Width: 100mm
Length: 420mm
Height: 60mm



WB9007 CHROME

Polished Chrome and Acrylic
LED Wall Bracket

- 20W LED (Included)
LED Power Supply (Included)

Colour Temp: 4000K
Lumen: 350

Width: 85mm
Height: 610mm



WB9008 CHROME

Polished Chrome and Acrylic
LED Wall Bracket

- 39W LED (Included)
LED Power Supply (Included)

Colour Temp: 4000K
Lumen: 680

Width: 180mm
Height: 855mm



WB334 LED

LED, White Patterned Glass
with Crystals and Polished Chrome Clips

- 6W LED (Included)
1 x LED Power Supply
2 x 3W LED Strips

Width: 300mm
Height: 160mm
Depth: 95mm

Also Available:
CF334 LED

Wall Brackets

LED



WB339 LED

White Aluminium with Acrylic, Not Dimmable

- 6W LED (Included)
1 x Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 480

Width: 220mm
Height: 160mm
Depth: 50mm



WB196 COFFEE

Aluminium and Acrylic LED Wall Bracket
Colour: Brushed Coffee

- 21W LED (Included)

Colour Temp: 4000K
Lumen: 1680
CRI: >80
PF: >0.9

Height: 300mm
Depth: 70mm



WB121 LED

Aluminium and Iron
LED Wall Bracket
IP20

- 6W LED (Included)
1 x LED Power Supply (Included)

Colour Temp: 4000K
Lumen: 430

Length: 275mm
Height: 60mm
Depth: 110mm


WB122 LED

Aluminium and Iron
LED Wall Bracket
IP20

- 12W LED (Included)
1 x LED Power Supply (Included)

Colour Temp: 4000K
Lumen: 960

Length: 450mm
Height: 60mm
Depth: 115mm



WB180 WHITE

White Iron and Aluminium
Not Dimmable

- 16W LED (Included)
1 x Electronic Driver (Included)

Colour Temp: 4000K
Lumen: 1120

Height: 190mm
Length: 300mm
Depth: 40mm

LED WALL BRACKETS

LED WALL BRACKETS

Wall Brackets

LED



WB268 MATT WHITE

LED, Metal Wall Bracket with Remote Control
Dimmable

- 20W LED (Included)

1 x Remote Control
Colour Changeable: 3000K, 4000K, 6000K
Lumen: 410
Power Factor: 0.5
CRI: 85

Width: 300mm
Length: 1200mm
Depth: 80mm



WB269 MATT WHITE

LED, Metal Wall Bracket with Remote Control
Dimmable

- 32W LED (Included)

1 x Remote Control
Colour Changeable: 3000K, 4000K, 6000K
Lumen: 660
Power Factor: 0.5
CRI: 85

Width: 600mm x 600mm
Depth: 80mm

LED WALL BRACKETS

Wall Brackets

LED



WB040/1 BLACK

Metal Wall Fitting with Gooseneck Arm and Switch

- 1 x 1W LED
1 x LED Electronic Transformer

Colour Temp: 3000K
Lumen: 120

Width: 60mm
Height: 80mm
LED Gooseneck Arm: 330mm




WB040/1 SATIN CHROME

Metal Wall Fitting
with Gooseneck Arm for LED and Switch

- 1 x 1W LED
1 x LED Electronic Transformer
Colour Temp: 3000K
Lumen: 120

Width: 60mm
Height: 80mm
LED Gooseneck Arm: 330mm



WB041/1 CHROME

Polished Chrome Wall Fitting
with Gooseneck Arm for LED and Switch

- 1 x 1W LED
1 x LED Electronic Transformer
Colour Temp: 3000K
Lumen: 120

Width: 60mm
Height: 80mm
LED Gooseneck Arm: 330mm



WB372 SATIN BRASS

Metal LED Wall Bracket with Moveable
Arm, Swivel Head and Switch
Black Cord Wire connected to fitting
with 2 prong plug

- 5W LED (Included)

Colour Temp: 4000K
Lumen: 350

Base: 120mm x 80mm
Height: 340mm
Depth: 470mm
Cord: 2400mm

Also Available:
WB373 MATT BLACK



WB373 MATT BLACK

Metal LED Wall Bracket with Moveable
Arm, Swivel Head and Switch
Black Cord Wire connected to fitting
with 2 prong plug

- 5W LED (Included)

Colour Temp: 4000K
Lumen: 350

Base: 120mm x 80mm
Height: 340mm
Depth: 470mm
Cord: 2400mm

Also Available:
WB372 SATIN BRASS

Wall Brackets

LED



WB218 WHITE
Metal LED Wall Light
with Flexible Rubber Arm and Switch

- 3W LED (Included)
1 x LED Driver (Included)

Colour Temp: 4000K
Lumen: 150

Width: 65mm
Arm: 280mm
Head: 78mm



WB217
Metal LED Wall Light
with Flexible Arm and Switch

- 3W LED (Included)
1 x LED Driver (Included)

Colour Temp: 4000K
Lumen: 150

Width: 65mm
Arm: 280mm
Head: 78mm

Colours Available:
Black - Rubberized Arm
Satin Chrome - Gooseneck Arm



WB219
Metal LED Wall Light
with Flexible Arm and Switch

- 3W LED (Included)
1 x LED Driver (Included)

Colour Temp: 4000K
Lumen: 240

Width: 65mm
Arm: 280mm
Head: 75mm

Colours Available:
White - Rubberized Arm
Satin Chrome - Gooseneck Arm



WB220
Metal LED Wall Light
with Flexible Rubber Arm and Switch

- 3 x 1W LED (Included)
1 x LED Driver (Included)

Colour Temp: 4000K
Lumen: 240

Width: 65mm
Arm: 280mm
Head: 80mm

Colours Available:
Black, White

Wall Brackets

WITH USB PORTS



WB212 WHITE

Aluminium and Acrylic Wall Bracket
with 2 USB Ports and Switch

- 11W and 5W LED (Included)

Colour Temp: 4000K
Lumen: 1280

Length: 300mm
Width: 115mm
Depth: 145mm




WB204 MATT WHITE

Aluminium and Acrylic Bedside Wall Bracket Set
with 2 USB Ports and 2 Switches
(2 per box)

- 11W and 5W LED (Included)

Colour Temp: 4000K
Lumen: 1280

Length: 300mm
Width: 115mm
Depth: 145mm



WB205 MATT BLACK

Aluminium and Acrylic Bedside Wall Bracket Set
with 2 USB Ports and 2 Switches
(2 per box)

- 11W and 5W LED (Included)

Colour Temp: 4000K
Lumen: 1280

Length: 300mm
Width: 115mm
Depth: 145mm

Wall Brackets

WITH USB PORTS



WB171/2 USB

Satin Chrome Wall Bracket
with White Fabric Shade
Gooseneck Arm for LED,
USB and 2 Switches

- 1 x 40W/11W ES (Not Included)
- 1 x 1W LED (Included)
- 1 PC 5V 2A USB
- 1 x LED Electronic Transformer

Colour Temp: 3000K
Lumen: 120

Base Width: 110mm
Base Height: 115mm
LED Gooseneck Arm: 240mm
Shade: 180mm (W) x 150mm (H)



WB173/1 USB

Satin Chrome Wall Bracket
with Gooseneck Arm for LED,
USB and Switch

- 1 x 1W LED (Included)
- 1 PC 5V 2A USB
- 1 x LED Electronic Transformer

Colour Temp: 3000K
Lumen: 120

Base Width: 75mm
Base Height: 130mm
LED Gooseneck Arm: 330mm



WB172/2 USB

Satin Chrome Wall Bracket
with White Fabric Shade
Gooseneck Arm for LED,
USB and 2 Switches

- 1 x 40W/11W SES (Not Included)
- 1 x 1W LED (Included)
- 1 PC 5V 2A USB
- 1 x LED Electronic Transformer

Colour Temp: 3000K
Lumen: 120

Base Width: 110mm
Base Height: 160mm
LED Gooseneck Arm: 235mm
Shade: 120mm (W) x 130mm (H)

Wall Brackets



WB400/2 BLACK



WB401/2 SATIN



WB402/2 ANTIQUE

Metal Wall Bracket with 2 Switches and Opal Plastic Cover

- 1 x G9 (Max. 5W) (Not Included)
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Width: 120mm
Height: 250mm
Depth: 150mm



WB403/2 BLACK



WB404/2 SATIN



WB405/2 ANTIQUE

Metal Wall Bracket with 2 Switches and Opal Plastic Cover

- 1 x G9 (Max. 5W) (Not Included)
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Width: 120mm
Height: 260mm
Depth: 155mm

Wall Brackets



WB278 BLACK

Metal Wall Bracket
with Black Fabric Shade and 2 Switches

- 1 x 40W ES
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Base: 200mm x 80mm
Width: 180mm
Height: 370mm
Depth: 220mm



WB279 SATIN

Satin Chrome Wall Bracket
with White Fabric Shade and 2 Switches

- 1 x 40W ES
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Base: 200mm x 80mm
Width: 180mm
Height: 370mm
Depth: 220mm



WB280 ANTIQUE

Metal Wall Bracket
with White Fabric Shade and 2 Switches

- 1 x 40W ES
- 1 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 150

Base: 200mm x 80mm
Width: 180mm
Height: 370mm
Depth: 220mm



WB406/3 BLACK



WB407/3 SATIN

Metal Wall Bracket with 2 Switches and White Shade

- 1 x 40W ES (Not Included)
- 2 x 3W LED (Included)

Colour Temp: 4000K
Lumen: 350

Width: 250mm
Height: 300mm
Base: 160mm x 110mm
Depth: 180mm



WB408/3 ANTIQUE

Wall Brackets



WB030/2 CHROME
Polished Chrome Wall Fitting
with Silver Thread Shade
Gooseneck Arm for LED and two Switches

- 1 x 40W ES
- 1 x 1W LED

Base: 150mm x 100mm
Height: 320mm
LED Gooseneck Arm: 295mm
Shade: 180mm x 180mm x 120mm



WB031/2 CHROME
Polished Chrome Wall Fitting
with White Shade
Gooseneck Arm for LED and two Switches

- 1 x 40W ES
- 1 x 1W LED

Base: 150mm x 100mm
Height: 320mm
LED Gooseneck Arm: 295mm
Shade: 180mm x 180mm x 120mm



WB032/2 SATIN
Satin Chrome Fitting with White Shade
Gooseneck Arm for LED and two Switches

- 1 x 40W ES
- 1 x 1W LED

Base: 110mm
Height: 265mm
LED Gooseneck Arm: 240mm
Shade: 180mm (W) x 150mm (H)



WB033/2 SATIN
Satin Chrome Fitting with White Shade
Gooseneck Arm for LED and two Switches

- 1 x 40W SES
- 1 x 1W LED

Base: 160mm x 110mm
Height: 240mm
LED Gooseneck Arm: 240mm
Shade: 120mm (W) x 130mm (H)



WB275 BLACK
Metal Wall Bracket
with Black Fabric Shade

- 1 x 40W ES

Base: 80mm
Width: 180mm
Height: 300mm
Depth: 220mm



WB276 SATIN
Satin Chrome Wall Bracket
with White Fabric Shade

- 1 x 40W ES

Base: 80mm
Width: 180mm
Height: 300mm
Depth: 220mm



WB277 ANTIQUE
Metal Wall Bracket
with White Fabric Shade

- 1 x 40W ES

Base: 80mm
Width: 180mm
Height: 300mm
Depth: 220mm

Wall Brackets

WB894 SC/CR

Satin and Polished Chrome
Swing Arm Wall Fitting
with Cream Shade and Switch

- 1 x 40W SES

Base: 120mm
Width: 195mm
Height: 243mm
Shade: 200mm



WB894 SC/WH

Satin and Polished Chrome
Swing Arm Wall Fitting
with White Shade and Switch

- 1 x 40W SES

Base: 120mm
Width: 195mm
Height: 243mm
Shade: 200mm



WB370 SATIN BRASS

Metal Wall Bracket with Moveable Arms,
Swivel Head and Switch
Black Cord Wire connected to fitting
with 2 prong plug

- 1 x GU10 LED (Not Included)

Base Width: 120mm
Arms: 250mm and 275mm
Head Length: 120mm
Head Width: 55mm
Cord: 2400mm

Also Available:
WB371 MATT BLACK



WB371 MATT BLACK

Metal Wall Bracket with Moveable Arms,
Swivel Head and Switch
Black Cord Wire connected to fitting
with 2 prong plug

- 1 x GU10 LED (Not Included)

Base Width: 120mm
Arms: 250mm and 275mm
Head Length: 120mm
Head Width: 55mm
Cord: 2400mm

Also Available:
WB370 SATIN BRASS



WB374 BRASS BLACK

Metal Wall Bracket with Moveable Arm,
Swivel Head and Switch
Black Cord Wire connected to fitting
with 2 prong plug

- 1 x ES LED (Not Included)

Colour: Matt Black and Brass
Base Width: 120mm
Head Width: 140mm
Height: 300mm
Depth: 290mm
Cord: 2400mm



Wall Brackets



WB004 SATIN

Satin Chrome Wall Fitting with Flexible Arm

- 1 x R50 SES

Base: 85mm
Arm: 240mm
Head: 110mm x 62mm




WB006 SATIN CHROME

Satin Chrome Wall Fitting with Switch and Flexible Arm

- 1 x 50W GU10

Base: 100mm
Arm: 250mm



WB005 SATIN CHROME

Satin Chrome Wall Fitting with Switch and Flexible Arm

- 1 x GU10

Base: 100mm
Arm: 250mm



WB105/1 SATIN

Polished and Satin Chrome Wall Bracket with Switch and Gooseneck Arm

- 1 x 50W GU10 (Not Included)

Base Width: 75mm
Base Height: 160mm
Gooseneck Arm: 285mm
Head Length: 98mm
Head Width: 60mm



WB2023 CHR/SC

Satin and Polished Chrome Wall Fitting with Switch and Flexible Arm

- 1 x GU10 (Not Included)

Can be used with either:
GU10, CFL GU10 or LED GU10

Base: 105mm
Arm: 190mm



WB124/1 BLACK

Black and Polished Chrome Wall Fitting with Gooseneck Arm and Switch

- 1 x 50W GU10 (Not Included)

Base: 80mm
Height: 350mm
Gooseneck Arm: 220mm

Also Available:
S064 BLACK Spotlight Range
SL019



WB125/1

Metal Wall Bracket with Switch and Flexible Rubber Arm

- 1 x 50W GU10 (Not Included)

Base Width: 100mm
Height: 380mm

Colours Available:
Black, White

Wall Brackets



WB2022 SATIN/NIC
Satin Chrome with Swivel Head

- 2 x 40W G9

Base Width: 85mm
Head Width: 30mm
Length: 353mm
Depth: 200mm



WB185 SATIN
Satin Nickle Picture Light

- 5W LED (Included)

Colour Temp: 4000K
Lumen: 838
CRI: >80
PF: >0.9

Length: 460mm
Depth: 220mm



WB184 ANTIQUE
Antique Bronze Picture Light

- 5W LED (Included)

Colour Temp: 4000K
Lumen: 838
CRI: >80
PF: >0.9

Length: 460mm
Depth: 220mm

Wall Brackets



WB9002 GLASS
Glass Wall Bracket with
Satin Chrome Clips

- 2 x 40W SES

Width: 280mm
Height: 300mm
Depth: 100mm



WB9003 GLASS
Glass Wall Bracket with
Satin Chrome Clips

- 2 x 40W SES


Width: 280mm
Height: 300mm
Depth: 100mm



WB9004 GLASS
Glass Wall Bracket with
Satin Chrome Clips

- 2 x 40W SES

Width: 280mm
Height: 300mm
Depth: 100mm



WB3356 SATIN
Frosted Glass
with Chrome Clips

- 1 x 60W SES

Width: 190mm
Height: 220mm
Depth: 70mm

Wall Brackets



WB270 WHITE
Metal and Patterned Glass
with Polished Chrome Clips

- 1 x 60W/11W ES


Width: 160mm
Height: 280mm
Depth: 80mm



WB271 WHITE
Metal and Glass
with Polished Chrome Clips

- 1 x 60W/11W ES

Width: 160mm
Height: 280mm
Depth: 80mm



WB078/1
Patterned Glass
with Polished Chrome Clips

- 1 x 60W ES


Width: 175mm
Height: 220mm
Depth: 75mm



WB079/1
Patterned Glass
with Polished Chrome Clips

- 1 x 60W ES


Width: 175mm
Height: 220mm
Depth: 75mm



WB080/1
Patterned Glass
with Polished Chrome Clips

- 1 x 60W ES

Width: 175mm
Height: 220mm
Depth: 75mm



WB081/1
Patterned Glass
with Polished Chrome Clips

- 1 x 60W ES

Width: 175mm
Height: 220mm
Depth: 75mm

Wall Brackets



WB1130

Glass Wall Bracket
with Black Striped Glass

- 1 x 60W ES

Width: 150mm
Height: 240mm
Depth: 90mm



WB1131

Brown Metal
with Frosted Glass

- 1 x 60W ES

Width: 180mm
Height: 290mm
Depth: 105mm



WB396 SATIN

Satin Chrome and Acrylic Wall Bracket
Colour: Satin Nickel

- 1 x 40W (11W) ES (E27) (Not Included)

Width: 150mm
Height: 260mm
Depth: 90mm



WB1132 CHROME

Polished Chrome Wall Bracket
with Glass and Crystals
On / Off Pull Switch

- 2 x 40W SES

Width: 180mm
Height: 320mm
Depth: 125mm



WB045/1 CHROME

Polished Chrome
with Clear Acrylic Crystals

- 1 x 40W SES

Width: 190mm
Height: 215mm
Depth: 80mm

Wall Brackets

WB398/1 ANTIQUE

Metal Wall Bracket with Speckled Glass
Colour: Antique Bronze

- 1 x 40W (11W) SES

Width: 150mm
Height: 285mm
Depth: 175mm

Also Available:
CH398/3 ANTIQUE



WB409/1 AMBER

Metal Wall Bracket with Amber Glass
Colour: Gold with Amber Glass

- 1 x 40W SES (E14) (Not Included)

Width: 160mm
Height: 400mm
Depth: 220mm
Base: 120mm



WB919 CLEAR

Antique Brass Wall Bracket
with Clear Glass and Adjustable Arm

- 1 x 60W ES (Not Included)

Width: 200mm
Height: 250mm
Depth: 250mm

Also Available:
PEN919 CLEAR



WB920/1 CLEAR

Antique Brass Wall Bracket
with Clear Glass and Adjustable Arm

- 1 x 60W ES (Not Included)

Width: 175mm
Height: 300mm
Depth: 290mm

Also Available:
PEN920/1 CLEAR



WB921 SATIN

Satin Chrome Wall Bracket
with Clear Glass

- 1 x 40W ES

Width: 145mm
Height: 300mm
Depth: 220mm

Also Available:
PEN921 SATIN



WB922 SATIN

Satin Chrome Wall Bracket
with Clear Glass

- 1 x 40W ES

Width: 140mm
Height: 300mm
Depth: 240mm

Also Available:
PEN922 SATIN



Wall Brackets



WB487/1 BLACK

Metal Wall Bracket

- 1 x 60W/11W ES

Width: 130mm
Height: 250mm
Depth: 170mm



WB708 BLACK

Metal and Clear Glass Wall Bracket

- 1 x 60W/11W ES

Width: 110mm
Height: 335mm
Depth: 180mm



WB804/1 BK/GD

Metal Wall Bracket
with Smoke Colour Glass

- 1 x 11W ES

Width: 130mm
Height: 210mm
Depth: 180mm



WB712 BLACK

Metal Wall Bracket with Clear Glass

- 1 x 11W ES

Width: 160mm
Height: 360mm
Depth: 170mm



WB529/1 BLACK

Metal Wall Bracket

- 1 x 60W ES

Width: 220mm
Height: 300mm
Depth: 280mm

Also Available:
PEN529/3 BLACK



WB375 BLACK

Metal Wall Fitting
with ON / OFF Switch
Black cord wire connected to fitting
with 3 prong plug

- 1 x 40W ES

With: 210mm
Height: 820mm
Depth: 450mm
Cord: 2400mm

Wall Brackets



WB169/1 BLACK/BROWN
Metal Wall Bracket with Alabaster Glass

- 1 x 60W ES

Width: 170mm
Height: 140mm
Depth: 220mm



WB108/1 RUST
Metal Wall Bracket with Faded Brown Glass

- 1 x 60W ES

Width: 110mm
Height: 280mm
Depth: 205mm



WB1470/2 OLD GOLD
Metal Wall Bracket with Alabaster Glass

- 2 x 60W ES

Width: 410mm
Height: 470mm
Depth: 270mm



WB067/1 RUST
Metal Wall Bracket with Alabaster Glass

- 1 x 60W ES

Width: 190mm
Height: 250mm
Depth: 315mm



WB452/1 M/BK
Metal Wall Bracket with Alabaster Glass

- 1 x 60W ES

Width: 130mm
Height: 235mm
Depth: 195mm




WB454/1 CHARCOAL
Metal Wall Bracket with Frosted Glass

- 1 x 60W ES

Width: 140mm
Height: 270mm
Depth: 230mm

PARTS



Parts



PART001
Metal Ceiling Cup
Polished Chrome
Width: 93mm



PART002
Metal Ceiling Cup
Satin Chrome
Width: 93mm



PART003
Metal Ceiling Cup
Black
Width: 93mm



PART004
Metal Ceiling Cup
French/White
Width: 93mm



PART005
Metal Ceiling Cup
Antique Brass
Width: 93mm



PART022
Metal Ceiling Cup
White
Width: 93mm



PART006
100mm Metal Rod
for PART001
Polished Chrome



PART007
100mm Metal Rod
for PART002
Satin Chrome



PART008
100mm Metal Rod
for PART003
Black



PART009
100mm Metal Rod
for PART004
French/White



PART010
100mm Metal Rod
for PART005
Antique Brass



PART023
100mm Metal Rod
for PART005
White



PART011
Bull Ring
Polished Chrome



PART012
Bull Ring
Satin Chrome



PART013
Bull Ring
Black



PART014
Bull Ring
French/White



PART015
Bull Ring
Antique Brass



PART024
Bull Ring
White

Parts



PART016
Ceiling Cup Hook



PART017
Black Wire Anchorage



PART018
Clear Wire Anchorage



PART021
Twist Bracket
(Packet of 10)

Width: 10mm
Length: 62mm



PART025
Plastic Candle Sleeve
Colour: White

Height: 100mm
Diameter: 22mm



PART106
White BC Plastic
Lampholder with Ring



PART107
Black BC Plastic
Lampholder with Ring



PART102
ES Porcelain Lampholder
with Bracket



PART101
SES White Plastic Lampholder
with Ring



PART103
White ES Plastic
Lampholder with Ring



PART104
Black ES Plastic
Lampholder with Ring



PART100
SES White Plastic Lampholder
No Thread



PART105
ES Plastic Lampholder
No Thread



PART108
ES Black Plastic Lampholder
No Thread

Parts



PART038
Black Female Cord grip
with Threaded Rod



PART039
Clear Female Cord grip
with Threaded Rod



PART044
Black Cord grip



PART045
Clear Cord grip



PART040
M10 Nut
(Packet of 10)



PART042
Ceiling Cup Hook
Width: 19mm
Length: 80mm
Depth: 31mm



PART043
M10 Threaded Rod
(Packet of 50)
Width: 10mm
Length: 15mm



PART200
Plastic On/Off Switch



PART110
1200mm Black Chain,
Ceiling Hook and 2 Screws for:
PEN923/100 BLACK
PEN924/150 BLACK
PEN925/200 BLACK




PART111
Black Chain sold per meter for:
PEN923/100 BLACK
PEN924/150 BLACK
PEN925/200 BLACK



PART112
Metal Springs for Down Light
10 Pieces per pack
Width: 50mm



PART113
- 3.7V Lithium Battery
1800 mAh with Protection IC Board
Width: 20mm
Height: 70mm



PART705
1 x 14W T5 Electronic Ballast for ML020

Parts




PART019
65mm Base for 1 Light Spotlight
Colour: White



PART020
65mm Base for 1 Light Spotlight
Colour: Satin Chrome




PART201
S005 Perspex Ring
Diameter: 85mm



80mm Ceiling Cup
PART026 Matt Black
PART027 Matt White
PART028 Satin Chrome



250mm 3 Light Ceiling Cup
PART029 Matt Black
PART030 Matt White
PART031 Satin Chrome



450mm 5 Light Ceiling Cup
PART032 Matt Black
PART033 Matt White
PART034 Satin Chrome



PART035
Black Lampholder Cup
Width: 43mm
Height: 65mm



PART036
White Lampholder Cup
Width: 43mm
Height: 65mm



PART037
Satin Chrome Lampholder Cup
Width: 43mm
Height: 65mm



PART041
Satin Chrome Lampholder Cup
Width: 43mm
Height: 43mm



CF191 WHITE **CF192 BLACK**

Plastic Ceiling Socket
with ES (E27) Lampholder
Material: PP and PA

- 11W ES LED Bulb Only (Max.)

Width: 120mm
Height: 50mm



CF193 WHITE

Plastic Ceiling Socket
with ES (E27) Lampholder, IP20
Material: PP and PA

- 11W ES LED Bulb Only (Max.)

Width: 120mm
Height: 134mm

Parts



PART190
2 Core White Cable with On/Off Switch
and 2 Pin Plug
Cord Length: 1.8 Meters



PART191
2 Core Black Cable with On/Off Switch
and 2 Pin Plug
Cord Length: 1.8 Meters



PART192
2 Core White Cable with On/Off Foot Switch
and 2 Pin Plug
Cord Length: 3.5 Meters



PART193
2 Core Black Cable with On/Off Foot Switch
and 2 Pin Plug
Cord Length: 3.5 Meters



Black Metal Extension Rod
for Ceiling Fans

PART640 BLACK

Length: 600mm
Width: 25mm

PART643 BLACK

Length: 1200mm
Width: 25mm

Must be used with either:
PART646 – AC WIRE PACK
PART647 – DC WIRE PACK



White Metal Extension Rod
for Ceiling Fans

PART641 WHITE

Length: 600mm
Width: 25mm

PART644 WHITE

Length: 1200mm
Width: 25mm

Must be used with either:
PART646 – AC WIRE PACK
PART647 – DC WIRE PACK



Satin Chrome Metal Extension Rod
for Ceiling Fans

PART642 SATIN

Length: 600mm
Width: 25mm

PART645 SATIN

Length: 1200mm
Width: 25mm


Must be used with either:
PART646 – AC WIRE PACK
PART647 – DC WIRE PACK



PART646

Extension Wire for AC Fan
Length: 800mm

Only compatible with:
FCF078, FCF079, FCF080, FCF081, FCF082



PART647

Extension Wire for DC Fan
Length: 800mm

Use both sets of wires for DC Fan with a Light
Use only Pink/Grey/Red Wire for DC Fan with No Light

Only compatible with:
FCF044, FCF045, FCF046, FCF047, FCF059, FCF060, FCF074

Parts



PART608
5W LED Bulb for **DL031**
Colour Temp: 4000K

PART609
5W LED Bulb for **DL030**
Colour Temp: 2700K

Width: 52mm
Height: 37mm



DL GU10 BRACKET
Down Lighter Converter
Converts from a 12V Down Lighter
to a 220V - 240V Down Lighter

Height of Bracket: 80mm
Length of Cord: 140mm



DL GU10 LAMPHOLDER
GU10 Ceramic Lampholder
Including Wire
Length of Cord: 190mm



PART801
Green Glass for TL021

Width: 135mm
Length: 225mm



PART802
White Glass for TL021

Width: 135mm
Length: 225mm



PART803
Glass for FTL623

Width: 60mm
Length: 1200mm



PART122
Rectangular Metal Ceiling Plate
Colour: Black

Length: 700mm
Width: 80mm



PART123
Rectangular Metal Ceiling Plate
Colour: Black

Length: 400mm
Width: 80mm

Parts



PART114
Black Cable Ties
100 Pieces per pack

Width: 5mm
Length: 200mm



PART115
Black Cable Ties
100 Pieces per pack

Width: 3mm
Length: 120mm



PART116
12 PIN 10A Terminal Block Bar
5 Pieces per pack

Width: 20mm
Length: 100mm



PART117
12 PIN 20A Terminal Block Bar
5 Pieces per pack

Width: 20mm
Length: 120mm



PART118
CE2X Connector
50 Pieces per pack

Width: 8mm
Length: 20mm



PART119
CE5X Connector
50 Pieces per pack

Width: 11mm
Length: 25mm



PART120
2P Connectors
50 Pieces per pack

Width: 20mm
Length: 23mm



PART121
3P Connectors
50 Pieces per pack

Width: 30mm
Length: 23mm



LED COBS AND KITS



PART610

LED Kit for FCF048 and FCF050

Diameter: 130mm



PART613

18W LED Kit for FCF044, FCF046, FCF064, FCF077, FCF078, FCF082

Diameter: 135mm



PART109

2 x LED Starters in a Polybag
Only suitable for single input T8 LED TUBE

Height: 40mm

Width: 20mm




PART707

CBB61 Capacitor for FCF004

Width: 30mm

Length: 40mm

Wire: 180mm



PART650

1W LED COB with 450mm Wire and LED Driver



PART651

3W LED COB with 450mm Wire and LED Driver




PART688

LED Strip for FT032

Length: 203mm

Width: 25mm

LED COB



PART684

10W LED COB for FL040

PART685

20W LED COB for FL041

PART686

30W LED COB for FL042

PART687


50W LED COB for FL043

Parts


REMOTE AND RECEIVER FOR CEILING FITTINGS




PART500
1 Way Remote and Receiver



PART501
3 Way Remote and Receiver



PART502
4 Way Remote and Receiver



PART506
4 Way Remote and Receiver for CF097

LED DRIVERS DIMMABLE



PART601

Dimmable LED Driver 8W – 12W

Driver Type: Constant Current
Power: 8W – 12W
Input: AC110 – 265V 50/60 Hz
Output: DC24 – 42V 300 mA \pm 3%

Width: 40mm
Length: 90mm
Connector Length: 100mm



PART612

Dimmable LED Driver 8W – 12W

Driver Type: Constant Current
Power: 8W – 12W
Input: AC110 – 265V 50/60 Hz
Output: DC24 – 42V 120 mA \pm 3%

Width: 40mm
Length: 90mm
Connector Length: 100mm



PART603

Dimmable LED Driver 19W – 24W

Driver Type: Constant Current
Power: 19W – 24W
Input: 220 – 240V 50/60 Hz
Output: DC68 – 80V

Width: 47mm
Length: 130mm
Connector Length: 100mm

NOT DIMMABLE



PART606

30W LED Driver for FL042
Not Dimmable

REMOTE AND RECEIVER FOR CEILING FANS



PART503

AC Ceiling Fan Remote and Receiver for FCF007



PART504

AC Ceiling Fan Remote and Receiver



PART505

AC Ceiling Fan White Remote and Receiver

Contact a Bright Star Lighting Representative for Compatibility



PART511

AC FCF Bluetooth Remote and Receiver for FCF061 and FCF062



PART512

DC Ceiling Fan Remote and Receiver with Light for FCF044, FCF046, FCF059




PART513

DC Ceiling Fan Remote and Receiver without Light for FCF045, FCF047, FCF074



PART514


AC Ceiling Fan Remote and Receiver without Memory Function for FCF075, FCF076, FCF077, FCF079, FCF080, FCF081, FCF082



PART516

DC Ceiling Fan Remote and Receiver with Light for FCF013, FCF040, FCF041, FCF043, FCF048, FCF049, FCF050, FCF051, FCF086, FCF087

BATTERY BACKUP EMERGENCY LIGHTING



PART509 EMERGENCY

Connect to Permanent Live Wire to Charge Battery
Emergency Power Kit Replacement
Light Fitting must have an External Driver

To Convert Light Source:

5 - 40W LED Downlight, Panel and Ceiling to Emergency Light

- 30% of Power Output when the power goes down
Emergency Duration:

180 minutes @ 3Watts approximately

Includes:

Pilot light and push button tester
2 x Connectors to Driver and LED Lamps

Length: 180mm

Width: 42mm



PART510 EMERGENCY

Connect to Permanent Live Wire to Charge Battery
Emergency Power Kit Replacement

To Convert up to 20W LED Downlight
or LED Tube to Emergency Light

Same Power Output as Original Light Source
(Less than 20W)

Light Source: 5 – 20W LED Lamp

Power: 20W

Emergency Duration: 60 – 90 minutes

Length: 215mm

Width: 42mm

CHAIN AND WIRE

SOLD PER METER

WIRE



WIRE 008
Metal Hose Wire
Colour: Chrome



WIRE 009
Metal Hose Wire
Colour: Gun Metal



WIRE013
2 Core Wire for
12V or LED fittings



WIRE 014
4mm Cable for
Wire System Kits



WIRE 2 CORE
2 Core Transparent Wire



WIRE 3 CORE
3 Core Transparent Wire
(Including Earth)

CHAIN



AFRICAN BROWN
4mm



ANTIQU BRASS
4mm



BLACK
3mm
4mm



FRENCH WHITE
3mm



OLD GOLD
3mm
5mm



POLISHED CHROME
3mm
4mm
5mm



RUST
4mm



SATIN CHROME
4mm
5mm

CORD WIRE - SOLD PER METER

2 CORE TWISTED MATERIAL CORD WIRE



WIRE 010
GREY



WIRE 011
BROWN



WIRE 012
BLACK

3 CORE MATERIAL CORD WIRE



WIRE 001
GREY




WIRE 002
BLACK & WHITE



WIRE 003
WHITE & GREY



WIRE 004
RED COPPER



WIRE 005
LIGHT BROWN



WIRE 006
BLACK & WHITE MIX



WIRE 007
BLACK

3 METER AND 5 METER WIRE - PRE-PACK

2 CORE TWISTED MATERIAL CORD WIRE



GREY

WIRE 060-3M

3 METERS

WIRE 080-5M

5 METERS

Also Available:
WIRE 010



BROWN

WIRE 061-3M

3 METERS

WIRE 081-5M

5 METERS

Also Available:
WIRE 011



BLACK

WIRE 062-3M

3 METERS

WIRE 082-5M

5 METERS

Also Available:
WIRE 012

3 CORE MATERIAL CORD WIRE



GREY

WIRE 051-3M

3 METERS

WIRE 071-5M

5 METERS

Also Available:
WIRE 001



BLACK & WHITE

WIRE 052-3M

3 METERS

WIRE 072-5M

5 METERS

Also Available:
WIRE 002



WHITE & GREY

WIRE 053-3M

3 METERS

WIRE 073-5M

5 METERS

Also Available:
WIRE 003



RED COPPER

WIRE 054-3M

3 METERS

WIRE 074-5M

5 METERS

Also Available:
WIRE 004



LIGHT BROWN

WIRE 055-3M

3 METERS

WIRE 075-5M

5 METERS

Also Available:
WIRE 005



BLACK & WHITE MIX

WIRE 056-3M

3 METERS

WIRE 076-5M

5 METERS

Also Available:
WIRE 006



BLACK

WIRE 057-3M

3 METERS

WIRE 077-5M

5 METERS

Also Available:
WIRE 007

IP RATINGS

IP44

BH057/2	L131	L369	LFL017
BH058/1	L132	L370	LFL018
BH060	L133	L371	LFL019
BH061	L149	L373	LFL023
BH062	L157	L374	LFL027
BH064	L158	L4000	LFL034
BH068	L159	L4998	LFL035
BH074	L163	L4999	LFL036
BH075	L172	L5001	LFL037
BH076	L174	L5002	LFL038
BH090	L175	L5051	LFL039
BH091	L197	L509	LFL040
BH110	L198	L510	LFL041
BH112	L202	L517	LS023
BH113	L203	L544	LS024
BH120	L204	L545	LS025
BH121	L212	L568	LS026
BH2080	L213	L569	
BH2081	L214	L570	
FT004	L222	L571	
FT009	L223	L572	
FT010	L224	L573	
FT013	L231	L574	
FT014	L236	L575	
GS012	L240	L576	
L004	L255	L577	
L005	L256	L578	
L037	L258	L579	
L038	L260	L580	
L039	L303	L601	
L040	L304	L603	
L046	L307	L604	
L047	L308	L605	
L048	L309	L606	
L051	L310	L607	
L052	L311	L608	
L058	L312	L610	
L059	L313	L611	
L079	L320	L612	
L080	L321	L613	
L081	L322	L616	
L083	L331	L8082	
L090	L332	L8083	
L093	L333	L9007	
L106	L340	L9008	
L121	L341	L9009	
L122	L350	LFL004/1	
L123	L351	LFL005/3	
L124	L352	LFL006/1	
L125	L353	LFL007/1	
L126	L360	LFL008/3	
L127	L361	LFL012	
L128	L362	LFL014/1	
L130	L363	LFL015/1	

IP54

BH013	L514
BH021	L515
BH022	L516
BH023	L518
BH026	L519
BH027	L520
BH028	L522
BH050	L523
BH051	L524
BH052	L525
BH066	L526
BH067	L527
BH082	L528
BH083	L529
BH114	L530
BH124	L531
BH128	L532
BH129	L533
BH130	L534
BH131	L535
BH132	L536
BH133	L540
BH134	L541
BH135	L542
BH137	L543
BH138	L546
BH139	L547
BH408	L548
FL076	L549
FL080	L550
GL6101	L551
GS001	L552
GS002	L553
GS004/1	L555
GS005/2	L556
L072	L557
L119	L558
L245	L559
L246	L560
L247	L561
L248	L562
L249	L563
L270	L564
L271	L565
L272	L567
L326	LFL026
L342	LFL032
L343	LFL033
L344	LS030
L345	LS031
L508	
L511	
L512	
L513	

IP65

BH033	L368
DL070	L375
FL005	L376
FL006	L377
FL010	L378
FL011	L379
FL012	L380
FL013	L566
FL030	LFL028
FL031	LFL030
FL032	LFL031
FL033	LS010
FL034	LS020
FL035	LS021
FL045	LS022
FL046	LS032
FL047	WB098
FL070	WSC008
FL071	WSC009
FL072	WSC010
FL073	WSC011
FL074	WSC012
FL075	
FL077	
FT020	
FT021	
FT022	
FT025	
FT027	
FT030	
FT031	
FT032	
FT035	
FT036	
FT038	
GL6109	
GL6110	
GS006	
GS008	
GS010	
GS011	
GS013	
GS014	
GS015	
GS016	
L053	
L054	
L055	
L070	
L129	
L244	
L365	
L366	
L367	

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
BH013	250	BTL2444	482	BULB LED 184	52	BULB LED 265	50
BH021	253	BTL2447	482	BULB LED 185	52	BULB LED 266	50
BH022	253	BTL2448	482	BULB LED 187	47	BULB LED 267	47
BH023	253	BTL623	472, 481	BULB LED 190	44	BULB LED 268	46
BH026	253	BTL624	472, 478	BULB LED 191	44	BULB LED 269	51
BH027	253	BTL625	472	BULB LED 192	44	BULB LED 270	51
BH028	253	BTL903	478	BULB LED 193	44	BULB LED 271	51
BH033	255	BTL908	478	BULB LED 194	44	BULB LED 272	51
BH050	250	BTL9303	482	BULB LED 195	44	BULB LED 273	47
BH051	250	BULB LAVA LAMP	46	BULB LED 196	46	BULB LED 274	47
BH052	250	BULB LED 100	45	BULB LED 197	46	BULB LED 278	7, 41
BH057/2	250	BULB LED 101	45	BULB LED 198	46	BULB LED 279	7, 41
BH058/1	250	BULB LED 102	45	BULB LED 199	46	BULB LED 280	6, 40
BH060	251	BULB LED 103	45	BULB LED 200	46	BULB LED 281	6, 40
BH061	251	BULB LED 104	44	BULB LED 201	52, 177	BULB LED 282	6, 40
BH062	251	BULB LED 105	44	BULB LED 202	52, 177	BULB LED 283	6, 40
BH064	254	BULB LED 106	44	BULB LED 203	52, 177	BULB LED 284	6, 40
BH066	254	BULB LED 107	44	BULB LED 204	52, 177	BULB LED 285	47
BH067	254	BULB LED 108	46	BULB LED 205	53, 281	BULB LED 286	47
BH068	255	BULB LED 109	46	BULB LED 206	53, 281	BULB LED 287	47
BH074	252	BULB LED 110	46	BULB LED 207	53, 281	BULB LED 288	6, 40
BH075	252	BULB LED 111	46	BULB LED 220	52, 177	BULB LED 290	6, 39, 177
BH076	252	BULB LED 112	46	BULB LED 221	47	BULB LED 291	6, 39, 177
BH082	252	BULB LED 113	46	BULB LED 222	47	BULB LED 292	6, 39, 177
BH083	252	BULB LED 115	50	BULB LED 223	47	BULB LED 293	6, 39, 177
BH090	251	BULB LED 116	50	BULB LED 224	47	BULB LED 294	7, 41
BH091	251	BULB LED 117	50	BULB LED 225	47	BULB LED 295	7, 41
BH110	253	BULB LED 118	50	BULB LED 230	44	BULB LED 296	7, 41
BH112	253	BULB LED 119	49	BULB LED 231	44	BULB LED 297	7, 41
BH113	253	BULB LED 120	49	BULB LED 232	44	BULB LED 298	12, 39, 220
BH114	254	BULB LED 121	49	BULB LED 233	44	BULB LED 299	49, 226
BH120	254	BULB LED 122	49	BULB LED 234	44	BULB LED 900	54, 196
BH121	254	BULB LED 129	45	BULB LED 235	44	BULB LED 901	54, 196
BH124	255	BULB LED 130	44	BULB LED 236	48	BULB LED 902	55, 197
BH128	255	BULB LED 131	50	BULB LED 237	48	BULB LED 903	55, 197
BH129	255	BULB LED 132	50	BULB LED 238	48	BULB LED 905	3, 37
BH130	255	BULB LED 133	44	BULB LED 239	48	BULB LED 906	2, 36
BH131	255	BULB LED 134	44	BULB LED 240	48	BULB LED 907	42
BH132	255	BULB LED 135	45	BULB LED 241	48	BULB LED 908	42
BH133	255	BULB LED 136	45	BULB LED 242	48	BULB LED 909	42
BH134	255	BULB LED 145	46	BULB LED 243	48	BULB LED 910	42
BH135	255	BULB LED 146	46	BULB LED 244	48	BULB LED 911	42
BH137	255	BULB LED 153	49	BULB LED 245	50	BULB LED 912	42
BH138	255	BULB LED 154	49	BULB LED 246	50	BULB LED 913	42
BH139	255	BULB LED 155	49	BULB LED 247	50	BULB LED 914	42
BH2080	252	BULB LED 156	46	BULB LED 248	50	BULB LED 915	42
BH2081	252	BULB LED 157	46	BULB LED 249	50	BULB LED 916	43, 199
BH408	251	BULB LED 162	50	BULB LED 250	50	BULB LED 918	42
BTL007	482	BULB LED 164	50	BULB LED 251	43	BULB LED 919	42
BTL014	484	BULB LED 166	51	BULB LED 252	43	BULB LED 920	42
BTL021	481	BULB LED 167	51	BULB LED 253	43	BULB LED 921	1, 35
BTL023	478	BULB LED 176	52, 177	BULB LED 254	43	BULB LED 922	1, 35
BTL024	478	BULB LED 177	52, 177	BULB LED 260	46	BULB LED 923	1, 35
BTL025	478	BULB LED 178	52, 177	BULB LED 261	46	BULB LED 924	2, 36
BTL026	478	BULB LED 179	52, 177	BULB LED 262	44	BULB LED 925	3, 37
BTL031	484	BULB LED 180	52, 177	BULB LED 263	44	BULB LED 929	5, 38
BTL052	481	BULB LED 181	52, 177	BULB LED 264	44	BULB LED 930	5, 38

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
BULB LED 931	5, 38	CF162	71	CF328	86	CF472/8	70
BULB LED 932	3, 37	CF163	77	CF330	86	CF480/3	83
BULB LED 934	2, 36	CF164	77	CF334	72	CF481/4	83
BULB LED 935	2, 36	CF166	77	CF335	64, 215	CF484/2	94
BULB LED 936	3, 37	CF170	63	CF336	64, 215	CF493	89
BULB LED 937	3, 37	CF171	63	CF337	64, 215	CF494	89
BULB LED 938	3, 37	CF172	63	CF338	64, 215	CF495	89
BULB T5 TUBE	52, 177	CF187	91	CF339	85	CF496	89
BULB T8 TUBE	52, 177	CF188	91	CF3401	87	CF513	87
CF010/12	74	CF189	91	CF3402	88	CF520	73
CF011/9	74	CF190	91	CF3403	88	CF535	66
CF012	58, 210	CF191	93, 530	CF3404	88	CF536	66
CF013	58, 210	CF192	93, 530	CF344	64, 215	CF537	66
CF014	58, 210	CF193	93, 530	CF345	64, 215	CF538	66
CF015/5	80	CF194	68	CF346	64, 215	CF541	72
CF016/9	84	CF195/3	83	CF347	64, 215	CF544	67
CF017	65, 216	CF196/3	84	CF3505	88	CF545	67
CF021	93	CF2008	89	CF3507	88	CF546	67
CF046/9	59, 211	CF222	72	CF3508	88	CF548	67
CF047/13	59, 211	CF249	59, 211	CF3509	88	CF550	67
CF048/18	59, 211	CF250	59, 211	CF360	92	CF560/4	81
CF049/24	59, 211	CF251	59, 211	CF361	92	CF561/4	81
CF050/36	59, 211	CF255	58, 210	CF362	92	CF562/8	81
CF052	79	CF256	58, 210	CF364	60, 214	CF563/8	81
CF053	58, 210	CF257	58, 210	CF365	60, 214	CF564	62, 214
CF054	58, 210	CF270	9, 57	CF366	60, 214	CF565	62, 214
CF055	58, 210	CF271	9, 57	CF367	62, 213	CF566	62, 214
CF056	73	CF272	9, 57	CF368	62, 213	CF567	62, 214
CF057/8	82	CF273	76	CF370	65, 216	CF569	60
CF058/8	82	CF274	69	CF372	63, 214	CF570/6	71
CF0663	60, 213	CF275	69	CF375	62, 213	CF573	74
CF0664	60, 213	CF276	70	CF376	62, 213	CF631	92
CF0665	60, 213	CF277	69	CF377	62, 213	CF634/4	92
CF083	60	CF278	69	CF380	95, 217	CF637	90
CF096/5	80	CF279	69	CF381/8	80	CF642/3	79
CF099	95, 216	CF2826/6	75	CF384/5	82	CF643/3	79
CF118/24	72	CF286/6	78	CF385	62	CF673	61, 212
CF12009	89	CF288	75	CF386	62	CF674	61, 212
CF121	60, 214	CF289	88	CF387	62	CF721/10	73
CF122	60, 214	CF293	87	CF414	87	CF722/5	79
CF123	60, 214	CF294	76	CF427/4	94	CF723	65
CF124	65, 216	CF295	76	CF432/2	94	CF727	71
CF125	65, 216	CF298	78	CF434/9	83	CF728	61, 213
CF126	65, 216	CF2999	86	CF435/6	83	CF729	61, 213
CF127	65, 216	CF3005	90	CF436	85	CF8206	93
CF128	65, 216	CF3008	90	CF437	70	CF8207	93
CF1299	87	CF3014	93	CF438	70	CH001	95, 217
CF130	65, 216	CF3031	86	CF439	85	CH002	61, 217
CF131	63	CF3040	95, 217	CF441	85	CH003	95, 217
CF132	9, 57	CF311	78	CF442	68	CH004	95, 217
CF133	8, 57	CF312/5	78	CF443	68	CH005	95, 217
CF134	8, 57	CF314/9	80	CF444	85	CH006	61, 217
CF1361	90	CF315/8	75	CF445	70	CH019/3	113
CF1362	90	CF318	75	CF468/5	84	CH019/5	113
CF1550	90	CF320	74	CF469/3	84	CH065/3	121
CF160	71	CF326	87	CF469/4	84	CH065/5	121
CF161	71	CF327	86	CF471	63	CH065/8	121

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
CH079/3	113	CH340/4	110	CH524/3	122	DL064	141
CH079/5	113	CH342/5	132	CH524/5	122	DL066	147
CH081/3	131	CH343	101	CH529/3	129	DL067	147
CH082/4	131	CH344	100	CH531/3	130	DL070	148, 219
CH087/5	110	CH360/3	123	CH532	98	DL072	152
CH088/3	110	CH360/5	123	CH534/6	135	DL081	147
CH100/10	134	CH366/3	128	CH537/3	117, 134	DL082	147
CH1032/3	128	CH366/5	128	CH537/5	117, 134	DL086	145
CH1032/5	128	CH374/3	121	CH661/5	109	DL087	145
CH104/3	108	CH374/5	121	CH663/5	111	DL088	145
CH104/5	108	CH383/5	112	CH665/3	115	DL089	145
CH104/8+4	108	CH384/5	112	CH665/5	115	DL090	145
CH1334/6	119	CH388/3	107	CH890/3	137	DL091	145
CH1334/9	119	CH388/5	107	CH891/8	137	DL101	150
CH167/5	116	CH388/9	107	CH892/3	136	DL102	150
CH168/5	116	CH3901/3	122	CH893/1	136	DL107	146
CH178/3	113	CH3901/5	122	CH894/3	136	DL108	146
CH178/5	113	CH393/6	99	CH895/3	136	DL114	152
CH179/3	115	CH394/6	99	CH896/3	136	DL115	152
CH179/5	115	CH395/3	120	CH899/5	128	DL116	152
CH231/5	112	CH395/5	120	CHAIN	539	DL117	152
CH233/10	102	CH396/3	120	CL005	461	DL118	140
CH234/11	102	CH396/5	120	CL008	426, 427, 461	DL119	140
CH235/10	101	CH397/12	98	CL009	17, 452	DL120	140
CH236/6	101	CH398/3	126	DL GU10 BRACKET	139, 532	DL121	140
CH238/3	130	CH469/10	99	DL GU10 LAMPHOLDER	139, 532	DL122	140
CH239/5	116	CH470/5	100	DL001	147	DL123	140
CH240/12	111	CH471/3	100	DL003	147	DL124	140
CH243	99	CH473/4	100	DL004	151	DL125	140
CH246/4	132	CH475/3	118	DL005	151	DL130	141
CH250/3	114	CH475/6	118	DL006	151	DL131	141
CH250/5	114	CH475/9	118	DL008	146	DL132	141
CH251/3	125	CH488/5	111	DL009	147	DL133	141
CH251/5	125	CH489/5	126	DL018	146	DL134	141
CH252/3	114	CH490/5	111	DL019	147	DL135	141
CH252/5	114	CH491/3	127	DL023	148, 201	DL140	143
CH254/12	134	CH491/5	127	DL028	146	DL141	143
CH255	101	CH492/3	127	DL030	142	DL142	143
CH256	103	CH493/3	125	DL031	142	DL143/3	143
CH257	103	CH5035/6	119	DL032	148, 201	DL233	146
CH258/4	129	CH507/4	133	DL033/3	143	DL244	146
CH259/4	129	CH508/6	135	DL034	143	DL251	144
CH260/12	135	CH509/8	133	DL035	143	DL254	144
CH264/5	133	CH510/8	117	DL036	143	DL255	144
CH265/5	133	CH511/15	104	DL037	151	DL256	145
CH266/5	106	CH511/6	104	DL039	147	DL261	144
CH267/12+6	105	CH512/9	98	DL046	151	DL262	144
CH267/5	105	CH513/6	132	DL047	151	DL264	144
CH267/8+4	105	CH514/3	130	DL050	146	DL265	144
CH3050/24	104	CH515/6	110	DL054	151	DL266	145
CH3052/12	109	CH517	97	DL055	151	DL271	144
CH3052/6	109	CH518	97	DL056	151	DL499	150
CH3054/6	106	CH519	97	DL057	151	DL500	155
CH3056/6	109	CH522/3	109	DL058	151	DL501	150
CH3063/6	131	CH522/5	109	DL059	151	DL502	150
CH3068/3	124	CH523/3	122	DL062	141	DL503	150
CH3068/5	124	CH523/5	122	DL063	141	DL504	150

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
DL506	61, 152, 212	ECP623	33	ESW031	28	FAN020	10, 157
DL507	61, 152, 212	ECP624	33	ESW032	27	FAN021	11, 158
DL510	61, 152, 212	ECP635	33	ESW033	26	FAN024	10, 157
DL511	61, 152, 212	ECP635/2	33	ESW034	26	FAN025	167
DL512	61, 152, 212	ECP636	33	ESW035	27	FCF004	163
DL513	154	ECP637	33	ESW037	26	FCF007	164
DL514	155	ECP640	33	ESW038	27	FCF013	167
DL515	154	ECP641	33	ESW039	27	FCF018	162
DL516	154	ECP642	33	ESW040	27	FCF019	162
DL517	155	ECP643	33	ESW041	26	FCF020	162
DL518	153	EPL301	30	ESW042	26	FCF021	162
DL519	153	EPL320	30	ESW043	26	FCF031	164
DL520	153	EPL321	30	ESW071	24	FCF037	166
DL521	153	EPL322	30	ESW071/2	24	FCF038	166
DL550	149	EPL323	29	ESW072	24	FCF040	164
DL551	149	EPL324	29	ESW072/2	24	FCF041	164
DL552	149	EPL325	31	ESW073	24	FCF043	175
DL553	149	EPL326	32	ESW073/2	24	FCF044	168
DL554	149	EPL327	32	ESW074	24	FCF045	168
DL555	149	EPL328	32	ESW074/2	24	FCF046	168
DL556	149	EPL329	32	ESW075	25	FCF047	168
DL557	149	EPL330	32	ESW076	25	FCF048	165
DL558	149	EPL331	29	ESW077	25	FCF049	165
DL617	139	EPL332	31	ESW078	25	FCF050	165
DL618	139	EPL333	31	ESW080	28	FCF051	165
DL619	139	EPL334	31	ESW081	28	FCF054	166
DL620	139	EPL335	29	ESW082	27	FCF055	174
DL621	139	EPL349	30	ESW083	26	FCF059	167
DL701	150	EPL350	30	ESW084	26	FCF061	175
DL702	150	EPL351	30	ESW085	27	FCF062	174
DL703	150	EPL352	30	ESW087	26	FCF063	169
DL704	150	EPL353	29	ESW088	27	FCF064	169
DL705	150	EPL354	29	ESW089	27	FCF072	169
DL712	150	EPL355	31	ESW090	27	FCF073	169
DL713	150	EPL356	32	ESW091	26	FCF074	170
DL714	150	EPL357	32	ESW092	26	FCF075	170
DL715	150	EPL358	32	ESW093	32	FCF076	170
DL997	142	EPL359	32	FAN EXT 02	200	FCF077	171
DL999	142	EPL360	32	FAN EXT 03	200	FCF079	170
ECP601	33	EPL361	29	FAN EXT 04	200	FCF080	171
ECP601/2	33	EPL362	31	FAN EXT 05	200	FCF081	171
ECP605	33	EPL363	31	FAN EXT 06	200	FCF082	171
ECP606	33	EPL364	31	FAN EXT 07	200	FCF083	172
ECP607	33	EPL365	29	FAN EXT 08	200	FCF084	172
ECP610	23	ESW001	24	FAN EXT 09	200	FCF085	172
ECP611	23	ESW001/2	24	FAN EXT 10	200	FCF086	173
ECP612	23	ESW002	24	FAN EXT 11	200	FCF087	173
ECP613	23	ESW002/2	24	FAN008/3	160	FCF088	173
ECP614	23	ESW003	24	FAN010	159	FCF089	173
ECP615	23	ESW003/2	24	FAN012	159	FCF090	162
ECP616	23	ESW004	24	FAN013	159	FCF091	172
ECP617	23	ESW004/2	24	FAN014/3	161	FCF104	162
ECP618	23	ESW005	25	FAN015	11, 158	FL005	291
ECP619	23	ESW006	25	FAN016	11, 158	FL006	291
ECP620	23	ESW007	25	FAN017	11, 158	FL009	286
ECP621	23	ESW008	25	FAN018	11, 158	FL010	288
ECP622	33	ESW030	28	FAN019	10, 157	FL011	288

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
FL012	288	FTL038	182	FTL735	183	HVS351	195
FL013	288	FTL039	182	FTL736	183	HVS352	195
FL030	290	FTL040	182	FTL737	183	HVS400	190
FL031	287	FTL041	182	FTL741	178	HVS401	190
FL032	290	FTL042	182	FTL742	178	HVS402	190
FL033	287	FTL043	187	FTL743	178	HVS403	191
FL034	290	FTL044	187	FTL744	178	HVS404	191
FL035	290	FTL045	187	FTL745	178	HVS405	191
FL045	290	FTL046	187	FTL746	178	HVS420	188
FL046	291	FTL047	187	FTL747	185	HVS421	188
FL047	291	FTL048	187	FTL748	185	HVS422	188, 189
FL070	289	FTL049	187	FTL749	185	HVS423	189
FL071	289	FTL050	187	FTL750	185	HVS424	189
FL072	289	FTL054	178	GL6101	280	HVS455	188
FL073	289	FTL055	178	GL6109	280	HVS456	188
FL074	287	FTL056	178	GL6110	280	HVS457	188
FL075	287	FTL057	178	GS001	285	HVS463	189
FL076	13, 222, 287	FTL058	178	GS002	285	HVS464	189
FL077	13, 222	FTL059	178	GS004/1	285	HVS465	189
FL080	221	FTL109	4, 180	GS005/2	285	HVS470	188
FT004	277	FTL110	180	GS006	285	HVS471	188
FT009	277	FTL111	180	GS008	285	HVS472	188
FT010	277	FTL112	180	GS010	284	HVS480	188
FT013	277	FTL113	180	GS011	284	HVS481	188
FT014	277	FTL150	183	GS012	284	HVS482	188
FT020	278	FTL210	180	GS013	284	HVS483	188
FT021	278	FTL211	180	GS014	284	HVS484	188
FT022	278	FTL212	180	GS015	284	HVS495	189
FT025	278	FTL213	180	GS016	284	HVS496	189
FT027	279	FTL601	187	HVS001	192	HVS546	188
FT030	279	FTL602	187	HVS002	192	HVS547	188
FT031	279	FTL622	177	HVS003	192	HVS548	188
FT032	279	FTL623	177	HVS004	192	HVS549	188
FT035	278	FTL698	184	HVS005	192	HVS564	189
FT036	278	FTL699	184	HVS006	192	HVS565	189
FT038	279	FTL700	184	HVS007	192	HVS566	189
FTL001	179	FTL701	184	HVS008	192	HVS567	189
FTL002	179	FTL702	184	HVS009	192	HVS580	189
FTL003	179	FTL703	184	HVS010	192	HVS581	189
FTL004	179	FTL704	184	HVS011	192	HVS582	189
FTL005	179	FTL705	184	HVS012	192	HVS583	189
FTL006	179	FTL708	184	HVS120	193	L004	236
FTL008	183	FTL709	184	HVS121	193	L005	244
FTL009	183	FTL710	180	HVS122	193, 194, 195	L037	230
FTL011	181	FTL711	180	HVS123	193	L038	230
FTL012	181	FTL712	180	HVS124	193	L039	230
FTL013	181	FTL713	180	HVS231	194	L040	230
FTL015	179	FTL715	182	HVS232	194	L046	230
FTL018	186	FTL719	185	HVS233	194	L047	230
FTL019	186	FTL720	185	HVS234	194	L048	230
FTL020	186	FTL721	185	HVS235	194	L051	235
FTL021	186	FTL722	185	HVS236	194	L052	245
FTL022	186	FTL723	185	HVS237	194	L053	276
FTL023	186	FTL724	185	HVS238	194, 195	L054	274
FTL024	186	FTL725	182	HVS239	194, 195	L055	274
FTL025	186	FTL727	182	HVS240	194	L058	231
FTL037	182	FTL733	185	HVS350	195	L059	231

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
L070	273	L272	269	L513	241	L575	243
L072	274	L303	259	L514	238	L576	240
L079	229	L304	259	L515	246	L577	245
L080	271	L307	260	L516	241	L578	276
L081	229	L308	260	L517	241	L579	232
L083	228	L309	260	L518	238	L580	232
L090	228	L310	263	L519	238	L601	229
L093	228	L311	263	L520	238	L603	228
L106	238	L312	259	L522	235	L604	228
L119	269	L313	259	L523	232	L605	231
L121	268	L320	258	L524	232	L606	231
L122	268	L321	258	L525	239	L607	229
L123	270	L322	260	L526	239	L608	266
L124	270	L326	256	L527	275	L610	229
L125	268	L331	265	L528	239	L611	229
L126	268	L332	265	L529	275	L612	228
L127	268	L333	257	L530	275	L613	231
L128	268	L340	258	L531	275	L616	228
L129	256	L341	260	L532	239	L8082	236
L130	270	L342	265	L533	240	L8083	244
L131	270	L343	265	L534	240	L9007	257
L132	269	L344	265	L535	240	L9008	257
L133	269	L345	265	L536	240	L9009	257
L149	232	L350	242	L540	276	LFL004/1	247
L157	270	L351	242	L541	276	LFL005/3	247
L158	270	L352	242	L542	232	LFL006/1	247
L159	237	L353	242	L543	234	LFL007/1	248
L163	237	L360	235	L544	242	LFL008/3	248
L172	271	L361	237	L545	235	LFL012	282
L174	234	L362	245	L546	273	LFL014/1	248
L175	246	L363	243	L547	272	LFL015/3	248
L197	271	L365	264	L548	272	LFL017	249
L198	271	L366	264	L549	272	LFL018	249
L202	236	L367	264	L550	273	LFL019	249
L203	237	L368	264	L551	272	LFL023	282
L204	244	L369	234	L552	272	LFL026	283
L212	236	L370	235	L553	272	LFL027	246
L213	237	L371	235	L555	267	LFL028	283
L214	244	L373	245	L556	267	LFL030	263
L222	236	L374	245	L557	267	LFL031	282
L223	237	L375	264	L558	273	LFL032	262
L224	244	L376	264	L559	256	LFL033	262
L231	234	L377	259	L560	256	LFL034	261
L236	233	L378	264	L561	256	LFL035	261
L240	232	L379	264	L562	267	LFL036	261
L244	256	L380	235	L563	266	LFL037	261
L245	266	L4000	236	L564	266	LFL038	246
L246	266	L4998	233	L565	267	LFL039	246
L247	266	L4999	233	L566	256	LFL040	262
L248	266	L5001	233	L567	256	LFL041	262
L249	266	L5002	233	L568	257	LS010	12, 39, 220
L255	234	L5051	233	L569	260	LS018	12, 221
L256	234	L508	283	L570	257	LS020	223
L258	242	L509	241	L571	239	LS021	223
L260	269	L510	241	L572	244	LS022	225
L270	271	L511	245	L573	243	LS023	224
L271	271	L512	233	L574	241	LS024	223

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
LS025	223	PART024	527	PART505	537	PEN1032	335
LS026	224	PART025	528	PART506	535	PEN133	295
LS030	225	PART026	530	PART507	495	PEN135	295
LS031	225	PART027	530	PART508	495	PEN136	295
LS032	221	PART028	530	PART509	21, 538	PEN139	295
LS033	220	PART029	530	PART510	21, 538	PEN163	348
ML005	209	PART030	530	PART511	537	PEN164	348
ML009	209	PART031	530	PART512	537	PEN167/1	352
ML020	208	PART032	530	PART513	537	PEN187/1	305
ML021	208	PART033	530	PART514	537	PEN190/1	384
ML027	207	PART034	530	PART516	537	PEN191/1	384
ML030	209	PART035	530	PART601	536	PEN194/1	387
ML036	205	PART036	530	PART603	536	PEN195/1	352
ML044	202	PART037	530	PART606	536	PEN201	322
ML045	202	PART038	529	PART608	142, 532	PEN203	312
ML047	202	PART039	529	PART609	142, 532	PEN204	305
ML051	206	PART040	529	PART610	534	PEN206/3	308
ML052	206	PART041	530	PART612	536	PEN207	308
ML053	205	PART042	529	PART613	534	PEN208	312
ML054	207	PART043	529	PART640	531	PEN209	373
ML055	205	PART044	529	PART641	531	PEN213	307
ML056	205	PART045	529	PART642	531	PEN214	307
ML057	202	PART100	528	PART643	531	PEN216	297
ML058	204	PART101	528	PART644	531	PEN217	297
ML059	207	PART102	528	PART645	531	PEN218	388
ML060	205	PART103	528	PART646	531	PEN219	388
ML061	204	PART104	528	PART647	531	PEN221/1	298
ML062	204	PART105	528	PART650	534	PEN223/3	325
ML063	204	PART106	528	PART651	534	PEN224/3	351
ML064	203	PART107	528	PART684	534	PEN225/3	351
ML065	203	PART108	528	PART685	534	PEN227/1	294
ML066	203	PART109	534	PART686	534	PEN228/1	324
ML200	219	PART110	375, 529	PART687	534	PEN2298/1	344
ML201	219	PART111	375, 529	PART688	534	PEN2299/3	344
PART001	527	PART112	529	PART705	529	PEN2307	294
PART002	527	PART113	21, 529	PART707	534	PEN2308	294
PART003	527	PART114	533	PART801	532	PEN2318	294
PART004	527	PART115	533	PART802	532	PEN2319	294
PART005	527	PART116	533	PART803	532	PEN2324/1	297
PART006	527	PART117	533	PEN004	295	PEN233	374
PART007	527	PART118	533	PEN006	294	PEN234	496
PART008	527	PART119	533	PEN007	295	PEN235	307
PART009	527	PART120	533	PEN009	295	PEN236	307
PART010	527	PART121	533	PEN014	293	PEN241/1	308
PART011	527	PART122	532	PEN025	370	PEN243/1	302
PART012	527	PART123	532	PEN026	371	PEN243/3	302
PART013	527	PART190	531	PEN027	356	PEN244/1	302
PART014	527	PART191	531	PEN030	356	PEN244/3	302
PART015	527	PART192	531	PEN032/3	358	PEN245/1	303
PART016	528	PART193	531	PEN040	348	PEN245/3	303
PART017	528	PART200	529	PEN044	348	PEN246/1	303
PART018	528	PART201	530	PEN046/1	315	PEN246/3	303
PART019	530	PART500	535	PEN072	380	PEN247/16	363
PART020	530	PART501	535	PEN076/3	344	PEN248/32	363
PART021	528	PART502	535	PEN077/3	344	PEN2485/1	349
PART022	527	PART503	537	PEN094/1	366	PEN262	350
PART023	527	PART504	537	PEN1031	347	PEN263	350

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
PEN264	309	PEN462	340	PEN588	318	PEN730	364
PEN265	309	PEN463	340	PEN589	306	PEN732	364
PEN266	309	PEN464	374	PEN590	306	PEN740	317
PEN270/1	294	PEN470/6	330	PEN591	306	PEN741	346
PEN272/1	296	PEN471/7	330	PEN592	304	PEN742/4	346
PEN273/1	296	PEN472/14	330	PEN596	321	PEN743/1	308
PEN277/1	296	PEN486/1	347	PEN598	337	PEN744	311
PEN280/1	362	PEN487	359	PEN599	337	PEN745	311
PEN281/6	360	PEN498/1	316	PEN601	331	PEN750/1	316
PEN284/1	345	PEN500	319	PEN602	335	PEN751	317
PEN284/3	345	PEN501	319	PEN603	337	PEN756	338
PEN284/5	345	PEN502	319	PEN604	322	PEN757/3	338
PEN285/1	390	PEN503	319	PEN606	310	PEN760	331
PEN291	359	PEN514	386	PEN607	310	PEN761	339
PEN297	360	PEN515	312	PEN609	309	PEN762	331
PEN302	349	PEN516	312	PEN610	332	PEN763	331
PEN303	349	PEN517	312	PEN611	332	PEN764	339
PEN305	316	PEN518	376	PEN612	332	PEN767	385
PEN306	316	PEN525/1	316	PEN613	332	PEN768	385
PEN307	381	PEN526/1	312	PEN617	364	PEN769	385
PEN312	297	PEN528/4	322	PEN621/6	347	PEN770	385
PEN314	378	PEN529/5	361	PEN624/9	337	PEN771	385
PEN320	311	PEN534	341	PEN628/5	358	PEN773	387
PEN334/1	353	PEN535	341	PEN630	364	PEN774	387
PEN336/1	349	PEN536	341	PEN637/1	304	PEN775	387
PEN340/1	296	PEN537	341	PEN638/3	304	PEN779	391
PEN350	313	PEN538	339	PEN640/1	347	PEN780	391
PEN351	347	PEN540	390	PEN641	388	PEN781	391
PEN369	333	PEN541	390	PEN642	388	PEN782	391
PEN371	298	PEN542	390	PEN644/3	301	PEN783	391
PEN372	298	PEN543	390	PEN646/3	301	PEN784	391
PEN375	381	PEN545	311	PEN647/3	300	PEN790/3	368
PEN376/1	362	PEN547	309	PEN649/3	300	PEN791/3	368
PEN377/4	362	PEN548	311	PEN6700/1	349	PEN792/10	368
PEN388	381	PEN549	360	PEN679/1	376	PEN793/10	368
PEN393/1	298	PEN551	390	PEN686	335	PEN794/12	369
PEN399	305	PEN552/1	336	PEN687	370	PEN795/12	369
PEN414	333	PEN553/1	336	PEN688	371	PEN796	366
PEN415	333	PEN554/1	336	PEN689	370	PEN797	369
PEN416	333	PEN555	299	PEN690	371	PEN802/1	349
PEN420/1	377	PEN556	299	PEN691	357	PEN803	376
PEN421/1	377	PEN557	310	PEN692/8	357	PEN805	377
PEN422/1	296	PEN558	310	PEN693	304	PEN807	377
PEN429/1	384	PEN559	299	PEN694	337	PEN808	386
PEN430/1	384	PEN560	299	PEN695	339	PEN809	386
PEN431/1	388	PEN562	361	PEN697	305	PEN810	386
PEN433/1	353	PEN563/3	321	PEN710	305	PEN811	386
PEN435/3	353	PEN564/5	321	PEN714	322	PEN812/1	338
PEN442/1	297	PEN571/2	340	PEN715	323	PEN813/1	338
PEN444	380	PEN572/1	336	PEN717	323	PEN814/3	338
PEN445	380	PEN573/1	340	PEN718	378	PEN815	365
PEN448	335	PEN576	341	PEN719	378	PEN816	365
PEN450	346	PEN577	339	PEN721	378	PEN817	367
PEN452/6	320	PEN582	379	PEN725/1	324	PEN819	382
PEN453/12	320	PEN583	379	PEN726/3	324	PEN820	382
PEN460/5	315	PEN586	318	PEN727/1	317	PEN821	382
PEN461/5	315	PEN587	318	PEN728	317	PEN822	382

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
PEN826	354	PEN927/150W	375	S097/36W	496	S169/1	431
PEN827	354	PEN928/200W	375	S098/1	496	S169/2	431
PEN828	355	S005/1	407	S099/1	496	S169/3	431
PEN829	355	S005/2	407	S100/1	497, 498	S170/1	425
PEN835	389	S005/2R	407	S101/10W	498	S170/2	425
PEN836	367, 380	S005/3	407	S102/20W	498	S170/3	425
PEN837	313	S005/3R	407	S106	497, 499	S171/1	403
PEN839	334	S005/4	407	S107	497, 499	S171/2	403
PEN840	334	S010/1	406	S108/1	497, 499	S171/3	403
PEN841	361	S010/2	406	S109/1	497, 499	S172/1	408
PEN842	361	S010/3	406	S110/1	497, 499	S172/2	408
PEN843	366	S042/1	401	S111/1	497, 498	S172/3	408
PEN844/3	325	S042/2	401	S113/20W	499	S173/1	409
PEN845/3	350	S042/3	401	S115/30W	499	S173/2	409
PEN846	383	S042/4	401	S116/1	496	S173/3	409
PEN847/11	328	S048/1	404	S120/1	426	S176/1	422
PEN848/1	328	S048/2	404	S120/2	426	S176/2	422
PEN849/11	329	S048/3	404	S120/3	426	S176/3	422
PEN850/1	329	S048/4	404	S121/1	427	S177/1	423
PEN851/11	327	S049/1	414	S121/2	427	S177/2	423
PEN852	383	S049/2	414	S121/3	427	S177/3	423
PEN853/3	326	S049/3	414	S123/1	400	S178/1	395
PEN854	334	S049/4	414	S123/2	400	S178/2	395
PEN855	334	S050/1	402	S123/3	400	S178/3	395
PEN856	334	S050/2	402	S123/4	400	S301/1M	489
PEN857/3	327	S050/3	402	S150/3	435	S302/2M	489
PEN858	383	S050/4	402	S150/4	435	S303/3M	489
PEN859	383	S055/1	396	S151/4	400	S304/100W	489
PEN860	383	S055/2	396	S152/1	399	S305	489
PEN861	313	S055/3	396	S152/2	399	S306	489
PEN862	389	S055/4	396	S152/3	399	S307	489
PEN863	313	S056/1	417	S152/4	399	S308	489
PEN864	313	S056/2	417	S156/1	416	S309	489
PEN865	389	S056/3	417	S156/2	416	S310	489
PEN866/36	372	S056/4	417	S156/3	416	S311	489
PEN867/72	372	S058/1	397	S161/1	432	S312	490
PEN868/36	373	S058/2	397	S161/2	432	S313	490
PEN869/72	373	S058/3	397	S161/3	432	S314	490
PEN870	326	S058/4	397	S161/4	432	S315/6W	491
PEN871	326	S060/1	430	S163/1	398	S316/2X6W	491
PEN872	326	S060/2	430	S163/2	398	S317/12W	491
PEN873/1	314	S060/3	430	S163/3	398	S318/2X12W	491
PEN874/3	314	S063/1	405	S164/1	433	S319/6W	491
PEN902	350	S063/2	405	S164/2	433	S320	490
PEN903	379	S063/3	405	S164/3	433	S321/3X6W	490
PEN9042/8	348	S064/1	415	S165/1	428	S322/4	489
PEN907	352	S064/2	415	S165/2	428	S323	491
PEN908	352	S064/3	415	S165/3	428	S400/1	420
PEN912	299	S064/4	415	S166/1	429	S400/2	420
PEN919	343	S065/1	393	S166/2	429	S400/3	420
PEN920/1	343	S065/2	393	S166/3	429	S400/4	420
PEN921	342	S065/3	393	S167/1	424	S401/1	419
PEN922	342	S065/4	393	S167/2	424	S401/2	419
PEN923/100W	375	S066/1	434	S167/3	424	S401/3	419
PEN924/150W	375	S066/2	434	S168/1	394	S401/4	419
PEN925/200W	375	S066/3	434	S168/2	394	S402/1	418
PEN926/100W	375	S096/20W	496	S168/3	394	S402/2	418

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
S402/3	418	SL080	449	TL118	483	TL656	18, 456
S402/4	418	SL081	449	TL140	462	TL657	17, 456
S404/1	405	SL082	446	TL141	471	TL658	18, 454
S404/2	405	SL083	437	TL142	471	TL659	18, 454
S405/1	428	SL084	445	TL143	471	TL660	15, 454
S406/1	421	SL086	442	TL144	471	TL661	15, 454
S406/2	421	SL087	441	TL149	477	TL662	475
S406/3	421	SL089	441	TL155	476	TL663	18, 455
S406/4	421	SL094	439	TL175	474	TL664	15, 454
S409/3	493	SL095	437	TL176	481	TL665	15, 454
S410/3	493	SL1097	441	TL177	476	TL666	15, 453
S411/1	412	SL1098	442	TL178	480	TL667	469
S411/2	412	SL400	440	TL179	480	TL668	469
S411/3	412	SL401	446	TL180	476	TL669	469
S411/4	412	SL402	438	TL181	476	TL670	469
S412/1	413	SL403	438	TL182	459	TL671	460
S412/2	413	SL404	438	TL183	459	TL672	460
S412/3	413	SL406	440	TL185	458	TL673	464
S412/4	413	SL407	439	TL186	463	TL674	475
S413/1	411	SL408	448	TL187	477	TL675	468
S413/2	411	SL409	448	TL193	470	TL676	468
S413/3	411	SL410	448	TL194	470	TL677	468
S413/4	411	SL411	438	TL195	470	TL678	468
S414/1	410	SL413	443	TL196	477	TL679	467
S414/2	410	SL414	443	TL200	484	TL680	467
S414/3	410	SL415	444	TL202	465	TL681	475
S414/4	410	SL416	444	TL310	463	TL682	17, 452
S551 TYPE I	495	SL417	447	TL311	463	TL683	17, 452
S552 TYPE L	495	SL418	448	TL312	462	TL684	19, 455
S553 TYPE I	495	SL419	443	TL400	481	TL685	19, 455
S554 TYPE L	495	SL420	444	TL600	474	TL686	16, 451
S555 TYPE T	495	SL421	439	TL620	472	TL687	16, 451
S556 TYPE T	495	SL422	448	TL621	472	TL688	19, 455
S570/1M	494	SL423	447	TL622	472, 479	TL689	19, 455
S571/2M	494	SL424	447	TL626	459	TL690	465
S572/1M	494	SL425	438	TL627	459	TL691	466
S573/2M	494	SL426	438	TL628	458	TL692	466
S574/3M	494	TL003	14, 450	TL629	480	TL693	466
SH010	487	TL005	462	TL630	480	TL694	466
SH011	487	TL012	477	TL631	480	TL695	475
SH2	486	TL021	462	TL632	480	TL696	475
SH3	486	TL022	460	TL633	473	TL697	467
SH355	486	TL024	458	TL634	473	TL698	467
SH4	486	TL026	458	TL635	473, 479	TL699	468
SH6	487	TL038	15, 453	TL636	473	TL700	465
SH7	487	TL053	463	TL637	473	TL701	19, 452
SL005	442	TL066	483	TL645	460	TL702	19, 452
SL015	439	TL067	483	TL646	20, 457	TL703	17, 453
SL016	442	TL084	483	TL647	20, 457	TL704	467
SL017	437	TL089	477	TL648	20, 457	TL800	460
SL018	445	TL106	485	TL649	18, 456	TL802	465
SL019	440	TL108	485	TL650	474	TL812	481
SL034	449	TL109	485	TL651	473, 479	TL813	463
SL037	445	TL110	485	TL652	473	TL818	474
SL052	445	TL111	485	TL653	473	TL819	464
SL062	441	TL112	485	TL654	473	TL820	464
SL072	446	TL117	483	TL655	18, 456	TL821	458

INDEX

CODE	PAGE	CODE	PAGE	CODE	PAGE	CODE	PAGE
TL822	465	WB2023	518	WB403/2	514	WIRE 061-3M	541
TL823	468	WB204	512	WB404/2	514	WIRE 062-3M	541
TL824	459	WB205	512	WB405/2	514	WIRE 071-5M	541
TL825	459	WB206	503	WB406/3	515	WIRE 072-5M	541
WB004	518	WB212	512	WB407/3	515	WIRE 073-5M	541
WB005	518	WB217	511	WB408/3	515	WIRE 074-5M	541
WB006	518	WB218	511	WB409/1	523	WIRE 075-5M	541
WB022	507	WB219	511	WB410	502	WIRE 076-5M	541
WB023	507	WB220	511	WB411	502	WIRE 077-5M	541
WB030/2	516	WB268	509	WB412	506	WIRE 080-5M	541
WB031/2	516	WB269	509	WB413	506	WIRE 081-5M	541
WB032/2	516	WB270	521	WB414	506	WIRE 082-5M	541
WB033/2	516	WB271	521	WB415/1	314	WIRE 2 CORE	539
WB040/1	510	WB272	208, 506	WB452/1	525	WIRE 3 CORE	539
WB041/1	510	WB273	208	WB454/1	525	WSC003	492
WB045/1	522	WB274	208	WB475/2	118	WSC007	492
WB065/2	121	WB275	516	WB487/1	524	WSC008	227
WB067/1	525	WB276	516	WB513	87	WSC009	226
WB078/1	521	WB277	516	WB529/1	129, 524	WSC010	226
WB079/1	521	WB278	515	WB554	503	WSC011	227
WB080/1	521	WB279	515	WB708	524	WSC012	227
WB081/1	521	WB280	515	WB712	323, 524		
WB098	274, 506	WB281	502	WB800	199		
WB105/1	518	WB3005	90	WB804/1	524		
WB108/1	525	WB305	501	WB894	517		
WB1130	522	WB3054/2	106	WB899/1	128		
WB1131	522	WB306	501	WB9002	520		
WB1132	522	WB308	501	WB9003	520		
WB12009	89	WB309	501	WB9004	520		
WB121	508	WB310	501	WB9007	507		
WB122	508	WB313	504	WB9008	507		
WB124/1	518	WB314	504	WB919	343, 523		
WB125/1	518	WB315	504	WB920/1	343, 523		
WB1299/1	87	WB316	504	WB921	342, 523		
WB1334/2	119	WB318	4, 501	WB922	342, 523		
WB1470/2	525	WB319	4, 501	WIRE 001	540		
WB167/1	116	WB328	86	WIRE 002	540		
WB169/1	525	WB330	86	WIRE 003	540		
WB171/2	513	WB334	72, 507	WIRE 004	540		
WB172/2	513	WB3356	520	WIRE 005	540		
WB173/1	513	WB339	508	WIRE 006	540		
WB177	505	WB342	505	WIRE 007	540		
WB178	505	WB346	507	WIRE 008	539		
WB180	508	WB370	517	WIRE 009	539		
WB182	505	WB371	517	WIRE 010	540		
WB184	519	WB372	510	WIRE 011	540		
WB185	519	WB373	510	WIRE 012	540		
WB186	209	WB374	517	WIRE 013	539		
WB187	209	WB375	524	WIRE 014	539		
WB188	209	WB388/2	107	WIRE 051-3M	541		
WB194	503	WB396	522	WIRE 052-3M	541		
WB195	503	WB397/2	325	WIRE 053-3M	541		
WB196	508	WB398/1	126, 523	WIRE 054-3M	541		
WB197	502	WB399	502	WIRE 055-3M	541		
WB198	502	WB400/2	514	WIRE 056-3M	541		
WB2008	89	WB401/2	514	WIRE 057-3M	541		
WB2022	519	WB402/2	514	WIRE 060-3M	541		





Bright Star Lighting reserves the right to change, discontinue or replace any items that appear in this catalogue.

Specifications, sizes and colours printed in this catalogue, could vary from the actual product and are subject to change.

We regret any errors or omissions that may occur.



<p>CAPE TOWN 11 Fourth Street Montague Gardens Cape Town 7441</p> <p>PO Box 339 Milnerton 7435</p> <p>GPS Co-ordinates: S33° 51' 34.3" E18° 31' 06.3"</p> <p>Tel: 021 - 551 7035</p> <p>salescpt@brightstarlighting.co.za</p>	<p>JOHANNESBURG 40 - 42 Milkyway Avenue Linbro Business Park Linbro Park Johannesburg 2090</p> <p>PO Box 1194 Highlands North 2037</p> <p>GPS Co-ordinates: S26° 04' 01.7" E28° 06' 56.5"</p> <p>Tel: 011 - 444 8244</p> <p>salesjhb@brightstarlighting.co.za</p>
--	---

www.brightstarlighting.co.za

sales@brightstarlighting.co.za

AGENTS

<p>AFRICA</p> <p>Tel: 011 - 444 8244</p> <p>sales@brightstarlighting.co.za</p>	<p>DURBAN</p> <p>JOHN BENECKE Cell: 072 - 686 0465</p> <p>john@brightstarlighting.co.za</p>	<p>FREE STATE NORTHERN CAPE</p> <p>GRANT VAN ASWEGEN Tel: 051 - 430 3321 Cell: 083 - 285 8911 LISE-MARIE: 083 - 554 9695</p> <p>admin@gpvanas.co.za</p>	<p>EASTERN CAPE EAST LONDON PORT ELIZABETH</p> <p>JASON OEHLEY Cell: 082 - 304 5704</p> <p>jason@brightstarlighting.co.za</p>
---	---	---	--